Euro





外框拉门用五金的商品

•移开推拉门后,可以轻松地将推拉门安装在开口等处。

负载能力:30kg(294N)

品名:外框拉门用五金的商品			
	上滑轨	T滑轨	T滑轨
商品番号	(mm)	(mm)	色调
330-001	1, 388	1, 392	红棕色
330-002	1, 570	1, 574	
330-003	1, 628	1, 632	
330-001S	1, 388	1, 392	银色
330-002S	1, 570	1, 574	
330-003S	1, 628	1, 632	
迈里山京.			

设置内容: 上滑轨 1根, T滑轨 1根 KT调整滑轮(下侧用)2个 门侧引导 2个

上止键 2个下止键 2个



上滑轨(外框拉门用) OK

材质:铝 负载能力:30kg(294N)

品名:上滑勃(外框拉门用)

HI.D. T.HAMMI JETT 1111		
商品番号	轨长度(mm)	表面处理/色调
330-051	1, 388	白色
330-052	1, 570	
330-053	1, 628	

配套螺丝:3.5×30 沉头自攻钉 (数量取决于导轨长度)








T滑轨 材质:铝

负载能力:30kg(294N)

品名:T滑轨			
商品番号			
红棕色	银色	轨长度(mm))
330-054	330-057	1, 392	
330-055	330-058	1, 574	
330-056	330-059	1, 632	
配套螺丝:	2.7×16	沉头木头机钉	









KT调整滑轮(下侧用)

材质:合成树脂/钢铁 负载能力:30kg(294N) 调整范围:上下±3mm, 左右±2mm

品名:KT调整滑轮(下侧用)


商品番号	表面处理/色调
301-342-2	红棕色
NAC - ALL IA 14-	

※ 2件价格


配套螺丝:4×30 沉头自攻钉 2个
























门侧引导

品名:门侧引导	
商品番号	表面处理/色调
330-060	白色
※ 2件价格	
配套螺丝:4×25	沉头自攻钉 6个







上止键

材质:合成树脂

品名:上止键	
商品番号	表面处理/色调
330-061	白色
※ 2件价格	
配套螺丝:4×10	沉头小机钉 2个

