


KURIKI HARDWARE


LEVER HANDLES AND BUILDER'S HARDWARE CATALOG



KURIKI
Kuriki Manufacture Co., Ltd.

Kuriki Manufacture Co., Ltd.

Company Profile

Foundation	April 1948		
Establishment	November 1970		
Company Name	Kuriki Manufacture Co.,Ltd.		
President	AKIYOSHI KURIKI		
Head factory location	【Address】 1681 Onuki Namegata city Ibaraki, 311-1724, Japan 【Ground】 Ground : 13,200㎡ Factory Building : 2,150㎡ Office Building : 180㎡ 【Access】 JYOBAN_Line MITO Station OARAIKASHIMA Line SHINHOKOTA Station 10 Minutes of car JYOBAN_Line TSUCHIURA Station 30 Minutes of car 【TEL】 (+81)291-35-2636 【FAX】 (+81)291-35-2683		
Tokyo office location	【Address】 2F,OGAWA Bldg, 4-6-9 Kinshi Sumida-ku Tokyo, 130-0013, Japan 【Access】 SOUBU_Line KINSHICHO Station Approximately three minutes on foot 【TEL】 (+81)3-5608-2025 【FAX】 (+81)3-5608-2026		
Overseas Factory	【Firm Name】 TIANJIN KURIKI BUILDER'S HARD WARE ETC CO.,LTD (天津久力家居用品有限公司) 【Address】 The first factory No. 40 Shengdayizhi Road Xiqing Gaoduan Metal Product Industrial Area Tianjin The second, third factory Jinhuyuncheng Hardware Factory Wangwenzhuang Town Xiqing Development Area The fourth factory Wangzhuang Industrail Park Xiqing Development Area		
Trading Company	【Firm Name】 TIANJIN KURIKI BUILDER'S HARD WARE TRADING CO.,LTD (天津久力輝家居用品貿易有限公司) 【Address】 Jiefangnan Road and Wushui Road Junction Southwestside Hexi District Tianjin city		
Product	Lever Handles Door Parts Sliding Door Parts Accessories Cabinet Parts Handrail	Lever Handles for Metal · Lever Handles for Resin Soft Close for Hinged Door · Smart Door Stop · Door Keeper Pivot Hinge · Hinge · Doorstop · Door Rattle · Door Holder Displaying lens Soft Close for Sliding Door · Door Roller · Rail · Guide Pin Set Outset Door Set · Magnet Catcher · Hook Lock · Bar Handle Big Bar and Pull · Resin Pull · Metal Pull Solid Series · Paper Holder · Towel Ring · Towel Bar Push Pull Lock for Bath Room · Child Lock · Shelf · Laundry Pipe The Handle for Tempered Glass Knob · Pull · Handle · Hanger Rail · Hanger Pipe Round Bar Handrail (For Stand Up · Walking) Free Joining · Ring Joining · Only Handrail	
Home page	http://www.kuriki-ss.co.jp/en/		
Contact us	Head Office 【TEL】 (+81)291-35-2636 【FAX】 (+81)291-35-2683 【e-mail】 tianjin4@kuriki-ss.co.jp		

Product Index

Lever Handles

Concept · Type of Lock	2
Lock Case Type	3
Lever Handles Series	4
Finish & Color	5
Lock Cover Type	6
Standard Strike · Adjustment Strike	7
Product Number List	8
The order method of special order specification	9
Explanation of Right-Hand and Left-Hand	10
01 · 02 Type Lever Handle	11
03 · 04 Type Lever Handle	12
05 · 06 Type Lever Handle	13
07 · 08 Type Lever Handle	14
09 · 10 Type Lever Handle	15
11 · 131 Type Lever Handle	16
14 · 15 Type Lever Handle	17
AP4 and BP4 Type Lever Handle (Resin)	18
FL(Backset51mm) Lock Case Processing Design Data	19
FR(Backset51mm) Lock Case Processing Design Data	20
FT(Backset51mm) Lock Case Processing Design Data	21
FU(Backset32mm) Lock Case Processing Design Data	22
FU(Backset51mm) Lock Case Processing Design Data	23
KU(Backset32mm) Lock Case Processing Design Data	24
LU(Backset32mm) Lock Case Processing Design Data	25

Door Parts

Soft Door Closer for Hinged Door	28
Smart Door Stop	30
Door Keeper	31
Pivot Hinge	32
Hinge	33
Doorstop	34
Door Louver · Door Holder	35
Displaying Lens	
Round ϕ 35mm · Round ϕ 38mm	36
Angle · Clerestory	37

Sliding Door Parts

Soft Close for Hung Door	40
Soft Close for Sliding Door	41
Soft Close(Air System)	42
Adjustment Hung Door Roller	43
Hung Door Rail · Guide Pin	43
KT Door Roller · Lintel Rail	44
Floor T Rail	45
Outset Door Set	46
Upper Rail · Lower Rail · KT Door Roller	46
Getting The Door · Upper Stopper	47
Lower Stopper for Outset	47
Strike for Outset Sliding Doors	48
Outset Sliding Strike Wood	48
Lower Stopper for Outset	49
Upper Stopper for Outset	49
Magnet Catcher	50
Hole Cover Cap	50
F2 Guide · Upper Rail	51
PA Adjustment Door Roller · V Rail	51

Sliding Door Parts

TS Hook Lock	52
Clear Cut Hook Lock	54
NS Automatic Hook Lock	56
Bar Handle	58
Big Bar and Pull	59
Big Handle	60
TK Pull · ND Pull	61
Resin Pull Round & Square Model	62
Resin Pull Square Model One-Touch	62
One-Touch Pull Resin Square Model	63
Pull Round & Square Model	64
Metal One-Touch Pull Round & Square Model	65

Accessories

Solid Series	
Paper Holder · Towel Hanger · Towel Ring	68
Recessed Paper Holder	69
One Touch Paper Holder	60
Towel Hanger with Shelf · Shelf	60
Push Pull Lock for Bath Room	61
Child Lock · Towel Shelf	72
Towel Bar · Towel Bar with Hook	73
YH Laundry Pipe	74
KS Flexible Laundry Pipe	75
PP Shelf · Tray · Tray Hook	76
The Handle for Tempered Glass	77
The Hook of Bathtub Cover	77

Cabinet Parts · Handrail

Knob	
Round Knob · ND Knob · Square Knob · Oval Knob	80
Pull	
Closet Pull · Room Divider Pull	81
Handle	
D-Type Handle · TKC Handle · ND Handle	82
RK Handle · CA Handle · MJ Handle	83
Hanger Rail	84
Hanger Pipe	85
Round Bar Handrail (NE · NI Type)	86
Round Bar Handrail (NI Entrance · NL Type)	87
Free Joining · Ring Joining · Only Handrail	88

Icon guide

The icon in the catalogue shows the good point of the product which made the following contents a symbol.



Front shape "Square"

The front design of a case and the strike is "Square".



Front shape "Round"

The front design of a case and the strike is "Round".



Load Resistant capacity

It shows the road resistance.



Adaptation door thickness

It shows the thickness of door which resist the product load.



It was fit by phillips-head screwdriver.

It shows the products which can be assemble by phillips-head screwdriver.



No tool necessary

It shows the products which can be assemble without any tool.



The bathroom can be used

The products can be used in the bathroom.



Digging necessary

The products need any digging work such as door, Frame, wall.



Adhesion necessary

It shows the products which need the adhesion.



Build To Order

It shows the products which are manufactured after receiving the order.














These are the products which won the Good Design Award.


It shows the products which were selected by METI as being well designed.

Adjustment method for the goods


Adjustment for Hinged door

	Condition	Adjustment method	
①	<p>In case a door hits the vertical frame.</p> <p>Before</p>  <p>After</p> 	<p>Pivot Hinge (Upper Body)</p>  <p>Adjustment screw for right and left</p> <p>Pivot Hinge (Lower Body)</p>  <p>Adjustment screw for right and left</p> <p>Please adjust a door position properly by turning an adjustment screw for right and left of upper body or lower body.</p>	
②	<p>In case a door hits a upper door frame or floor.</p> <p>Before</p>  <p>After</p> 	<p>Pivot Hinge (Lower Body)</p>  <p>Adjustment screw for up and down</p> <p>Please adjust a door position up and down properly by turning an adjustment screw of lower body for up and down.</p>	
③	<p>In case a door inclines.</p> <p>Before</p>  <p>After</p> 	<p>Pivot Hinge (By Upper)</p>  <p>Fixing screws for upper (4pcs)</p> <p>Pivot Hinge (By Lower)</p>  <p>Fixing screws for lower (3pcs)</p> <p>Please loosen a lower screws and adjust a lower horizontally to move pivot hinge to the proper position if the door body incline horizontally. (After adjustment, please tighten the screw surely.)</p>	











④ The adjustment for Adjustable Strike.




Please adjust the strike position by turing an adjustment screw for flont and back if the ratch has a rattle in the strike or the ratch could not be set well.




Adjustment for a sliding door

	Condition	Adjustment method	
①	<p>In case the sliding door could not be closed properly or there is a gap when it is closed.</p> <p>Before</p>  <p>After</p> 	<p>Hung Door Roller</p>  <p>Adjustment screw for up and down</p> <p>Door Roller (Lower)</p>  <p>Adjustment screw for up and down</p> <p>Please adjust the sliding door by turning the adjustment screw for up and down.</p>	
②	<p>In case the sliding door inclines front and back.</p> <p>Before</p>  <p>After</p> 	<p>Hung Door Roller</p>  <p>Adjustment screw for right and left</p> <p>Door Roller (Upper, Lower)</p>  <p>Adjustment screw for right and left</p> <p>Adjustment screw for right and left</p> <p>Please adjust the sliding door by turning an adjustment screw for right and left.</p>	
③	<p>In case Hook lock does not work well.</p> <p>Hook Lock Strike</p>  <p>up and down</p> <p>depth</p> <p>Adjustment plate</p> <p>Vertical Frame Side</p> <p>Sliding Door Side</p> <p>Hook Lock</p>	<p>Hook Lock Strike</p>  <p>Adjustment screw for depth</p> <p>Adjustment fixing screw for up and down</p> <p>Please adjust a strike position properly by turning an adjustment fixing screw for front and back. (Please fasten a fixing screw after adjustment.)</p>	

④ Rattle adjustment for a sliding door.



It is possible to reduce the rattle of the sliding door by a tension adjustment screw.









Concept

- Kuriki provide the high-performance and low price line-up by approaching from the view of 5 category such as Material, Functions, Design, Performance and Cost.
- All lever handles and cases had already passed the endurance test.
- Wide range of design to match the purpose.

Type of Lock

Type	Design Data	Usage Example
1 Passage Lock		Closet, Children Room, Living Room, Dinning Room, where there is no need to use the lock.
2 Privacy Lock		The privacy lock is installed where need to lock the key from room inside. In the emergency case, someone can open the key from room outside by using the coin and so on.
3 Indicator Lock		The indicator lock is installed where need to have the function of displaying locking confirmation such as bedroom and restroom. In the emergency case, someone can open the key from room outside by using the coin and so on.
5 Simple Cylinder Lock		In the private room to live together, simple cylinder lock is installed where it is locked from the room inside and from the room outside when going out

Lock Case Type


FL(Backset51mm) Lock Case

FL Lock Case has a high cost performance.

Material : <Case> SPCC
<Front> SUS304

Finish : <Case> Chromating
<Front> Hair Line

Front Shape : Square, Round




FT(Backset51mm) Lock Case

Notch in the door is easy to process.

Material : <Case> ZDC
<Front> SUS304

Finish : <Case> Chromating
<Front> Hair Line

Front Shape : Square, Round





FR(Backset51mm) Lock Case

FR Lock Case has a high cost performance.

Material : <Case> SPCC
<Front> SUS304

Finish : <Case> Chromating
<Front> Hair Line

Front Shape : Square, Round




FU(Backset32.51mm) Lock Case

FU Lock Case is made of all stainless steel resisting to corrosion.

Material : <Case> SUS304
<Front> SUS304

Finish : <Case> Metal Fabric
<Front> Hair Line

Front Shape : Square



KU(Backset32mm) Lock Case

KU Lock Case is made of resin.

Material : <Case> ABS, POM
<Front> ABS

Color : <Case> White
<Front> White

Front Shape : Square




LU(Backset32mm) Lock Case

LU Lock is the silent type which is made of resin.

Material : <Case> POM
<Front> SUS304

Color : <Case> Silver
<Front> Silver

Front Shape : Square



Lever Handle Series

01 Type



02 Type



03 Type



04 Type



05 Type



06 Type



07 Type



08 Type



09 Type



10 Type



11 Type



131 Type



14 Type



15 Type



AP4 Type (Lower fixation)
BP4 Type (Horizontal fixation)



Finish & Color

SW
(Satin Silver)



SA
(Satin Amber)



SG
(Satin Gold)



SB
(Satin Black)



CR
(Chrome Plated)



PG
(Gold Plated)



AS
(Alumite silver)



AA
(Alumite Amber)



AG
(Alumite gold)



SN
(Soft Nickel)



PC
(Pearl Chrome)



CG
(Champagne Gold)



BC
(BS Chrome)



SPC
(Shot Pearl Chrome)


















































SCG
(Shot Champagne Gold)




SBC
(Shot BS Chrome)



Lock Cover Type

	Passage Lock				Privacy Lock				Indicator Lock			Simple Cylinder Lock		
FL (BS51)	Metal				Metal				Metal			Metal		
	1 M	1 C	1 L		2 C	2 L			3 C	3 L		5 C	5 L	
														
FT (BS51)	Metal				Metal				Metal					
	1 M	1 C	1 L		2 C	2 L			3 C	3 L				
														
FR (BS51)	Metal				Metal				Metal					
	1 M				2 M				3 M					
														
FU (BS32)	Metal				Metal		Resin		Metal					
	1 C	1 E			2 C	2 E	2 A		3 C	3 E				
														
FU (BS51)	Resin	Metal			Metal			Resin	Metal					
	1 M	1 C	1 K	1 E	2 C	2 K	2 E	2 A	3 C	3 K	3 E			
														
KU (BS32)	Metal				Metal		Resin		Metal					
	1 J	1 F			2 J	2 F	2 D		3 J	3 F				
														
LU (BS32)	Metal	Resin			Resin									
	1 T	1 S			2 S									
														

Finish is specified according to use and handle.



Standard Strike



Strike is a standard type.

Material : SUS304, SPCC

Product : Standard Strike

Product No Finish/Color

227-010 Hair Line

Including : 3.5×20 Flat tapping screw 2pcs

F Type



Using a small door

P Type



Using a small door

Adjustment Strike



After installation, the mechanism is kept good condition to be adjusted without rattle.

Material : <F Type> SUS304, SPCC, PA6
<P Type> SUS430, SPCC

Finish/Color : Barrel Polishing

Adjustable Range : Front Back ±2mm

Product : Adjustment Strike

Product No Specification Applications

227-011 F Type —

227-012 Small door

227-013 P Type —


227-014 Small door

Including :

<F Type> 3.5×20 Flat tapping screw 2pcs


<P Type> 3.5×22 Flat wood screw 2pcs

F Type



Using a small door

P Type



Using a small door



Product Number List

(Refer to the 9 pages for the order method of special order specification)

Lock Case Type (Backset) ※1	Lever handle form		Function of a Lock		Lock Cover Type	Finish				Door Thickness ※5	Quantity			
FL(BS51) (Metal)	01 Type ※3	09 Type	1	Passage Lock	M	Round	SW	Satin Silver	AG	Alumite Gold	28~33			
	02 Type	10 Type			C	Elliptic	SA	Satin Amber	SN	Soft Nickel			34~36	
	03 Type ※3	11 Type			L	Square	SG	Satin Gold	PC	Pearl Chrome				
	04 Type ※3	131 Type	2	Privacy Lock	C	Elliptic	SB	Satin Black	CG	Champagne Gold				
	05 Type	14 Type			L	Square	CR	Chrome Plated	BC	BS Chrom				
	06 Type	15 Type			L	Square	PG	Gold Plated	SPC	Shot Pearl Chrome				
	07 Type		3	Indicator Lock	C	Elliptic	AS	Alumite Silver	SCG	Shot Champagne Gold				
	08 Type				L	Square	AA	Alumite Amber	SBC	Shot BS Chrome				
FT(BS51) (Metal)	01 Type ※3	09 Type	1	Passage Lock	M	Round	SW	Satin Silver	AG	Alumite Gold	28~33			
	02 Type	10 Type			C	Elliptic	SA	Satin Amber	SN	Soft Nickel			34~36	
	03 Type ※3	11 Type			L	Square	SG	Satin Gold	PC	Pearl Chrome				
	04 Type ※3	131 Type	2	Privacy Lock	C	Elliptic	SB	Satin Black	CG	Champagne Gold				
	05 Type	14 Type			L	Square	CR	Chrome Plated	BC	BS Chrom				
	06 Type	15 Type			L	Square	PG	Gold Plated	SPC	Shot Pearl Chrome				
	07 Type		3	Indicator Lock	C	Elliptic	AS	Alumite Silver	SCG	Shot Champagne Gold				
	08 Type				L	Square	AA	Alumite Amber	SBC	Shot BS Chrome				
FR(BS51) (Metal)	01 Type ※3	09 Type	1	Passage Lock	M	Round	SW	Satin Silver	AG	Alumite Gold	28~33			
	02 Type	10 Type	2	Privacy Lock	M	Round	SA	Satin Amber	SN	Soft Nickel	34~36			
	03 Type ※3	11 Type			SG	Satin Gold	PC	Pearl Chrome						
	04 Type ※3	131 Type	3	Indicator Lock	M	Round	SB	Satin Black	CG	Champagne Gold				
	05 Type	14 Type			CR	Chrome Plated	BC	BS Chrom						
	06 Type	15 Type	PG	Gold Plated	SPC	Shot Pearl Chrome	SCG	Shot Champagne Gold	SBC	Shot BS Chrome				
	07 Type		AS	Alumite Silver										
	08 Type		AA	Alumite Amber										
FU32(BS32)※2 (Metal)	01 Type ※3	09 Type	1	Passage Lock	C	Elliptic	SW	Satin Silver	AG	Alumite Gold	25			
	02 Type	10 Type			E	Square	SA	Satin Amber	SN	Soft Nickel	28~33			
	03 Type ※3	11 Type	2	Privacy Lock	C	Elliptic	SG	Satin Gold	PC	Pearl Chrome				
	04 Type ※3	131 Type			E	Square	SB	Satin Black	CG	Champagne Gold				
	05 Type	14 Type	3	Indicator Lock	C	Elliptic	CR	Chrome Plated	BC	BS Chrom	SPC		Shot Pearl Chrome	
	06 Type	15 Type			E	Square	PG	Gold Plated	SCG	Shot Champagne Gold				SBC
	07 Type		AS	Alumite Silver										
	08 Type		AA	Alumite Amber										
AP4 (Lower fixation) (Resin) ※4			2	Privacy Lock	A	Elliptic	WH	Pale white (Material coloring)		25~26 28~30 32~34				
	FU51(BS51)※2 (Metal)	01 Type ※3	09 Type	1	Passage Lock	C	Elliptic	SW	Satin Silver	AG	Alumite Gold	25		
		02 Type	10 Type			K	Elliptic	SA	Satin Amber	SN	Soft Nickel	28~33		
		03 Type ※3	11 Type	E	Square	SG	Satin Gold	PC	Pearl Chrome					
		04 Type ※3	131 Type	2	Privacy Lock	C	Elliptic	SB	Satin Black	CG	Champagne Gold			
		05 Type	14 Type			K	Elliptic	CR	Chrome Plated	BC	BS Chrom			
		06 Type	15 Type	E	Square	PG	Gold Plated	SPC	Shot Pearl Chrome	SCG	Shot Champagne Gold			
		07 Type		AS	Alumite Silver	SBC	Shot BS Chrome							
08 Type			AA	Alumite Amber										
AP4 (Lower fixation) (Resin) ※4			1	Passage Lock	M	Round	WH	Pale white (Material coloring)		25~26 28~30 32~34				
			2	Privacy Lock	A	Elliptic								
	KU(BS32) (Resin)	01 Type ※3	09 Type	1	Passage Lock	J	Elliptic	SW	Satin Silver	AG	Alumite Gold	25		
		02 Type	10 Type			F	Square	SA	Satin Amber	SN	Soft Nickel	28~33		
		03 Type ※3	11 Type	2	Privacy Lock	J	Elliptic	SG	Satin Gold	PC	Pearl Chrome			
		04 Type ※3	131 Type			F	Square	SB	Satin Black	CG	Champagne Gold			
		05 Type	14 Type	3	Indicator Lock	J	Elliptic	CR	Chrome Plated	BC	BS Chrom	SPC		Shot Pearl Chrome
		06 Type	15 Type			F	Square	PG	Gold Plated	SCG	Shot Champagne Gold			
07 Type			AS	Alumite Silver										
08 Type			AA	Alumite Amber										
AP4 (Lower fixation) (Resin) ※4			2	Privacy Lock	D	Elliptic	W	White (Material coloring)		25~26 28~30 32~34				
	LU(BS32) (Resin)	04 Type ※3 (horizontal fixation)		1	Passage Lock	T	Elliptic	AS	Alumite silver		30			
				2	Privacy Lock	S	Elliptic (Resin)	WH	Pale white (Material coloring)		30			
		BP4 (horizontal fixation) (Resin) ※4				S	Elliptic (Resin)							

The order method of special order specification

Product number	Handle absolute location	Front width	Front shape	Strike
Refer to the 8 pages for product number.	A standard is a lower stop. In the Case of a horizontal stop, please enter.	A standard is 25mm width. 22mm width correspondence is possible only for a FU·KU Case.	The FL·FT·FR Case of a standard is a round shape. Only a FL·FT·FR Case can choose a square shape and a round shape. FU·KU·LU Case is a square-shaped setup.	Please enter, only when there is no necessity, cases other than a standard strike, and.

The example of ordered-goods watch



Photograph A

Photograph B

Photograph C

Photograph D

Photograph E

Photograph F

	Standard specification							Special order specification			
	Lock Case Type	Lever Handle form	Function of a Lock	Lock Cover Type	Finish	Door Thickness	Quantity	Handle absolute location	Front width	Front shape	Strike
Photograph A Special order	F L	0 7	2	C	P G	28 mm	○ piece	Blank (Standard)	Only standard	Square shape	F Type
Photograph B Special order	F T	0 1	1	M	S W	30 mm	○ piece	Blank (Standard)	Only standard	Blank (Standard)	P Type
Photograph C Special order	F R	1 0	3	M	C R	35 mm	○ piece	Blank (Standard)	Only standard	Square shape	Blank (Standard)
Photograph D Standard	F U 3 2	0 4	2	C	A S	25 mm	○ piece	Blank (Standard)	Blank (Standard)	Only standard	Blank (Standard)
Photograph E Special order	K U	A P 4	2	D	W	30 mm	○ piece	Lower fixation	22 mm	Only standard	No need
Photograph F Special order	L U	B P 4	2	S	W H	30 mm	○ piece	Lower fixation	Only standard	Only standard	No need

※ 1 : The form of a seat changes with cases. Please be careful in the case of Product number specification.

※ 2 : Only FU Case has two kinds of the backsets 32 and 51.

※ 3 : Alumite finish is possible only for 3: 01 Type, 03 Type, and 04 Type handle.

※ 4 : AP4 type and BP4 type handle do not correspond to FL, FT, and FR Case.

※ 5 : Please contact and ask our sales division "tianjin4@kuriki-ss.co.jp" if you use the lever handles which is not listed in Kuriki's door thickness 8 pages.



※ 6 : The Right-Hand of a case latch is a standard.

Looking at the operation manual of each goods, please rearrange and carry out recombination to the Left-Hand from the Right-Hand.





Explanation of Right-Hand and Left-Hand

Kuriki's Standard

Based on our company rule, we call it Left-Hand when the door hinges are seen on the left hand in case the person stood in front of the door.
On the other hand, we call it Right-Hand when the door hinges are seen on the right hand in case the person stood in front of the door.

	
Left-Hand	Right-Hand

Example (Foreign countries)

	
Left Hand	Right Hand
	
Left Hand Reverse	Right Hand Reverse

01 Type Lever Handle


This handle has a simple and safe design suitable to the place at a calm atmosphere.

Material : ADC or A1050


Standard Finish : SW·SA·SG·SB·CR·PG·AS·AA·AG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC


DT : 28~40mm




1 M-CR



3 C-AS



2 E-SW



2 J-CR



3 C-PG

02 Type Lever Handle

This handle which harmonizes with room interior design has a beautiful line.

Material : ADC


Standard Finish : SW·SA·SG·SB·CR·PG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 M-SW




3 C-CR



2 C-CR



2 F-CR



2 J-CR

03 Type Lever Handle

Door Thickness
28~40mm Bathroom Available


This handle has a simple and operability design suitable to the place at a relaxing atmosphere.

Material : ADC or A1050

Standard Finish : SW·SA·SG·SB·CR·PG·AS·AA·AG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 M-SG




3 C-SW



2 C-CR



2 E-SW



2 J-AS

04 Type Lever Handle

Door Thickness
28~40mm Bathroom Available


This handle provide with beauty of function because it has both a various function and easy operation.

Material : ADC or A1050

Standard Finish : SW·SA·SG·SB·CR·PG·AS·AA·AG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 M-AS



3 C-AS



2 C-CR



2 F-CR



2 J-AS

Door
Thickness
28~40mmBathroom
Available

05 Type Lever Handle

This handle has a sharp design and it is popular.

Material : ADC


Standard Finish : SW·SA·SG·SB·CR·PG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 M-CR



1 M-SA



1 C-SW



2 C-SA



3 C-SG

06 Type Lever Handle

Door
Thickness
28~40mmBathroom
Available

This handle has a simple design and excellent operatability.

Material : ADC


Standard Finish : SW·SA·SG·SB·CR·PG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 M-CR



1 M-SG



1 C-SW



2 C-SA



3 C-SG

07 Type Lever Handle

Door Thickness
28~40mm

Bathroom
Available


This handle has a streamline-shaped design.

Material : ADC

Standard Finish : SW·SA·SG·SB·CR·PG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 M-PG



1 C-SW



2 C-CR



5 C-SW



2 J-CR

08 Type Lever Handle

Door Thickness
28~40mm

Bathroom
Available


This handle has a dignified character and a high-grade sense design.

Material : ADC

Standard Finish : SW·SA·SG·SB·CR·PG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 M-PG



3 C-SW



2 C-SW



2 E-SW



2 J-CR

09 Type Lever Handle

This handle has a friendly design and easy to grip.

Material : ADC


Standard Finish : SW·SA·SG·SB·CR·PG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm




1 M-PG




3 C-CR



2 C-CR



2 E-SW



2 J-CR

10 Type Lever Handle

This handle has a friendly and dignified design.

Material : ADC


Standard Finish : SW·SA·SG·SB·CR·PG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 M-PG



3 M-PG



2 C-SW



2 K-SW



2 J-CR

11 Type Lever Handle

Door Thickness
28~40mm

Bathroom
Available


This handle has a sharp design and it match various doors and interior.

Material : ADC

Standard Finish : SW·SA·SG·SB·CR·PG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 L - SW



1 L - S G

131 Type Lever Handle

Door Thickness
28~40mm

Bathroom
Available


This handle has a round design and it is easily gripped and held.

Material : ZDC

Standard Finish : SW·SA·SG·SB·CR·PG

Customizable Finish : PC·CG·BC·SPC·SCG·SBC

DT : 28~40mm



1 M - P G



3 C - SW



2 C - SW



2 E - SW



2 J - CR


14 Type Lever Handle

This handle has a beautiful design with an elegant atmosphere.

Material : ZDC
 Standard Finish : SW·SA·SG·SB·CR·PG
 Customizable Finish : PC·CG·BC·SPC·SCG·SBC
 DT : 28~40mm



1 M-PG



2 C-CR



2 K-PG



2 F-CR



2 J-CR


15 Type Lever Handle

This handle which has a sharpe and dignified atmosphere is suitable for the modern door.

Material : ADC
 Standard Finish : SW·SA·SG·SB·CR·PG
 Customizable Finish : PC·CG·BC·SPC·SCG·SBC
 DT : 28~40mm



1 M-CR



3 L-SG



3 L-SW



2 F-SW



2 F-CR

AP4 and BP4 Type Lever Handle

Door Thickness
25-34mm


Bathroom
Available

Two type handles for the bathroom have a gentle and a beautiful design and high durability.


There are two kinds of setup,
AP4 Type handle of lower fixation and
BP4 Type handle of horizontal fixation.

Material : ABS

Finish : WH·W



1 M-WH



2 A-WH



2 D-W



Assembling parts of lever handle and resin case.



2 S-WH





1 S-WH



Assembling parts of lever handle and metal case.

FL(Backset51mm) Lock Case Processing Design Data




■Standard door thickness 28~36mm



... Show a partial notches.

FR(Backset51mm) Lock Case Processing Design Data



■Standard door thickness 28~36mm



... Show a partial notches.

FT(Backset51mm) Lock Case Processing Design Data




■Standard door thickness 28~36mm



... Show a partial notches.


FU(Backset32mm) Lock Case Processing Design Data

■Standard door thickness 28~36mm




FU(Backset51mm) Lock Case Processing Design Data

- Standard door thickness 28~36mm
- Prevent false locking device can order.
(mechanism to automatically unlock the doors closed and locked while incorrectly)




KU(Backset32mm) Lock Case Processing Design Data


■Standard door thickness 25, 28, 30, 33 mm



Square (F Model) Privacy Lock, Indicator Lock





If shutting the door,aluminum



... Show a partial notches.

LU(Backset32mm) Lock Case Processing Design Data


■Standard door thickness 30mm



... Show a partial notches.



Door Parts



Soft Door Closer for Hinged Door (Standard Type)

Load Capacity
588N

Screw driver

Even if you shut a hinge door with a bang, the door can be closed quietly by the brake of soft close.

In addition, This product "soft close" is a green product because the door is automatically closed.

The soft close prevents us from being left the door open.

Therefore we can save the energy such as air-conditioner.

Passing 500,000 times of endurance test.

Install Range : Up Down $\pm 5\text{mm}$, Right Left $\pm 5\text{mm}$
Front Back $\pm 4\text{mm}$

Material : <Main unit> ABS, POM
<Bracket spool> ABS, SUS304, ZDC
<Liner> SPCC

Product : Soft Close for Hinged Door

Product No		Door weight	Finish/Color
Left-Hand	Right-Hand		
312-021	312-025	294N (30kg)	Gold Painting
312-022	312-026		Silver Painting
312-023	312-027		Gray
312-024	312-028		Brown
312-051	312-055	588N (60kg)	Gold Painting
312-052	312-056		Silver Painting
312-053	312-057		Gray
312-054	312-058		Brown

Including :

<Main unit> M4×12 Pan machine screw 2pcs
M4 Plain washer 2pcs

<Bracket spool> 4×30 Truss tapping screw 2pcs


<Liner> 4×20 Flat tapping screw 3pcs

Reinforcement part


312-029 The liner installed for a door 1pce



Gray




Brown




Gold Painting




Silver Painting




Main unit



Bracket spool



The liner installed for a door



Installation reference (The above is Right-Hand)

Mounting location dimensions to a door material are reference levels.

Please attach it according to an attached instruction manual and a paper pattern.



Before operation



After operation

Smart Door Stop (Magnet Door Stopper)



2012 Good Design Award product.

Smart Door Stop can be installed on the floor without digging a hole.
The height of installed magnet plate on the floor is 3mm under consideration of barrier free.
Passing 100,000 times of endurance test.


Material : <Main unit> Neodymium, ABS, PA6
<Bracket> SUS430, ABS

Load Capacity : 294N (30kg)

Product : Smart Door Stop

Product No	Finish/Color
220-251	White
220-252	Silver
220-253	Gold
220-254	Silver Painting
220-255	Gold Painting
220-256	Chrome Plating

Including :
<Main unit> 4×20 Pan tapping screw 2pcs
<Bracket> 3×12 Flat tapping screw 3pcs



Before operation



After operation

2013 Good Design Award product.

Door Keeper can be installed on an surface of floor and door without digging a hole. The door is held at the regular position by magnet catcher of Door Keeper. The door lock is released when someone pull the door with a little force and then you can closed the door. Passing 100,000 times of endurance test.

Material : < Main unit > Neodymium, ABS, POM
< Bracket > SUS430, ABS

Load Capacity : 980N (100kg)

Product : Door Keeper




Product No	Finish/Color
220-261	White
220-262	Silver
220-263	Gold
220-264	Silver Painting
220-265	Gold Painting
220-266	Chrome Plating

Including :
< Main unit > 4×20 Pan tapping screw 2pcs
< Bracket > 3×12 Flat tapping screw 4pcs

Product : Door Keeper Concealed Type

Product No	Finish/Color
220-271	White
220-272	Silver
220-273	Gold
220-274	Silver Painting
220-275	Gold Painting
220-276	Chrome Plating

Including :
< Main unit > 4.2×32 Pan coarse thread screw 4pcs
< Bracket > 3×12 Flat tapping screw 4pcs



Before operation



After operation



Concealed Type

Pivot Hinge



Pivot Hinge has a compact and simple design to creat beautiful interior space.
Pivot Hinge can adjust three-dimensional position without removing the door.
Up and Down / Front and Back / Left and Right.

Material : <Body> SPCC, ZDC SUS430 <Cover> ABS

Load Capacity : 294N (30kg)

Recommended door thickness : 33mm

Adjustable Range : Front Back ± 2 mm, Right Left ± 2 mm

Up Down +4mm,-2mm

Product : Pivot Hinge



Product No		Finish/Color
Left-Hand	Right-Hand	
215-011	215-015	Gold Painting
215-012	215-016	Silver Painting
215-013	215-017	Satin Silver
215-014	215-018	Chrome Plating

Including :

<By Upper> 3.5×20 Flat tapping screw 2pcs
M4×12 Flat machine screw 2pcs
M4 Insert nut 2pcs

<By Lower> 3.5×25 Flat wood screw 3pcs

<Body> 3.5×30 Flat tapping screw 6pcs



Installation reference (The above is Right-Hand)

※ Necessary digging to a frame and door.



Upper Body




By Upper



Lower Body



By Lower




Gold Painting



Silver Painting



Satin Silver



Chrome Plating






Silver Painting



Amber Painting



Gold Painting



2-Tube Hinge

Shaft diameter is 8mm, the blade is made of strength steel, and excellent durability.

Material : SPCC

Load Capacity : 294N (30kg)

When using a two piece hinge

Product : 2-Tube Hinge

Product No		Finish/Color
Left-Hand	Right-Hand	
201-021	201-011	Silver Painting
201-022	201-012	Amber Painting
201-023	201-013	Gold Painting


Including : 4x25 Flat tapping screw 10pcs



Amber Painting



Gold Painting



Flag Hinge

Is the joint flag of imposition.

When installed, you can order also included for easy positioning moat.

Shaft is 8mm in outside diameter, the blade is using a strength steel.

Material : SPCC

Load Capacity : 294N (30kg)

When using the two piece hinges.

Product : Flag Hinge

Product No		Finish/Color
Left-Hand	Right-Hand	
201-222	201-212	Amber Painting
201-223	201-213	Gold Painting

Including : 4x25 Flat tapping screw 8pcs




Metal Fabric



Amber Painting



Gold Painting



Stainless Steel Flag Hinge

Is the joint flag of imposition.

For stainless steel has excellent strength and great resistance to corrosion.

Material : SUS304

Load Capacity : 294N (30kg)

When using the two piece hinges.

Product : Stainless Steel Flag Hinge

Product No		Finish/Color
Left-Hand	Right-Hand	
201-521	201-511	Metal Fablic
201-522	201-512	Amber Painting
201-523	201-513	Gold Painting

Including : 4x25 Flat tapping screw 8pcs

Combined Doorstop

Load Capacity 294N
Screw driver
Need Digging

If you can not use it as per the width wood floors in the houses.
For mounting on the frame, secure the feet.

Material : <Bracket> SUS430
<Doorstop> Rabber



Load Capacity : 294N (30kg)

Product : Combined Doorstop

Product No	Finish/Color	Colored rabber
220-212	Metal Fabric	Black
220-214	Gold	
220-216	Metal Fabric	White
220-218	Gold	

※ Both right and left

Including : 3.5×35 Flat tapping screw 4pcs



Corporation Doorstop

Load Capacity 294N
Screw driver
Need Digging

This is the spread type.
It is very simple to install it.

Material : <Bracket> SUS304
<Doorstop> Rabber



Load Capacity : 294N (30kg)

Product : Corporation Doorstop

Product No	Finish/Color	Colored rabber
220-221	Metal Fabric	White
220-223	Gold	

※ Both right and left

Including : 3×16 Flat wood screw 3pcs



Head with Doorstop

Load Capacity 294N
Screw driver
Need Digging

When you open the door to door, even if not attached to the ceiling and walls above 90° so you can stop by.




Material : <Bracket> SUS304
<Doorstop> Rabber

Load Capacity : 294N (30kg)

Product : Head with Doorstop

Product No	Left-Hand	Right-Hand	Finish/Color	Colored rabber
220-241	220-231		Metal Fabric	White
220-243	220-233		Gold	

Including : 4×25 Flat tapping screw 4pcs



Door Louver

Need Digging

Toolless

Need Adhesive

Door Louver will be installed into the door for ventilation and airflow.
There are three kinds of color variation.

Material : ABS

Product : Door Rattle

Product No	Finish/Color	Specification
630-051	Natural Wood	For one side
630-031	Medium Birch	
630-011	Ivory	
630-061	Natural Wood	For both
630-041	Medium Birch	
630-021	Ivory	

Door thickness for both side : 28~33mm

※ Please give us your inquiries.

We have the different colors other than the above.




Natural Wood



Medium Birch



Ivory



Gray



Natural



Amber



Gold



Received Ping



By Pyong



Silver

Door Holder

Need Digging

Screw driver

Door Holder has a flat bar with special mechanisms to prevent the rattle of window.

Material : POM, SUS430




Product : Door Holder

Product No	Specification	Finish/Color
225-013	Received Ping	Gold
225-015		Silver
225-017		Amber
225-019		Natural
225-021		Gray
225-113	By Pyong (Depth15mm)	Gold
225-115		Silver
225-117		Amber
225-119		Natural
225-121		Gray
225-213	By Pyong (Depth20mm)	Gold
225-215		Silver
225-217		Amber
225-219		Natural
225-221		Gray


Including :

<Door Holder> 3.5×32 Flat wood screw 3pes

<Received> 4×20 Flat tapping screw(D7) 2pes



Received Ping



By Pyong

Displaying Lens

Displaying Lens is intended to confirm whether there is a person in rest room.
When it is installed displaying lens in toilet, the processing bari was covered
by it is colored part around a lens. Please use it to toilet door.
It is easy to install it due to circle hole processing and
one touch mounting.

Round $\phi 35$

Door
Thickness
28~36mm


Need
Digging

Toolless

Material : AES, PC

Product : Round $\phi 35$

Product No	Finish/Color		Door Thickness
250-311	Birch	K	28~36 mm
250-312	Natural	N	
250-313	White	W	
250-314	Cherry	C	
250-315	Brown	B	
250-316	Dark	D	
250-317	Painting (HL)		



Painting (HL)



Birch
(K)



Natural
(N)



White
(W)



Cherry
(C)



Brown
(B)



Dark
(D)



Painting
(HL)

Round $\phi 38$

Door
Thickness
28~36mm


Need
Digging

Toolless

Material : PP, PS, Si

Product : Round $\phi 38$

Product No	Finish/Color		Door Thickness
250-111	Dark	D A	28~36 mm
250-112	Medium	M E	
250-113	Beige	B J	
250-114	Light	L T	
250-115	Milky	M K	
250-116	Pearl	P A	
250-117	Smoke	S K	
250-118	White	W A	
250-119	Black	B K	



Lens of diamond cut
specification(BK).



Light (L T)



Dark
(D A)



Medium
(M E)



Beige
(B J)



Light
(L T)



Milky
(M K)



Pearl
(P A)



Smoke
(S K)



White
(W A)



Black
(B K)



Mirror Finish

HL
(Hair Line)

Mirror Finish

Angle


Door
Thickness
28~36mmNeed
Digging

Toolless

Material : SUS304, PC, Si

Product : Angle □38mm

Product No	Finish/Color	Door Thickness
250-211	HL(Hair Line)	28~36 mm
250-212	Mirror Finish	



Door Thickness 30mm



Clear

Clerestory

Door
Thickness
30,35mmNeed
Digging


Toolless

BTO


Material : PMMA, A6063-T5

Product : Clerestory

Product No	Finish/Color	Door Thickness
250-411	Clear	30 mm
250-412		35 mm



Door Thickness 35mm





Sliding Door Parts



Soft Close for Hung Door



If you install a soft close, door closes quietly by brake.
Even when a sliding door is closed carelessly,
its speed is slowed down from approx 70mm to end.
This is a green product becoming the energy saving such
as air-conditioner to prevent from leaving a door open.

Material : <Soft Close · Hook> SUS430, POM, PA6
<Hung Door Roller> PA6, POM
<Hung Door Rail> A6063
<Guide Pin> SUS304, POM

Load Capacity : 294N (30kg)

Finish/Color : <Soft Close · Hook> Metal Fabric
<Hung Door Roller> Amber
<Hung Door Rail> Silver
<Guide Pin> Metal Fabric

Product : Soft Close for Hung Door

Product No	Rail length(mm)
312-031	1,820
312-032	2,730
312-033	3,640

Set content : Soft Close_1pce, Hook_1pce
Hung Door Roller_2pcs
Hung Door Rail_1pce, Guide Pin_1pce

Including :

<Hook> 3×16 Flat tapping screw 2pcs
<Hung Door Roller> 3.5×12 Flat tapping screw 1pce
3.5×20 Pan tapping screw 2pcs
<Hung Door Rail> 3.5×45 Flat tapping screw
(The required number of depends on the rail length.)
<Guide Pin> 3.5×25 Flat tapping screw 2pcs



Hung Door Rail



Hook




Soft Close for Hang Door


Hung Door Roller



Guid Pin



Installation reference



Remarks : Please talk with us if you want to place the order individually.

Soft Close for Sliding Door

This is the soft close for sliding door of outside attachment type.

To prevent from rebounding the soft close and generating the collision noise and it is easy to install the external soft close to a existing sliding door.※1

This model supports door weight 60Kg in weight.

and it is available to implant a soft close into the door.

※1 In case of simetimes it is imposiible to install.

Material : SUS430, PA6, ABS

Load Capacity : 588N (60kg)


Product : Soft Close for Sliding Door

Product No	Door weight	Finish/Color
312-061	294N (30kg)	Gold Painting
312-062		Silver Painting
312-063		Gray
312-064		Brown
312-065	588N (60kg)	Gold Painting
312-066		Silver Painting
312-067		Gray
312-068		Brown


Including :

< Main unit > 3.5×40 Flat tapping screw 2pcs


< Trigger > 3.5×25 Truss tapping screw 2pcs




Installation reference



Soft Close for Sliding Door



Installation image



Trigger

Soft Close (Air System)



The door is closed gently and naturally by an air-type brake of soft close and it cause to save the energy by preventing from leaving the door open.
such as air-conditioner.
Anyway you can adjust the door closing speed by a brake dumper.

Material : SUS430, POM

Load Capacity : 245N (25kg)

Product : Soft Close (Air System)

Product No Finish/Color

312-012 Metal Fabric

Set content : Soft Close_1pce, Hook_2pcs


Including :

<Main unit> 3.5×20 Truss tapping screw 2pcs



<Hook> 3×16 Flat tapping screw 4pcs




Hook



Soft Close



Installation reference



Adjustment Hung Door Roller

Regarding installing the hung door roller, It is suitable for barrier-free because there is no lower rail when you install the hung door roller of sliding door.

After having attached the cup earlier, this products will be installed in one-touch.

Material : PA6, POM, SPCC

Load Capacity : 294N (30kg)




Adjustable Range : Up Down $\pm 3\text{mm}$,
Right Left $\pm 2\text{mm}$

Product : Adjustment Hung Door Roller

Product No	Finish/Color
320-021	Amber

※ Total price of one

Including : 3.5×12 Flat tapping screw 1pce
3.5×20 Pan tapping screw 2pcs



Hung Door Rail



Material : A6063

Load Capacity : 294N (30kg)

Product : Hung Door Rail

Product No	Length(mm)	Finish/Color
310-512	1,820	Silver
310-522	2,730	
310-532	3,640	

Including : 3.5×45 Flat tapping screw
(The required number of depends on the rail length.)



Guide Pin

Material : SUS304, POM

Load Capacity : 294N (30kg)

Product : Guide Pin

Product No	Finish/Color
320-084	Metal Fabric

Including : 3.5×25 Flat tapping screw 2pcs

KT Door Roller



KT Door Roller can be adjusted Up and Down and it can be adjusted the friction by the deformation of the the door frame and the sled of the sliding door.

Material : PA66, POM, SGCC

Load Capacity : 294N (30kg)

Adjustable Range : Up Down $\pm 3\text{mm}$, Right Left $\pm 2\text{mm}$

Corresponding rail : Upper_Lintel Rail, Lower_T Rail

Product : KT Door Roller

Product No	Specification	Finish/Color
301-332	Upper	Amber
301-342	Lower	

※ Total price of one


Including : 4×30 Flat tapping screw 1pec




Upper



Lower



Upper



Lower

Lintel Rail



Material : A6063


Finish/Color : Amber

Product : Lintel Rail


Product No	Specification	Length(mm)
310-312A	Single	1,820
310-312B		2,730
310-312C		3,640
310-412A	Double	1,820
310-412B		2,730
310-412C		3,640

Including : 3.5×12 Flat tapping screw


(The required number of depends on the rail length.)




Single



Double



Single



Double

Floor T Rail

Floor T Rail is the sliding door rail for KT Door Roller.
It supports barrier-free at 3mm in height.


Material : A6063

Load Capacity : 294N (30kg)

Product : Floor T Rail


Product No		Specification	Length(mm)
Amber	Silver		
310-361A	310-364A	Single	1,820
310-361B	310-364B		2,730
310-361C	310-364C		3,640
310-362A	310-365A	Double	1,820
310-362B	310-365B		2,730
310-362C	310-365C		3,640
310-363A	310-366A	Triple	1,820
310-363B	310-366B		2,730
310-363C	310-366C		3,640

Including : 2.7×16 Flat wood screw
(The required number of depends on the rail length.)




Single Rail

Double Rail




Triple Rail



Single Rail

Double Rail

Triple Rail



Installation reference

Outset Door Set

Load Capacity **294N** Need Digging **+** Screw driver **BTO**


The following 6 parts are to renovate a sliding door instead of a hinge door.

Load Capacity : 294N (30kg)

Product : Outset Door Set

Product No	Rail length(mm)		Lower Rail Color
	Upper	Lower	
330-001	1,388	1,392	Amber
330-002	1,570	1,574	
330-003	1,628	1,632	
330-001S	1,388	1,392	Silver
330-002S	1,570	1,574	
330-003S	1,628	1,632	

Set content : Upper Rail_1 pce Lower Rail_1 pce
KT Door Roller(Lower)_2pcs
Getting The Door_2pcs
Upper Stopper_2pcs
Lower Stopper_2pcs



Product configuration

Upper Rail (Out Set)

Load Capacity **294N** **+** Screw driver



Material : A6063

Load Capacity : 294N (30kg)

Product : Upper Rail (Out Set)

Product No	Length(mm)	Finish/Color
330-051	1,388	White
330-052	1,570	
330-053	1,628	

Including : 3.5×30 Flat tapping screw
(The required number of depends on the rail length.)



Lower Rail (Floor T Rail)

Load Capacity **294N** **+** Screw driver **BTO**



Material : A6063

Load Capacity : 294N (30kg)

Product : Lower Rail (Floor T Rail)

Product No		Length(mm)
Amber	Silver	
330-054	330-057	1,392
330-055	330-058	1,574
330-056	330-059	1,632

Including : 2.7×16 Flat wood screw
(The required number of depends on the rail length.)



KT Door Roller

Load Capacity **294N** Need Digging **+** Screw driver

Material : PA66, POM, SGCC


Load Capacity : 294N (30kg)


Adjustable Range : Up Down ±3mm
Right Left ±2mm

Product : KT Door Roller

Product No	Finish/Color
301-342-2	Amber

※ Total price of two
Including : 4×30 Flat tapping screw 2pes





Getting The Door




Material : PA6, POM, SPCC

Product : Getting The Door

Product No	Finish/Color
330-060	White

※ Total price of two
Including : 4×30 Flat tapping screw 6pes



Upper Stopper




Material : POM

Product : Upper Stopper

Product No	Finish/Color
330-061	White

※ Total price of two
Including : M4×30 Flat machine screw 4pes



Lower Stopper for Outset




Material : PA6, EPDM

Product : Lower Stopper for Outset

Product No	Finish/Color
330-064	Black

※ Total price of two
Including : 4×30 Flat tapping screw 6pes



Installation reference

Strike for Outset Sliding Doors




This is the strike only for outset use of a sliding door.
The design for strike is simple and keep down self-assertiveness.

Material : PA6, SUS430
Adjustable Range : Right Left ± 4 mm, Front Back 5.5~7.5mm
Finish/Color : <Cover> White
 <Received> Barrel Polishing

Product : Strike for Outset Sliding Doors

Product No	Strike Open Width(mm)	Specification
330-005	8.8×43	
330-006	11.8×43	
330-007	11.8×33	Trigger

Including : <Base> 4×50 Truss tapping screw 3pcs
 <Received> 3.5×16 Flat tapping screw 2pes



Outset Sliding Strike Wood




This is outset sliding strike of high strength type.

Material : SUS430, Natural wood
Adjustable Range : Right Left ± 4 mm, Front Back 5.5~7.5mm
Finish/Color : <Cover> White
 <Received> Barrel Polishing

Product : Outset Sliding Strike Wood

Product No	Strike Open Width(mm)
330-010	16×42

Including : <Front> M5×10 Truss machine screw 2pcs
 <Cover> 4.5×20 Flat tapping screw 2pes
 <Base> 4×50 Truss tapping screw 5pcs



Lower Stopper for Outset

Lower Stopper for Outset sliding door.

Material : PA6, EPDM

Product : Lower Stopper for Outset

Product No	Finish/Color
330-063	Silver
330-064	Black


※ Total price of two
Including : 4×30 Flat tapping screw 6pes



Silver



Black



Upper Stopper for Outset

Upper Stopper for Outset sliding door.

Material : SPCC, TPE

Product : Upper Stopper for Outset

Product No	Finish/Color
330-065	Black


※ Total price of one
Including : 5×50 Pan tapping screw 3pcs



Main unit



Base



Magnet Catcher

Load Capacity
343N

Door Thickness
28mm~

Need Digging

Magnet Catcher is useful as rebound preventing device.
Which moderates the rebound impact force when someone closes the door suddenly.

Material : PA6, SWCH, Neodymium

Load Capacity : 98~343N (10~35kg)


Door Thickness : 28mm or more

Product : Magnet Catcher

Product No Finish/Color


230-022 Amber

Including : 3×16 Flat tapping screw 1pec



The frame

The door



The frame

The door

Figure digging processing

Hole Cover Cap

Need Digging

Toolless

Hole Cover Cap is made of elastomer resin material which has both the high durability and cushion characteristics.

This product has two roles.

One is the reason for hiding hole and the other is to moderate the rebound impact force.



This product prepares an abundant colors.

Material : TPE


Product : Hole Cover Cap

Product No	Diameter of mounting(mm)	Color
251-001	φ 8	Birch K
251-002		Natural N
251-003		Cherry C
251-004		Brown B
251-005		Dark D
251-009		White W
251-010		Peach Y
251-011	φ 10	Birch K
251-012		Natural N
251-013		Cherry C
251-014		Brown B
251-015		Dark D
251-019		White W
251-020		Peach Y
251-021	φ 13 ※1	Birch K
251-022		Natural N
251-023		Cherry C
251-024		Brown B
251-025		Dark D
251-029		White W
251-030		Peach Y

※1 φ 13 color is a little bit different from φ 10 and φ 8.



Example of use



F2 Guide

Load Capacity
294N

Need Digging

Screw driver

BTO

F2 Guide is used for normal sliding door.

Material : PA66

Load Capacity : 294N (30kg)

Adjustable Range : Right Left $\pm 2\text{mm}$


Product : F2 Guide

Product No	Finish/Color
------------	--------------

305-012	Amber
---------	-------

※ Total price of one

Including : 4×45 Flat tapping screw 1pec



Upper Rail

Load Capacity
294N

Need Digging

BTO

Material : A6063

Load Capacity : 294N (30kg)

Finish/Color : Amber

Product : Upper Rail

Product No	Specification	Length(mm)
------------	---------------	------------

310-012	One	1,820
---------	-----	-------

310-022		2,730
---------	--	-------


310-032		3,640
---------	--	-------

310-042	Both	1,820
---------	------	-------

310-052		2,730
---------	--	-------

310-062		3,640
---------	--	-------

Including : 4×45 Flat head tapping screw
(The required number of depends on the rail length.)



PA Adjustment Door Roller

Load Capacity
294N

Need Digging

Screw driver

BTO

Material : PA66

Load Capacity : 294N (30kg)

Adjustable Range : Up Down $\pm 3\text{mm}$

Right Left $\pm 2\text{mm}$

Corresponding rail : V Rail



Product : PA Adjustment Door Roller

Product No	Finish/Color
------------	--------------

301-432	Amber
---------	-------

※ Total price of one

Including : 4×30 Pan tapping screw 1pce



V Rail

Load Capacity
294N

Need Digging

BTO

Material : A6063

Load Capacity : 294N(30kg)

Product : V Rail

Product No	Length(mm)	Finish/Color
------------	------------	--------------

311-012	1,820	Amber
---------	-------	-------

311-022	2,730	
---------	-------	--

311-032	3,640	
---------	-------	--

TS Hook Lock



Door Thickness
28~36mm

Need Digging



2011 Good Design Award product.

TS Hook Lock has a simple design with a pull.
This product has 4 color variation such as Gold Black,
Pearl Gloss Chrome, Stain Silver and Silver Black.

Material : <Pull> ZDC, ABS, POM
<Case, Strike> SUS304, SUS430, SPCC, SGCC

Door Thickness : 28~36mm

Strike adjustable range : Up Down $\pm 5\text{mm}$, Front Back 2.5mm

Product : TS Hook Lock

Product No	Type of Lock	Finish/Color
224-701	Privacy Lock	Pearl Gloss Chrome
224-702		Gold Black
224-703		Satin Silver
224-704		Silver Black
224-711	Indicator Lock ※1	Pearl Gloss Chrome
224-712 ※1		Gold Black
224-713		Satin Silver
224-714 ※1		Silver Black
224-721	Cylinder Lock ※2	Pearl Gloss Chrome
224-722		Gold Black
224-723		Satin Silver
224-724		Silver Black
224-725	Cylinder Lock ※2, ※3	Pearl Gloss Chrome
224-726		Gold Black
224-727		Satin Silver
224-728		Silver Black
224-750	Spare Key	

※1 Half indication.(indication red only at the time of locking)

※2 With two key pieces.

※3 Specifications (only as for door thickness 33-36mm)
that a cylinder does not stick out.

※ Case and Strike front have the square type,too.

※ The finish of the Case Strike front desk is Hair Line.

※ There are specifications with trigger.

Including : <Pull> M4×25 Flat machine screw(D7) 2pcs


<Case> 3.5×20 Flat tapping screw(D7) 2pcs

<Strike> 3.5x20 Flat tapping screw(D7) 2pcs



Adjustment Strike

Case+Pull



TS Hook Lock+Adjustment Strike




Figure drilling of strikes

Figure drilling of case and pull



Indicator Lock
Pearl Gloss Chrome



Privacy Lock
Gold Black



Cylinder Lock
Satin Silver



Indicator Lock
Silver Black



Unlock Lock
Outside



Unlock Lock
Inside



Clear Cut Hook Lock



Regarding privacy lock and indicator lock, normally someone locks the key from room inside.

However in case of emergency, someone can open the key from room outside.

These locks with key have 100 ways of keys.

UD lever handle specification in consideration of universal design is set the color which is easy to recognize it even if it is hard for someone to distinguished between the color of high-strength thumb-turn and UD lever handle.

Material : <Cover> A1050 <Lever> ZDC, PVC
<Case, Strike> SUS430, SGCC, SPCC, PA6

Door Thickness : 30~34mm

Strike adjustable range : Up Down ± 5 mm, Front Back 2.5mm

Product : Clear Cut Hook Lock

Product No	Type of Lock		Finish/Color
	Inside	Outside	
224-521	Standard type	Privacy Lock	Satin Gold
224-522			Satin Silver
224-523			Glossy Gold
224-524			Chrome Plating
224-525			Silver Painting
224-531	Standard type	Indicator Lock	Satin Gold
224-532			Satin Silver
224-533			Glossy Gold
224-534			Chrome Plating
224-535			Silver Painting
224-541	Standard type	Cylinder Lock ※ 1	Satin Gold
224-542			Satin Silver
224-545			Silver Painting
224-551	Lever type	Privacy Lock	Satin Gold
224-552			Satin Silver
224-553			Glossy Gold
224-554			Chrome Plating
224-555			Silver Painting
224-561	Lever type	Indicator Lock	Satin Gold
224-562			Satin Silver
224-563			Glossy Gold
224-564			Chrome Plating
224-565			Silver Painting
224-571	Lever type	Cylinder Lock ※ 1	Satin Gold
224-572			Satin Silver
224-575			Silver Painting
900-001	UD Lever type	Indicator Lock	Silver Painting
900-002			Gold Painting
900-003			Satin Silver
900-004			Satin Gold
900-011	UD Lever type	Cylinder Lock ※ 1	Silver Painting
900-012			Gold Painting
900-013			Satin Silver
900-014			Satin Gold
224-579	Case (Front_Round)		
224-580	Strike (Front_Round)		
900-021	Case (Front_Square)		
900-022	Strike (Front_Square)		
224-581	Spare Key		

※1 With two key pieces.

※ The front desk of a Case and Strike a standard and the lever specifications round type.

The UD specification has a square type.(Updatable)

※ The finish of the Case Strike front desk is Barrel Polishing.

Including : <Cover> M4×16 Flat machine screw(D6) 2pcs
(UD Lever:M4×25 or M4×30)


<Case> 3.5×20 Flat tapping screw(D7) 2pcs

<Strike> 3.5×20 Flat tapping screw(D7) 2pcs




Adjustment Strike

Case



Clear Cut Hook Lock



Adjustment Strike





Figure drilling of strike

Figure drilling of case



Indicator (Outside)



Standard type (Inside)



Privacy Lock




Indicator Lock



Standard type



Lever type



Cylinder Lock



UD type



Satin Gold



Satin Silver



Glossy Gold



Chrome Plating



Silver Painting



UD Hook Lock Cylinder Lock set



NS Automatic Hook Lock

Door Thickness 30~39mm

NS Automatic Hook Lock has a rebounding prevention function. This hook lock is prevented from being rebounded or being forgotten to close the door.

If you do not need a hook lock, you can use only a pull of sliding door.

Material : <Pull> POM, ABS

<Case, Strike> SUS304, Neodymium, ABS

Door Thickness : DT33 29.5~34.0, DT36 35.0~39.0

Strike adjustable range : Up Down $\pm 4\text{mm}$, Front Back 4mm

Product : NS Automatic Hook Lock

Product No		Type of Lock	Finish/Color
DT33	DT36		
224-621	224-624	Passage Lock	Chrome Plating
224-622	224-625		Gold Painting
224-623	224-626		Silver Painting
224-631	224-634	Privacy Lock	Chrome Plating
224-632	224-635		Gold Painting
224-633	224-636		Silver Painting
224-641	224-644	Indicator Lock	Chrome Plating
224-642	224-645		Gold Painting
224-643	224-646		Silver Painting
224-651	224-654	No Lock (PULL)	Chrome Plating
224-652	224-655		Gold Painting
224-653	224-656		Silver Painting

※ Above the set price of the sides

- ✖ The finish of the Case Strike front desk is Barrel Polishing.

Including : <Pull> M3×30 Flat machine screw 2pcs


<Case> 4×20 Flat tapping screw 2pcs

<Strike> 4x20 Flat tapping screw 2pcs



Adjustment Strike

Case+Pull



Strike

NS Automatic Hook Lock




Figure drilling of strike

Figure drilling of case and pull



Passage Lock

Privacy Lock

Indicator Lock


No Lock(PULL)



Chrome Plating

Gold Painting

Silver Painting



Lock

Unlock

Lock

Unlock

Inside

Outside

Frame

Strike

NS Automatic Hook Lock

Sliding door

Open lever



Magnet




Magnet



When a sliding door (of NS automatic sickle lock) gets closer to an door framework (adjustment strike), a hook works, and the hook works in a strike automatically.

Hook comes off from a strike by the operation of the opening.



The description of the operation

Bar Handle

Door Thickness
27~32mm

Need Digging

Screw driver

It was easy to grasp the bar which is made of warm natural wood.

The bar is a friendly-design therefore it is easy for elderly persons and children to use the bar.

There are two kinds of specifications for both side bar and one side bar.


Material : <Bar> Natural wood
<Base> ADC

Door Thickness : 27~32mm

Product : Bar Handle

Product No	Set content	Finish/Color
863-101LP	Bar Handle+Pull	Pale
863-101LD		Dark
863-101WA		White
863-101LL		Rusk
863-101LM		Mocha
863-102LP	Bar Handle +Bar Handle	Pale
863-102LD		Dark
863-102WA		White
863-102LL		Rusk
863-102LM		Mocha

Including : M5×16 Flat machine screw 2pcs



For one side bar handle





Figure digging processing



Big Bar and Pull

It is easy for elderly person and children to grasp and use the large-size bar handle. Big Bar and Pull has the round shape that the strap of baggage could not catch on. The bar handle has three colors which are made of natural wood color.



Material : <Bar> Natural wood
<Base> ZDC

Door Thickness : 29~35mm

Product : Big Bar and Pull

Product No	Set content	Finish/Color
863-001K	Bar and Pull	Dark
863-001C	+Pull	Midium
863-001F		Light
863-002K	Bar and Pull	Dark
863-002C	+Bar and Pull	Midium
863-002F		Light

Including : M5×30 Flat machine screw(D8) 2pcs



Both Side of Bar pull Specification




Figure digging processing



Big Handle



The grip size of Kuriki's bar handle is 25mm and it has stylish and smart.

Kuriki has the product line of bar handle which has stainless and natural wood.

It is easy for elder person to use the bar handle of sliding door.

Material : <Handle> SUS304, Natural wood

<Bracket> ZDC

<Bracket Cover> ABS

Door Thickness : 33~38mm, 28~33mm

Product : Big Handle

Product No	DT (mm)	Department Material	Handle Finish	Color
861-325S	33~38	Stainless	Hair Line	Fabric
861-325K		Natural wood	Urethane Coating	Dark
861-325C		Natural wood	Urethane Coating	Middle
861-325F		Natural wood	Urethane Coating	Light
862-325S	28~33	Stainless	Hair line	Fabric
862-325K		Natural wood	Urethane Coating	Dark
862-325C		Natural wood	Urethane Coating	Middle
862-325F		Natural wood	Urethane Coating	Light

Including : M6×60 or M6×55 Pan machine screw 2pcse

M6 Three nut 2pcs

M6 Plain washer 2pcs

M6 Spring washer 2pcs

Bracket Finish/Color :

<Bracket> Satin Silver

<Bracket Cover> Nickel Plating + Coating Clear




Middle

Hair line

Dark

Light



A-A Sections





Chrome Plating
(Length:290)



Chrome Plating
(Length:140)



Hair Line



White
Painting



Black
Painting

TK Pull

Need
Digging

Toolless

Need
Adhesive


TK Pull is installed in one-touch without the installation screws.
Please apply an adhesive to the part of pull when it is installed.

Material : <End> ZDC
<Bar> A6063

Product : TK Pull

Product No	Length (mm)	Finish/Color End	Bar
224-614	140	Chrome Plating	Alumite Silver
224-614SW		Hair Line	Stain Alumite
224-614WH		White Painting	White Painting
224-614BK		Black Painting	Black Painting
224-629	290	Chrome Plating	Alumite Silver
224-629SW		Hair Line	Stain Slumite
224-629WH		White Painting	White Painting
224-629BK		Black Painting	Black Painting

※ Total price of one



Satin Gold



Satin Silver

ND Pull

Need
Digging

Toolless

Need
Adhesive


ND Pull had a round design and it gives the impression of soft and solid.
This pull is easy installation type without any screws.

Material : ZDC

Product : ND Pull

Product No	Finish/Color
224-615	Satin Gold
224-616	Satin Silver

※ Total price of one



Resin Pull

Door Thickness
27~34mm

Need Digging

⊕ Screw driver

BTO

Round & Square Model

Material : ABS


Door Thickness : 27~34mm

Product : Resin Pull Round & Square Model


Product No		Finish/Color
Round	Square	
222-563	222-583	Pearl Chrome
222-523	222-543	Gold

※ Price of the two sides set

Including : M4×25 Flat machine screw(D6) 2pcs



Round Model



Square Model



Pearl Chrome



Gold



Pearl Chrome



Gold

Resin Pull

Door Thickness
28~34mm

Need Digging

Toolless

Need Adhesive

Square Model One-Touch


Material : ABS, POM

Door Thickness : 28~34mm

Product : Resin Pull Square Model One-Touch

Product No	Finish/Color
222-598	Pearl Chrome
222-599	Gold

※ Price of the two sides set



Pearl Chrome



Gold

One-Touch Pull
Resin Square Model

Door
Thickness
28~36mm

Need
Digging

Toolless

Need
Adhesive

One-Touch Pull is attached by one action without the installation screws. Please use an adhesive partially.

Material : ABS, POM

Door Thickness : 28~36mm

Product : One-Touch Pull Resin Square Model

Product No	Finish/Color
222-600	Black Silver
222-601	Black Gold


※ Price of the two sides set



Black Silver



Black Gold



Pull

Door Thickness
27~34mm

Need
Digging

+
Screw
driver

Round & Square Model

The beautiful design of the pulling can be used in the same drilling in parts both Round Model and Square Model.

Material : ZDC


Door Thickness : 27~34mm

Product : Pull Round & Square Model


Product No		Finish/Color
Round	Square	
224-812	224-912	Gold Gloss
224-813	224-913	Satin Gold
224-814	224-914	Gold Painting
224-815	224-915	Chrome Plating
224-816	224-916	Satin Silver
224-817	224-917	Silver Painting

※ Price of the two sides set

Including : M4×25 Flat machine screw(D6) 2pcs



Round Model



Square Model



Satin Silver



Satin Gold



Gold Gloss



Gold Painting



Chrome Plating



Silver Painting



Gold Gloss



Gold Painting



Chrome Plating



Silver Painting



Chrome Plating

Gold Gloss

Metal One-Touch Pull Round & Square Model

One-Touch pull without the installation screw.

Material : ZDC

Door Thickness : 30mm or more

Product : Metal One-Touch Pull
Round & Square Model

Product No		Finish/Color
Round	Square	
222-671-1	222-677-1	Gold Gloss
222-672-1	222-678-1	Satin Gold
222-673-1	222-679-1	Gold Painting
222-674-1	222-680-1	Chrome Plating
222-675-1	222-681-1	Satin Silver
222-676-1	222-682-1	Silver Painting

※ Total price of one




Satin
Gold

Gold
Painting

Satin
Silver

Silver
Painting




As for the shape of digging, both round type and corner type become same.





Accessories



Solid (SL) Series

The paper holder, the towel hanger, and the towel ring were unified by the solid design.

This is a very high-class and solid product.

SL Paper Holder





Material : ZDC

Product : SL Paper Holder

Product No	Finish/Color	Specification
610-801	Chrome	—
610-821	—	One Hand Cut
610-802	Black	—
610-822	—	One Hand Cut


Including : 4×35 Binding tapping screw 3pcs




Chrome Plating



Black



Toilet Paper Installation condition



One Hand Cut

SL Towel Hanger




Material : <Bracket> ZDC

<Bar> C3604(Chrome), A6063(Black)

Product : SL Towel Hanger

Product No	Finish/Color	Pitch(mm)
610-851	Chrome	400
610-852	Black	—

Including : 4×35 Binding tapping screw 4pcs



Chrome Plating



Black

SL Towel Ring




Material : <Bracket> ZDC

<Ring> C3604(Chrome), A6063(Black)

Product : SL Towel Ring

Product No	Finish/Color	Ring width(mm)
610-871	Chrome	200
610-872	Black	—

Including : 4×35 Binding tapping screw 2pcs



Chrome Plating



Black

Product : Spare lead of implantable toilet paper holder
Material : PP

Product No	Finish/Color
610-210	White

Product : Recessed Paper Holder Backguard
Recessed • Recessed Vertical Double

Product No	Specification
610-432	Recessed/Stainless
610-332	Recessed/Steel
610-431	Recessed Vertical Double/Stainless
610-331	Recessed Vertical Double/Steel


※If it has a backguard, fixed methods of the paper holder are different.



Semi Recessed



Completely Recessed



Semi Recessed



Completely Recessed



Semi Recessed



Completely Recessed

Recessed Paper Holder




This is used for Hotel and Condominium.
You can use effective utilization of space.

Material : <Main unit> SUS304
<Holder> PP

Product : Recessed Paper Holder

Product No	Finish/Color	Specification
610-221	Mirror surface/Grey	Semi
610-211		Completely


Including : 3.5×20 Truss tapping screw 2pcs



Product : Recessed Double Paper Holder

Product No	Finish/Color	Specification
610-321	Mirror surface/Grey	Semi
610-311		Completely


Including : 3.5×20 Truss tapping screw 4pcs



Product : Recessed Vertical Double Paper Holder

Product No	Finish/Color	Specification
610-421	Mirror surface/Grey	Semi
610-411		Completely

Including : 3.5×20 Truss tapping screw 4pcs



One Touch Paper Holder




This is a standard model. You can change a toilet paper by one action.
Even an elderly person and child can replace the toilet paper easily.

Material : ABS

Product : One Touch Paper Holder

Product No	Finish/Color
610-201	White
610-202	Ivory
610-203	Pink
610-204	White (One Hand Cut)

Including : 4×35 Binding tapping screw 3pcs



White



Ivory

Towel Hanger with Shelf




There is the towel bar with the shelf of a certain texture simple design.
It is widely available to use the towel bar from the general family to a hotel or apartment.

Material : <Shelf> Natural Wood <Hanger, Bracket> SUS304, SUS430

Product : Towel Hanger With Shelf

Product No	Finish/Color
620-030	Light
620-031	Middle
620-032	White

Including : 4×40 Flat tapping screw 4pcs



Light



Middle



White

Shelf



There is the shelf of a certain texture simple design.
It is widely available to use the shelf from the general family to a hotel or apartment.

Material : <Shelf> Natural Wood <Bracket> SUS430

Product : Shelf

Product No	Finish/Color	Width(mm)
620-001	Light	280
620-002	Middle	
620-003	White	
620-007	Light	330
620-008	Middle	
620-009	White	
620-013	Light	613
620-014	Middle	
620-015	White	

Including : 4×40 Flat tapping screw
4pcs(Width 280,330)
8pcs(Width 613)




Light



Middle



White



2011 Good Design Award product.

Even if both hands are full, it is easy to open and close the door.

It has a soft curve and good hand feeling.

Material : ABS, POM

Product : Push Pull Lock For Bath Room

Product No	Finish/Color	Specification
FUP-35LK/W	White	Left-Hand
FUP-35RK/W		Right-Hand

Including :

- M4×40 Truss machine screw 3pcs
M4×12 Pan machine screw with washer 2pcs
M4×10 Cross-recessed Pan machine screw 2pcs










Figure digging processing

Child Lock

Door Thickness 30mm Need Digging Bathroom Available + Screw driver

This is the Child Lock for a bathroom with hinged door.
The child lock is installed to high position of a bathroom.
so that the child could not go in and out freely.

Material : POM

Door Thickness : 30mm

Product : Child Lock

Product No Finish/Color

610-920 Pale White

610-921 S White

610-922 Sliver

610-923 Black

Including :

M4 Cross-recessed pan machine screw 4pcs

※ The black case finish is only used with black color.
Another case is only used with silver color.



Unlock



Lock



Sliver




Black



Pale White







S White




Sliver

Black

Strike



※ The prevention of enclosure of the key is important.



Pale White

S White

Sliver

Black

Thumb-Turn

Towel Shelf

Bathroom Available + Screw driver

This is simple and clean design for bathroom.

Material : <Bar> SUS304

<Bracket> ABS


Product : Towel Shelf

Product No Finish/Color Pitch(mm)

610-111 White 350

610-121 400

Including : 4×30 Pan tapping screw 4pcs







TB

KB White

KB Chrome Plating



TB



KB



White Grey



Chrome Plating

Towel Bar with Hook


This is the Towel Bar with Hook for a bathroom. The edge of bar has an angle therefore a towel may not fall from the bar easily. An installation screw is invisible design.

Material : <Bracket> ABS <Bar> SUS304

Product : Towel Bar with Hook (Bar 20×10 mm)

Product No	Finish/Color	Pitch(mm)
610-013	White Grey	400
610-014	Chrome Plating	

Including : 4×30 Truss tapping screw 4pcs



YH Laundry Pipe

Load Capacity
98N

Bathroom
Available

⊕
Screw
driver

This landry pipe for bathroom which is made of stainless has a feeling of cleanliness.

Material : <Pipe> SUS304
<Bracket> PE, ABS (chemical resistance)

Load Capacity : 98N (10kg)

Product : YH Laundry Pipe

Product No	Finish/Color	Bathroom intramural(mm)
610-621	White Grey	1,050
610-622		1,100
610-623		1,150
610-624		1,200
610-625		1,300
610-626		1,400
610-627		1,600
610-628		1,750
610-629	Bracket Set	

Including : 4×25 Truss tapping screw 4pcs

YH Laundry Pipe Set

Pipe	1pce
Bracket Set	1set



Bracket Set

Bracket	2pcs
packing	2pcs
Screw (4×25 Truss tapping screw)	4pcs

Notes

Safety load : 98N (10kg)

Although the back wall is reinforced with the board in the usual bathroom,the back wall may be a cave rarely.
In this case, since we are anxious about the shortage of intensity, please install it where the back wall is reinforced.



Installation condition



Bracket



Pipe with cap

KS Flexible Laundry Pipe

Length of laundry pipe can be adjusted from 950mm to 1800mm.

This is the landry pipe for bathroom with a feeling of cleanliness.

Material : <Pipe> SUS304
<Bracket> PE, ABS (chemical resistance)

Load Capacity : 98N (10kg)

Product : KS Flexible Laundry Pipe

Product No	Finish/Color	Bathroom intramural(mm)
610-651	White Grey	950~1,800
610-655	Bracket Set	

Including : 4×30 Truss tapping screw 4pcs

KS Flexible Laundry Pipe Set

Pipe	1pce
Bracket Set	1set

Bracket Set


Bracket	2pcs
Double-faced tape	2pcs
Screw (4×30 Truss tapping screw)	4pcs

Notes

Safety load : 98N (10kg)

Although the back wall is reinforced with the board in the usual bathroom,the back wall may be a cave rarely.


In this case, since we are anxious about the shortage of intensity, please install it where the back wall is reinforced.




Installation condition



Bracket



Pipe with cap



※ Please use the double sided tape and screw to fix the handle with the wall after drilling.

PP Shelf



PP shelf for bathroom is made of PP material which is easy to recycle.
As for the breadth of the shelf, there are two kind of size "190mm and 365mm".

Material : PP



Product : PP Shelf

Product No	Finish/Color	Width(mm)
610-351	White	372
610-352		


Including : 4×35 Truss tapping screw 2pcs
Joggle for shelf support 2pcs

Product : Joggle for shelf support

610-308	2pcs
---------	------



W=190mm



W=372mm

Tray



Beautiful design and brilliant in coloration.
This tray is installed to wall surface and small object put in.

Material : AS


Product : Tray

Product No	Finish/Color	Cover
610-301	Clear	Chrome Plating
610-304	White	—
610-305	Dark Grey	—

Including : 4×25 Truss tapping screw 2pcs
Joggle for shelf support 2pcs

Product : Joggle for shelf support

610-359	2pcs
---------	------



Clear+Chrome Plating



White



Dark Grey

Tray Hook




This is attached easily to tray and existing wash-basin.

Material : AS

Product : Tray Hook

Product No	Finish/Color
610-001	Clear



Usage example

The Handle for Tempered Glass

This handle is used for the glass door of a bathroom.
All metal parts are made of stainless.
Therefore the products are resisting to rust.
In addition, we can support a special product based on customer request.
Please ask it to the staff in charge.

Material : SUS304


Door Thickness : 6~12mm

Product : The Handle for Tempered Glass

Product No	Finish/Color	Specification
610-901	Hair Line	L Type
610-902		I Type


Including :

M6×40 Pan machine screw 1pc(L), 2pcs(I)
M4×8 Round flat machine screw 2pcs(L), 4pcs(I)
Plain washer 6pcs(L), 4pcs(I)
Spring washer 1pc(L) · Packing 6pcs(L), 4pcs(I)
Waterproof polytube 3pcs(L), 2pcs(I)




L Type



Fixing Bracket Set



I Type



L Type



Upper Lid

Down Lid


Down Lid



3pcs of bathtub cover



Moving Hook Upward and storing the bathtub.



Moving hook downward and preventing inverse of bathtub.

The Hook of Bathtub Cover

The hook to put away a bathtub cover at the time of bathing.
The hook of the upper parts slides up and down for putting away a bathtub cover.


Material : ABS, POM, PE

Product : The Hook of Bathtub Cover


Product No	Finish/Color	Specification
610-910	White	2pcs of bathtub cover
610-911		3pcs of bathtub cover

Including


2pcs of bathtub cover : 4×30 Truss tapping screw 6pcs
3pcs of bathtub cover : 4×60 Truss tapping screw 6pcs




2pcs of bathtub cover Upper Lid



3pcs of bathtub cover Upper Lid




2pcs of bathtub cover Down Lid



3pcs of bathtub cover Down Lid



Cabinet Parts ·
Handrail



Cabinet Parts
Handrail

Knob

The customer can choose the knob which match the door design and finish.

Round Knob



Material : ZDC

Door Thickness : 16~26mm

Product : Round Knob

Product No	Finish/Color	Size(mm)
222-011	Satin Silver	φ 25
222-013	Satin Gold	
222-021	Satin Silver	φ 30
222-023	Satin Gold	


Including : M4×32 Truss machine screw 1pce



Satin Silver



Satin Gold



ND Knob



Material : ZDC

Door Thickness : 18~26mm

Product : ND Knob

Product No	Finish/Color	Size(mm)
223-001	Satin Silver	φ 30
223-002	Satin Gold	


Including : M4×32 Truss machine screw 1pce



Satin Silver



Satin Gold



Square Knob



Material : ZDC

Door Thickness : 19~26mm


Product : Square Knob

Product No	Finish/Color	Size(mm)
224-011	Chrome Plating	32×20
224-012	Gold Gloss	


Including : M4×32 Truss machine screw 1pce



Chrome Plating



Gold Gloss



Oval Knob



Material : ZDC

Door Thickness : 19~26mm

Product : Oval Knob

Product No	Finish/Color	Size(mm)
225-011	Chrome Plating	31.5×20
225-012	Gold Gloss	


Including : M4×32 Truss machine screw 1pce



Chrome Plating



Gold Gloss





Satin Silver



Satin Gold



Silver Painting



Gold Painting

Pull

The customer can choose the pull along with the door design and finish.

Closet Pull


Door Thickness 18~24mm
Screw driver BTO

Door Thickness : 18~24mm

Product : Closet Pull

Product No	Finish/Color	Pitch(mm)	Material
222-252	Satin Silver	120	ZDC
222-262	Satin Gold		
222-272	Satin Silver	240	ADC
222-282	Satin Gold		
222-292	Silver Painting	120	ABS
222-202	Gold Painting		

Including : M4×30 Truss machine screw 2pcs



Satin Silver



Satin Gold

Room Divider Pull

Door Thickness 30~33mm
Need Digging Screw driver

Material : ZDC


Door Thickness : 30~33mm

Product : Room Divider Pull

Product No	Finish/Color
222-722	Satin Silver
222-723	Satin Gold

※ Front and back of the set price


Including : M4×20 Flat machine screw 2pcs



Handle

The customer can choose the handle based on the door design and finish.

D-Type Handle




Material : ZDC

Door Thickness : 25~29mm

Product : D-Type Handle

Product No	Finish/Color	Pitch(mm)
222-212	Amber	100

Including : M4×35 Truss machine screw 2pcs



Amber

TKC Handle




Material : ZDC

Door Thickness : 19~24mm

Product : TKC Handle

Product No	Finish/Color	Pitch(mm)
223-120HS	Satin Silver	120
223-120CR	Chrome Plating	

Including : M4×30 Truss machine screw 2pcs



Chrome Plating

ND Handle




Material : ZDC

Door Thickness : 13~14mm

Product : ND Handle

Product No	Finish/Color	Pitch(mm)
222-232	Satin Silver	100
222-242	Satin Gold	


Including : M4×20 Truss Machine Screw 2pcs




Satin Silver



Satin Gold



P=120



RK Handle



RK Handle which has a stylish design is also very functional. (easy to grip)
This handle can be installed as the handle of storage shelf such as living room, kitchen, toilet and so on.

Material : A6063


Door Thickness : 14~16mm

Product : RK Hundle


Product No	Finish/Color	Pitch(mm)
226-035	Satin Silver	35
226-060		60
226-120		120

Including : M4×22 Truss machine screw 2pcs

Cabinet Parts
Handrail



P=150



CA Handle



CA Handle which is made of stainless is used for the kitchen bar.
It was hormonized with the door by hairline finish.

Material : SUS303

Door Thickness : 18~24mm

Product : CA Handle


Product No	Finish/Color	Pitch(mm)
224-020	Hair Line	150
224-021		300
224-022		600

Including : M4×30 Truss machine screw 2pcs

※ Bending may generate P=600 depending on usage.



P=230



MJ Handle



MJ handle is used for kitchen or various type of storage door.
It has a clear and simple design therefore it is fit for the various type of storage doors.

Material : A6063

Door Thickness : 18~24mm

Product : MJ Handle

Product No	Finish/Color	Pitch(mm)
224-001	Alumite Silver	200
224-002		230
224-004		450

Including : M4×30 Truss machine screw 2pcs

※ Bending may generate P=450 depending on usage.

Hanger Rail

Load Capacity
392N

⊕
Screw driver

Wall Hanger Rail has a beautiful design with mat-tone.




Material : A6063, ZDC

Load Capacity : 392N (40kg)

Product : Hanger Rail

Product No	Finish/Color	Length(mm)
330-011	Matte Silver Tone	427
330-012		727
330-013		1,027
330-014		1,177

Including : 3.5×10 Flat tapping screw 2pcs



Hanger Pipe

Load Capacity
392N

Screw driver

Hanging type of Hanger Pipe has a beautiful design.

Material : A6063, ZDC

Load Capacity : 392N (40kg)

Product : Hanger Pipe



Product No	Finish/Color	Length(mm)
331-011	Matte Silver Tone	900
331-012		1,350
331-013		1,800

※ Product No. 331-011

Not including bracket at the position of middle.

Including :

M4×20 Flat machine screw 2pcs or 3pcs





Round Bar Handrail

These are the series models for Handrail.
The customer can choose the shape and length of round bar depending on the purpose of use and a place where it is installed.

NE Type (For Standing up · Walking)

Material : <Handrail> Natural Wood
<Bracket> ZDC, ABS

Product : NE Type Round Bar Handrail


Product No	Finish/Color Handrail	Bracket	Length(mm)
853-043	Light	Sliver	435
853-045	Light	Gold	
853-044	Medium	Sliver	
853-042	Medium	Gold	
853-063	Light	Sliver	535
853-065	Light	Gold	
853-064	Medium	Sliver	
853-062	Medium	Gold	
853-083	Light	Sliver	735
853-085	Light	Gold	
853-084	Medium	Sliver	
853-082	Medium	Gold	
853-093	Light	Sliver	935
853-095	Light	Gold	
853-094	Medium	Sliver	
853-092	Medium	Gold	

Including : 4×40 Pan head tapping screw 6pcs

Product : NE Type Bracket (2set)

Product No	Finish/Color
860-042	Sliver
860-043	Gold

Including : 4×40 Pan tapping screw 6pcs



NI Type (For Standing up · Walking)

Material : <Handrail> Natural Wood
<Bracket> ZDC, ABS

Product : NI Type Round Bar Handrail


Product No	Finish/Color Handrail	Bracket	Length(mm)
854-043	Light	Sliver	400
854-045	Light	Gold	
854-044	Medium	Sliver	
854-042	Medium	Gold	
854-063	Light	Sliver	600
854-065	Light	Gold	
854-064	Medium	Sliver	
854-062	Medium	Gold	
854-083	Light	Sliver	800
854-085	Light	Gold	
854-084	Medium	Sliver	
854-082	Medium	Gold	

Including : 4×40 Pan tapping screw 8pcs

Product : NI Type Bracket (2set)

Product No	Finish/Color
860-052	Sliver
860-053	Gold

Including : 4×40 Pan tapping screw 8pcs



※ It is possible to connect there from stairs until a corridor by putting a Free Joint and Ring Joint.

Round Bar Handrail

These are the series models for Handrail.
The customer can choose the shape and length of round bar depending on the purpose of use and a place where it is installed.

NI Type Entrance (For Standing up · Walking)

Material : <Handrail> Natural Wood
<Bracket> ZDC, ABS

Product : NI Type Entrance Round Bar Handrail



Product No	Finish/Color		Length(mm)
	Handrail	Bracket	
855-043	Light	Sliver	400
855-045	Light	Gold	
855-044	Medium	Sliver	
855-042	Medium	Gold	600
855-063	Light	Sliver	
855-065	Light	Gold	
855-064	Medium	Sliver	800
855-062	Medium	Gold	
855-083	Light	Sliver	
855-085	Light	Gold	800
855-084	Medium	Sliver	
855-082	Medium	Gold	

Including : 4×40 Pan tapping screw 8pcs

Product : NI Type Entrance Bracket (2set)

Product No	Finish/Color
860-062	Sliver
860-063	Gold

Including : 4×40 Pan tapping screw 8pcs



NL Type (For Walking)

Material : <Handrail> Natural Wood
<Bracket> ZDC, ABS

Product : NL Type Round Bar Handrail

Product No	Finish/Color		Length(mm)
	Handrail	Bracket	
856-043	Light	Sliver	400
856-045	Light	Gold	
856-044	Medium	Sliver	
856-042	Medium	Gold	600
856-063	Light	Sliver	
856-065	Light	Gold	
856-064	Medium	Sliver	800
856-062	Medium	Gold	
856-083	Light	Sliver	
856-085	Light	Gold	800
856-084	Medium	Sliver	
856-082	Medium	Gold	

Including : 4×40 Pan tapping screw 8pcs

Product : NL Type Bracket (2set)

Product No	Finish/Color
860-072	Sliver
860-073	Gold

Including : 4×40 Pan tapping screw 8pcs

※ It is possible to connect there from stairs until a corridor by putting a Free Joint and Ring Joint.

Free Joint



This is a Free Joint which can connect the hand rail even if there are angle including corridor and stairs. This Free Joint adjust the wide angle from 90 degree to 150 degree.

Material : ZDC


Product : Free Joint

Product No Finish/Color


860-083 Gold

860-084 Silver


Including : 4×25 Flat head tapping screw 2pcs



Gold



Silver



Ring Joint



This is a joint which can connect a round bar handrail in a straight line.

Material : ZDC


Product : Ring Joint

Product No Finish/Color

860-093 Gold

860-094 Silver

Including : 4×35 Round flat tapping screw 1pce
3×25 Flat tapping screw 6pcs



Gold



Silver



Only Handrail

These are the round bar Handles which are made of natural wood color.

Material : Natural Wood

Product : Only Handrail

Product No Finish/Color Length(mm)

860-010 Light 300

860-014 Medium

860-011 Light 400

860-015 Medium

860-012 Light 600

860-016 Medium


860-013 Light 800

860-017 Medium

Medium



Light



Kuriki Manufacture Co.,Ltd.

URL <http://www.kuriki-ss.co.jp/en/>

E-mail tianjin4@kuriki-ss.co.jp



【Head factory location】

1681 Onuki Namegata-city Ibaraki, 311-1724, Japan

TEL (+81)291-35-2636 FAX (+81)291-35-2683

【Tokyo office location】

2F, OGAWA Bldg, 4-6-9 Kinshi Sumida-ku Tokyo, 130-0013, Japan

TEL (+81)3-5608-2025 FAX (+81)3-5608-2026

- Specification and price is subject to change without notice.
- The printing matter may be different from the actual state in a color and the feel of texture.
- Please inquire for the contents of this catalogue to our person in charge.