





Lever Handles

Concept

- Kuriki provide the high-performance and low price through 5 approaches such as material, functions, design, performances and cost.
- All Lever Handles and Cases have passed strict endurance tests.
- We provide with a wide range design that can match your usage.

Locks Function

Type	Reference Diagram	Example of Use
1 Passage Lock		The Passage Lock is installed in the door that not necessary to lock such as a Closet, a Children Room, a Living Room and a Dining Room.
2 Privacy Lock		The Privacy Lock is installed in the door that can be locked inside of the room. In an emergency situation, someone can open it from outside by a tool.
3 Indicator Lock		The Indicator Lock is installed in the door that need to display a lock sign. It can be used in a Bathroom and a Toilet. In an emergency situation, someone can open the lock from outside by a tool.
5 Simple Cylinder Lock		The Simpe Cylinder Lock is installed in the door that can be locked inside by a thumb turn and outside by a key, such as for a main door or a private room.

Lock Cases Type

FL (Backset 51)

Type of Lock Case that made of steel with a low price.


Material: <Case>Steel <Front>Stainless
Finishing: <Case>Chromate <Front>Hairline
Front Shape: Square, Round



FR (Backset 51)

Type of Lock Case that made of steel with a low price.


Material: <Case>Steel <Front>Stainless
Finishing: <Case>Chromate <Front>Hairline
Front Shape: Square, Round



KU (Backset 32)

Type of Lock Case is soundproofed, and made of Resin.

Material: <Case·Front>Resin
Finishing: <Case·Front>Pearl White
Front Shape: Square



FT (Backset 51)

Tubular Lock Case and easy to process the door.

Material: <Case>ZDC <Front>Stainless
Finishing: <Case>Chromate <Front>Hairline
Front Shape: Square, Round



FU (Backset 32, 51)

Lock case that made of Stainless with strong durability.



Material: <Case·Front>Stainless
Finishing: <Case>Metal Fabric <Front>Hairline
Front Shape: Square



LU (Backset 32)

Lock Case that made of Resin is soundproofed.

Material: <Case>Resin <Front>Stainless
Finishing: <Case·Front>Silver
Front Shape: Square



What is a Backset ?

Backset means the distance from the Case front to the center point of Lever handle and Thumbturn.

How to measure the backset

Use a scale to measure from the edge of the door to the center of bore holes for lever handle and thumbturn use.
















































Lever Handles List



Finishing List



Rose types for applying Lock Cases

	Passage Lock				Privacy Lock				Indicator Lock			Cylinder Lock		
	Metal				Metal				Metal			Metal		
	1 M	1 C	1 L		2 C	2 L			3 C	3 L		5 C	5 L	
F L (BS51)														
	Metal				Metal				Metal					
	1 M	1 C	1 L		2 C	2 L			3 C	3 L				
F T (BS51)														
	Metal				Metal				Metal					
	1 M				2 M				3 M					
F R (BS51)														
	Metal				Metal		Resin		Metal					
	1 C	1 E			2 C	2 E	2 A		3 C	3 E				
F U (BS32)														
	Resin	Metal			Metal			Resin	Metal					
	1 M	1 C	1 K	1 E	2 C	2 K	2 E	2 A	3 C	3 K	3 E			
F U (BS51)														
	Metal				Metal		Resin		Metal					
	1 J	1 F			2 J	2 F	2 D		3 J	3 F				
K U (BS32)														
	Metal	Resin			Resin									
	1 T	1 S			2 S									
L U (BS32)														

Finish is according to the specification of the Handle.

Lever Handles

Product No. List







Please refer to page 7 for ordering customized products.

Lock Case Type (Backset) ※1	Lever Handles Model		Locks Function	Rose Cover Type	Finish Type			Door Thickness ※5	Quantity	
FL (BS51) (Metal)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	M Round	SW Satin Silver	AG Alumite Gold	28~33 34~36			
	Crux 02	Lyra 10		C Oval	SA Satin Amber	SN Soft Nickel				
	Draco 03 ※3	Cygnus 11		L Square	SG Satin Gold	PC Pearl Chrome				
	Fornax 04 ※3	Volans 131	2 Privacy Lock	C Oval	SB Satin Black	CG Champagne Gold				
	Grus 05	Sagitta 14		L Square	CR Chrome Plated	BC BS Chrome				
	Hydra 06	Norma 15 ※3		L Square	PG Gold Plated	SPC Shot Pearl Chrome				
	Musca 07	Bootes 16	3 Indicator Lock	C Oval	AS Alumite Silver	SCG Shot Champagne Gold				
	Pavo 08			L Square	AA Alumite Amber	SBC Shot BS Chrome				
			5 Mortise Lock	C Oval						
				L Square						
FT (BS51) (Metal)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	M Round	SW Satin Silver	AG Alumite Gold	28~33 34~36			
	Crux 02	Lyra 10		C Oval	SA Satin Amber	SN Soft Nickel				
	Draco 03 ※3	Cygnus 11		L Square	SG Satin Gold	PC Pearl Chrome				
	Fornax 04 ※3	Volans 131	2 Privacy Lock	C Oval	SB Satin Black	CG Champagne Gold				
	Grus 05	Sagitta 14		L Square	CR Chrome Plated	BC BS Chrome				
	Hydra 06	Norma 15 ※3		L Square	PG Gold Plated	SPC Shot Pearl Chrome				
	Musca 07	Bootes 16	3 Indicator Lock	C Oval	AS Alumite Silver	SCG Shot Champagne Gold				
	Pavo 08			L Square	AA Alumite Amber	SBC Shot BS Chrome				
	FR (BS51) (Metal)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	M Round	SW Satin Silver			AG Alumite Gold	28~33 34~36
Crux 02		Lyra 10	C Oval		SA Satin Amber	SN Soft Nickel				
Draco 03 ※3		Cygnus 11	L Square		SG Satin Gold	PC Pearl Chrome				
Fornax 04 ※3		Volans 131	2 Privacy Lock	M Round	SB Satin Black	CG Champagne Gold				
Grus 05		Sagitta 14			CR Chrome Plated	BC BS Chrome				
Hydra 06		Norma 15 ※3			PG Gold Plated	SPC Shot Pearl Chrome				
Musca 07		Bootes 16	3 Indicator Lock	M Round	AS Alumite Silver	SCG Shot Champagne Gold				
Pavo 08					AA Alumite Amber	SBC Shot BS Chrome				
FU32 (BS32) ※2 (Metal)		Aquila 01 ※3	Pyxis 09	1 Passage Lock	C Oval	SW Satin Silver	AG Alumite Gold	25 28~33		
	Crux 02	Lyra 10	E Square		SA Satin Amber	SN Soft Nickel				
	Draco 03 ※3	Cygnus 11	E Square		SG Satin Gold	PC Pearl Chrome				
	Fornax 04 ※3	Volans 131	2 Privacy Lock	C Oval	SB Satin Black	CG Champagne Gold				
	Grus 05	Sagitta 14		E Square	CR Chrome Plated	BC BS Chrome				
	Hydra 06	Norma 15 ※3		E Square	PG Gold Plated	SPC Shot Pearl Chrome				
	Musca 07	Bootes 16	3 Indicator Lock	C Oval	AS Alumite Silver	SCG Shot Champagne Gold				
	Pavo 08			E Square	AA Alumite Amber	SBC Shot BS Chrome				
	AP4 (Lower part fixed) (Resin)	※4	2 Privacy Lock	A Oval	WH Pale white (Plastic fabric color)		25~26 28~30 32~34			
		(Resin)								
FU51 (BS51) ※2 (Metal)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	C Oval	SW Satin Silver	AG Alumite Gold	25 28~33			
	Crux 02	Lyra 10		K Oval	SA Satin Amber	SN Soft Nickel				
	Draco 03 ※3	Cygnus 11		E Square	SG Satin Gold	PC Pearl Chrome				
	Fornax 04 ※3	Volans 131	2 Privacy Lock	C Oval	SB Satin Black	CG Champagne Gold				
	Grus 05	Sagitta 14		K Oval	CR Chrome Plated	BC BS Chrome				
	Hydra 06	Norma 15 ※3		E Square	PG Gold Plated	SPC Shot Pearl Chrome				
	Musca 07	Bootes 16	3 Indicator Lock	C Oval	AS Alumite Silver	SCG Shot Champagne Gold				
	Pavo 08			K Oval	AA Alumite Amber	SBC Shot BS Chrome				
				E Square						
	AP4 (Lower part fixed) (Resin)	※4	1 Passage Lock	M Round	WH Pale white (Resin fabric color)				25~26 28~30 32~34	
		(Resin)								
KU (BS32) (Resin)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	J Oval	SW Satin Silver	AG Alumite Gold	25 28~33			
	Crux 02	Lyra 10		F Square	SA Satin Amber	SN Soft Nickel				
	Draco 03 ※3	Cygnus 11		F Square	SG Satin Gold	PC Pearl Chrome				
	Fornax 04 ※3	Volans 131	2 Privacy Lock	J Oval	SB Satin Black	CG Champagne Gold				
	Grus 05	Sagitta 14		F Square	CR Chrome Plated	BC BS Chrome				
	Hydra 06	Norma 15 ※3		F Square	PG Gold Plated	SPC Shot Pearl Chrome				
	Musca 07	Bootes 16	3 Indicator Lock	J Oval	AS Alumite Silver	SCG Shot Champagne Gold				
	Pavo 08			F Square	AA Alumite Amber	SBC Shot BS Chrome				
	AP4 (Lower part fixed) (Resin)	※4	2 Privacy Lock	D Oval	W White (Resin fabric color)				25~26 28~30 32~34	
		(Resin)								
LU (BS32) (Resin)	Fornax 04 (Horizontal fixed)	※3	1 Passage Lock	T Oval	AS Alumite silver		30			
					CR Chrome Plated					
			2 Privacy Lock	S Oval	WH Pale white (Resin fabric color)				30	
	BP4 (Horizontal fixed) (Resin)	※4		(Resin)						
			3 Indicator Lock	S Oval						
				(Resin)						

Build to order method

Product Number Please refer page 6 for product number.	Handle Fixation A standard type is Lower part Fixed. Please specify if you want the horizontal fixed.	Front Width A standard width is 25mm. 22mm width is only available for FU·KU Lock Case.	Front Shape A standard FL·FT·FR Lock Case shape is round. Only FL·FT·FR Lock Case that you can choose square and round shape. Lock Case FU·KU·LU are all in square shape.	Strike Please specify if you want other type strike or you don't need it.
--	--	--	---	---

Examples for product number ordered

										
Picture A	Picture B	Picture C	Picture D	Picture E	Picture F					
Standard specification			Build to order specification							
Lock Case Type	Lever Handle Model	Locks Function	Rose Cover Type	Finish	Door Thickness	Quantity	Handle fixed Position	Front Width	Front Shape	Strike
Picture A Build to order	F L - Musca	2	C	S G	28mm	○pcs	Blank (Standard)	Only standard	Square	F Type
Picture B Build to order	F T - Aquila	1	M	S W	30mm	○pcs	Blank (Standard)	Only standard	Blank (Standard)	P Type
Picture C Standard	F R - Lyra	3	M	C R	35mm	○pcs	Blank (Standard)	Only standard	Square	Blank (Standard)
Picture D Standard	F U 3 2 - Fornax	2	C	A S	25mm	○pcs	Blank (Standard)	Blank (Standard)	Only standard	Blank (Standard)
Picture E Build to order	K U - A P 4	2	D	W	30mm	○pcs	Lower part fixed	22mm	Only standard	NA
Picture F Build to order	L U - B P 4	2	S	W H	30mm	○pcs	Horizontal fixed	Only standard	Only standard	NA


- ※ 1 : Rose shape is depend on the Lock Case type. Please be careful when you specify the product number.
- ※ 2 : Only FU Lock Case has two kinds of backsets, 32 and 51.
- ※ 3 : Alumite Finish only applying for Aquila(01), Draco(03), Fornax(04), Norma(15) handle.
- ※ 4 : AP4 and BP4 type handles cannot be fitted in FL, FT, and FR Lock case.
- ※ 5 : Please contact the Sales Division " tianjin6@kuriki-ss.co.jp " if your door thickness is not listed on page 6.
- ※ 6 : The standard case latch position is on Right-Hand.
- Please refer to the product manual instructions if you want to change it from Right-Hand to Left-Hand.

Explanation of Right-Hand and Left-Hand


Kuriki's Standard

Based on our company rule, we call it Left-Hand when the door hinges are seen on the left hand in case the person stood in front of the door.

On the other hand, we call it Right-Hand when the door hinges are seen on the right hand in case the person stood in front of the door.



Example (Foreign countries)





Aquila Type 01

28~40mm OK


This handle has a safe and simple design which is suitable for the place with a relaxing atmosphere use.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm







1M-CR




3M-CR



2E-SW



2J-CR




2C-SG


Crux Type 02

28~40mm OK


This handle has a beautiful line design wich can harmonize with the interior.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm







1M-SW




3C-CR



2C-CR



2F-CR





2C-SG

Draco Type 03



This handle has a simple design and good operatability which is suitable for the place with a relaxing atmosphere use.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SG



3M-CR



2C-CR



2E-SW




3C-SW

Grus Type 05



This popular handle has a sharp design and it is popular.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SA



3M-CR



1C-SW



3C-SG




2C-SA

Fornax Type 04



This handle has a combination of beauty and easy operation that pursuits functional beauty.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm




1M-AS



3C-AS



2C-CR



2C-SG




2F-CR

Hydra Type 06



This popular handle has a simple design and excellent operatability.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-CR




3M-PG



3C-PG



1C-SW



2C-PG


Lever Handles

Musca Type 07



This popular handle has a streamlined design which has an image of wind flow.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SW



3M-PG



2C-CR



1C-SW



2J-CR


07

Pavo Type 08



This popular handle has a combination of solid and luxurious design.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-CR



3C-SW



2M-SG



2E-SW




2J-CR

Pyxis Type 09



This handle has a round and soft design which is easy to hold.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-PG



3C-CR



2C-CR



2E-SW





3J-CR

Lyra Type 10



This handle has a combination of solid and gentle design.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-PG



3M-PG



3C-SW



2K-SW





2J-CR

Cygnus Type 11



This handle has a sharp design and it match various doors and interior.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SA



2M-SG



2C-SA



2C-SG





2L-SG

Sagitta Type 14




This beautiful handle presenting an elegant atmosphere with a combination of soft curves and edges.

Material: Zinc
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-PG



2K-PG



2C-CR



2F-CR




2J-CR

Volans Type 131



This handle has a round design and it is easily gripped and held.

Material: Zinc
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-CR



3C-CR



3M-PG



3M-CR



2C-PG


Norma Type 15



This handle create a sharp and solid atmosphere which is suitable for the modern door.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm

※The shape varies slightly depending on the finish.



1M-CR



1L-SG



2F-CR



3C-PG




2C-SG

Bootes Type 16



This beautiful design is easy to grip and like cutting a column diagonally and rejoin their sections again.


Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SW



2C-CR



2C-SG




3C-SW



3M-CR



SAKURA




SENSU

AP4 ·BP4 Type Lever Handle (Resin)




This bathroom handle has a combination of beauty and gentle design with a strong durability. There is 2 kinds of installation, AP4 Type lower part fixed and BP4 Type horizontal fixed.

Material: Resin
Standard Finish: WH·W



1M-WH



2A-WH




2D-W



2S-WH



1S-WH



Resin



Lock Case Set




AP Type
(Lower part fixed)



BP Type
(Horizontal fixed)


Standard Strike




Standard strike is a fixed type.

Material:Stainless, Steel

Standard Strike	
Product No	Finish/Color
227-010	Hairline
Screw included:	
3.5×20 Flat head tapping screw 2pcs	



Adjustment Strike



Strike can be easily adjusted with a screwdriver without losing fixed screws.

Material:Stainless, Steel, Resin
Finish/Color:Barrel Polishing
Adjustment Range:Front-Back±2mm

Adjustment Strike		
Product No	Specification	Function
227-011	F Type	Small door
227-012		
227-013	P Type	Small door
227-014		
Screw included:		
〈F Type〉		
3.5×20 Flat head tapping screw 2pcs		
〈P Type〉		
3.5×22 Flat head wood screw 2pcs		

F Type




For small door


P Type



For small door



For small door





For small door



FL Lock Case Cutaway view




■Appropriate door thickness 2 8 ~ 3 6 mm



...Shows the cut out part.

FR Lock Case Cutaway view



■Appropriate door thickness 28 ~ 36 mm



...Shows the cut out part.

FT Lock Case Cutaway view




■Appropriate door thickness 28 ~ 36 mm



...Shows the cut out part.

FU (BS32) Lock Case Cutaway view

■Appropriate door thickness 2 8 ~ 3 6 mm






FU (BS51) Lock Case Cutaway view

■Appropriate door thickness 2 8 ~ 3 6 mm



■Mislock Prevention Device


(A mechanism that automatically release the lock when it is closed with the state of mislocked.)



KU Lock Case Cutaway view



■ Appropriate door thickness 25, 28, 30, 33 mm



 ...Shows the cut out part.

LU Lock Case Cutaway view

■ Appropriate door thickness 30 mm



 ...Shows the cut out part.