



Open this catalog



KURIKI HARDWARE

LEVER HANDLES AND BUILDERS HARDWARE CATALOG

About Kuriki Manufacture



Kuriki Manufacture Co., Ltd. is an ISO9001 certified manufacturing company focus on making architectural hardware and bathroom accessories, such as lever handle, hinged and sliding door fittings, toilet paper holder, towel bar, etc.

In more than 50 years, we are committed to helping everyone live more comfortably by producing Japanese high-quality products. We understand that a good product does not only mean well-functioning. A good product should cover safety, universality, and aesthetically pleasing design. We always put our best effort into creating a product that can cover all of those fields, and several times now, our products have won the Good Design Award and achieved patents and utility models.

Until now, our bathroom lever handle still occupies the largest share in Japan, and the big residential developers here also widely adopt our products. But, most importantly, they have gained trust from the customers in the international markets. Our hotel lever, for example, is now used in well-known hotels, namely Swissotel the Stamford- Singapore, Village Hotel Sentosa- Singapore, The Outpost Hotel- Singapore, The Standard King Power- Thailand, Waldorf Astoria- Thailand. In the upcoming years, together with the growing number of customers, we will continue to be a leading manufacturer in providing hardware for residential and buildings in general.

Index

Lever Handles

Concept, Locks Function	02
Lock Cases Type	03
Lever Handles List	04
Finishing List	04
Escutcheon Type	05
Product No. List	06
Build to order method	07
Example on How to Write a Product Number when Ordering	07
Explanation of Right-Hand and Left-Hand	08
Lever Handle	
Aquila, Crux	09
Draco, Fornax	10
Grus, Hydra	11
Musca, Pavo	12
Pyxis, Lyra	13
Cygnus, Volans	14
Sagitta, Norma	15
Bootes	16
AP4・BP4 Type (Resin Lever)	17
Standard Strike	18
Adjustable Strike	18
FL Lock Case Cutaway View	19
FR Lock Case Cutaway View	20
FT Lock Case Cutaway View	21
FU (BS32) Lock Case Cutaway View	22
FU (BS51) Lock Case Cutaway View	23
KU Lock Case Cutaway View	24
LU Lock Case Cutaway View	25

Door Parts

Hinged Door Soft Closer	28
Concealed Hinged Door Closer	30
Smart Door Stopper (Magnet Type)	32
Doors Keeper (Magnet Type)	33
Pivot Hinge	34
Butt Hinge, Lift Off Hinge, Stainless Lift Off Hinge	35
Reversible Door Stopper, Public Housing Door Stopper	36
Upper Frame Door Stopper	36
Door Louver, Flush Bolt	37
Light Indicator Lens	
Round Type 35	38
Round Type 35 (O-ring specifications)	38
Round Type 38, Square Type 38	39

Sliding Door Parts

Clear Cut Hook Lock	42
Product No. List	44
Example on How to Write a Product Number when Ordering	44
TS Hook Lock	46
NS Automatic Hook Lock	48
CL Automatic Hook Lock	50
Top Hung Soft Closer Set, Top Hung Soft Closer	52
4 Wheels Adjuster, Sliding Door Rail	53
Anti-Shake Guide Pin, 4 Wheels Adjuster・Rail set	53
Sliding Door Soft Closer	54
Concealed Soft Closer	55
KT Adjustable Roller, Lintel Rail	56
T Floor Rail	57
Outset Sliding Door Parts	58
Upper Rail, Lower Rail, KT Adjustable Roller	58
Door Side Guide, Upper Stopper, Outset Lower Stopper	59
Strike Plate, Wooden Strike Plate	60
High rigidity Strike Plate	61
Outset Upper Stopper, Outset Lower Stopper	61

Sliding Door Parts

Magnet Catcher, F2 Adjuster Guide, Upper Rail	62
Door Stopper Cap	63
Bar Handle	64
Big Handle	65
Resin Pull Round & Rectangle	66
Resin Pull Rectangle One Touch	66
Resin One Touch Pull Rectangle	67
Round & Rectangle Pull	68
Metal One Touch Pull Round & Rectangle	69
TK One Touch Flush Pull, ND Flush Pull	70
Flush Edge Pull	71
Heavy Duty Hung Door	72

Accessories

SL Series	
SL Paper Holder, SL Double Paper Holder	76
2-in-ONE Paper Holder (SL 2-in-ONE Paper Holder)	77
SL Towel Bar, SL Towel Ring	77
SLs Series	
SLs Paper Holder, SLs Towel Bar, SLs Towel Ring	78
One Touch Paper Holder	79
Recessed Paper Holder	80
Towel Hanger with Shelf, Shelf, Towel Rack	82
Towel Bar, Towel Shelf with Hooks	83
Bathroom Push Pull Lock	84
Child Lock, Bathroom Lid Holder	85
YH Laundry Pipe	86
KS Laundry Pipe	87
KS Flexible Laundry Pipe (Double-sided tape)	88
KS Flexible Laundry Pipe (Screw mounting)	89
PP Shelf, Storage Shelf, Tray Hook	90
SUS Shelf, Bottle Rack	91
Shower Door Handle	92
Wall Hook	93

Cabinet Parts・Handrail

Knob	
Round Knob, ND Knob, Square Knob, Oval Knob	96
Closet Handle, Privacy Pull	97
Handle	
D Type Handle, TKC Handle, ND Handle	98
RK Handle, CA Handle, MJ Handle	99
Wardrobe Hanger Rail Set	100
Hanger Pipe Set	101
Round Bar Handrail	
NL Type, Free Joint	102
NE Type, Ring Joint	103
NI Type Entrance, Handrail	104
NI Type	105

Euro Series

Mortice Locks	108
Fire-rated Handle, Standard Cylinder	110
Euro Profile Escutcheon	110
Rectangular Flush Cover, Euro Fire-rated Hinge	111
Extension Flush Bolt	112
Box Type Flush Bolt	112
Automatic Flush Bolt	113
Dust Proof Socket, Door Selector	113
D-Pull Handle, Cup Ring Handle	114
H-Pull Handle	115

Aftermarket Parts

Lever Handles	118
Door Parts	120
Sliding Door Parts	121
Accessories	126
Cabinet Parts	128
Handrail	129



GOOD DESIGN This product won the Good Design Award.

Icon guide

The following icons symbolize the features of the products in this catalog.



Patent and Design Patent

The product has an exclusive right given for either utility or design patent.



Good Design Award

The product won the Good Design Award selected by Ministry of International Trade and Industry.



Rectangle Plate

The product has a rectangle strike plate and faceplate.



Round Plate

The product has a round strike plate and faceplate.



Load Capacity

The product is applicable on doors with a maximum weight shown in the icon.



Door Thickness

The product is applicable on doors with a specific door thickness shown in the icon.



Screwdriver

The product can be installed easily using a screwdriver.



No Tools

The product can be installed easily without using any tools.



Water Resistant

The product can be used in the bathroom.



Digging Necessary

To install a product, you will need to drill or dig into the door, frame, wall, etc.



Adhesive Necessary


To install a product, you will need a suitable adhesive to combine parts.



Build to Order









The product is not built until a confirmed order for the product is received.

KURIKI, delivering safe and convenient products for everyone.




Adjustment Method


Hinged Door Adjustment

	Problem	Solution	
①	The door hits the side jamb. 	Pivot Hinge (Upper Body) 	Pivot Hinge (Lower Body) 
		Adjust the door position to the sides by turning the adjusting screw in the upper and lower pivot hinges.	
②	The door hits the sill/ flooring. 	Pivot Hinge (Lower) 	
		Adjust the door position up and down by turning the adjusting screw in the upper and lower pivot hinges.	
③	Inclined doors. 	Pivot Hinge (Upper Plate) 	Pivot Hinge (Lower Plate) 
		Loosen the fixing screws in the lower pivot hinge and reposition it horizontally to create a proper vertical door position. Do not forget to fasten the screws once you finish the adjustment.	









④ Adjustable-strike adjustment.




Adjust the depth of the adjustable strike by turning the screw shown in the picture. Make sure that the latch fits perfectly into it to prevent a rattle, thus the door can function well.




Sliding Door Adjustment

	Problem	Solution	
①	There is a gap between the door and the side jamb when the sliding door is in the closing position. 	Hung Door Roller 	Door Roller (Lower) 
		Adjust the sliding door up and down by turning the adjusting screw.	
②	Inclined sliding doors. 	Hung Door Roller 	Door Roller (Upper & Lower) 
		Adjust the sliding door to the sides by turning the adjusting screw.	
③	The hook lock does not work well. 	Adjustable Strike 	
		Adjust the strike plate, so the hook falls down properly by adjusting the screws shown in the pictures. Do not forget to fasten the screw once you're done with the adjustment.	

④ The sliding door rattles.



It is possible to reduce the rattle of the sliding door by adjusting the screw shown in the above picture.







Lever Handles

Concept

- Through different approaches in material, function, performance, design, and production cost, we provide high-quality products at an affordable cost.
- All lever handles and lock cases have passed strict endurance tests.
- Providing a wide range of designs to suit your living space.

Locks Function

Type	Reference Diagram	Example of Use
1 Passage Lock		The passage lock is installed in the door of a room that doesn't need a lock, such as a closet, children's room, living room, dining room, etc.
2 Privacy Lock		The privacy lock is installed in the door that can be locked inside of the room. In an emergency situation, someone can open it from outside by a tool.
3 Indicator Lock		The indicator lock is installed in the door that need to display a lock sign. It can be used in a bathroom and a toilet. In an emergency situation, someone can open the lock from outside by a tool.
5 Cylinder Lock (Built to Order)		The cylinder lock is installed in the door that need to be locked from inside using a thumb turn and from outside using a key, such as main door or any other private room.

Lock Cases Type

FL (Backset 51)

A set of lock made of low-priced steel.


Material: <Case>Steel <Front>Stainless
Finishing: <Case>Chromate <Front>Hairline
Faceplate: Rectangle, Round



FR (Backset 51)

A set of lock made of low-priced steel.


Material: <Case>Steel <Front>Stainless
Finishing: <Case>Chromate <Front>Hairline
Faceplate: Rectangle, Round



KU (Backset 32)

A set of lock case made of resin with a soundproof features.

Material: <Case·Front>Resin
Finishing: <Case·Front>Pearl White
Faceplate: Rectangle



FT (Backset 51)

A tubular lock that is easy to install on the door.

Material: <Case>ZDC <Front>Stainless
Finishing: <Case>Chromate <Front>Hairline
Faceplate: Round



FU (Backset 32, 51)

A set of lock made of stainless steel with excellent durability.


Material: <Case·Front>Stainless
Finishing: <Case>Metal Fabric <Front>Hairline
Faceplate: Rectangle



LU (Backset 32)

A set of lock case made of resin with a soundproof features.

Material: <Case>Resin <Front>Stainless
Finishing: <Case·Front>Silver
Faceplate: Rectangle



What is a Backset ?
Backset is the distance from the faceplate to the center of the lever handle or thumb turn installed on the door.

How to measure the backset ?
Use a length measurement tool to measure the distance from the side edge of the door to the center of the hole where you put the lever handle or thumb turn on the door.

Lever Handles List

Aquila



Type 01

Crux



Type 02

Draco



Type 03

Fornax



Type 04

Grus



Type 05

Hydra



Type 06

Musca



Type 07

Pavo



Type 08

Pyxis



Type 09

Lyra



Type 10

Cygnus



Type 11

Volans



Type 131

Sagitta



Type 14

Norma



Type 15

Bootes



Type 16

AP4 (bottom fix)/
BP4 (side fix)



(Resin Lever)

Finishing List

SW (Satin Silver)



SA (Satin Amber)



SG (Satin Gold)



SB (Satin Black)



CR (Chrome Plated)



PG (Gold Plated)



SN (Soft Nickel)



AS (Alumite Silver)



AA (Alumite Amber)



AG (Alumite Gold)



PC (Pearl Chrome)



CG (Champagne Gold)



BC (BS Chrome)



SPC (Shot Pearl Chrome)


















































SCG (Shot Champagne Gold)



SBC (Shot BS Chrome)



Escutcheon Type

	Passage Lock				Privacy Lock				Indicator Lock			Cylinder Lock		
	Metal				Metal				Metal			Metal		
	1 M	1 C	1 L		2 C	2 L			3 C	3 L		5 C	5 L	
F L (BS51)														
F T (BS51)														
F R (BS51)														
F U (BS32)														
F U (BS51)														
K U (BS32)														
L U (BS32)														

The finishing color is adjusted to match the lever handle.

Lever Handles

Product No. List







Please refer to page 7 for ordering customized products.

Lock Case Type (Backset) ※1	Lever Handles		Locks Function	Escutcheon Type	Finishing Color		Door Thickness ※5	Quantity
FL (BS51) (Metal)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	M Round	SW Satin Silver	AG Alumite Gold	28~33	
	Crux 02	Lyra 10		C Oval	SA Satin Amber	SN Soft Nickel	34~36	
	Draco 03 ※3	Cygnus 11		L Rectangle	SG Satin Gold	PC Pearl Chrome		
	Fornax 04 ※3	Volans 131	2 Privacy Lock	C Oval	SB Satin Black	CG Champagne Gold		
	Grus 05	Sagitta 14		L Rectangle	CR Chrome Plated	BC BS Chrome		
	Hydra 06	Norma 15 ※3			PG Gold Plated	SPC Shot Pearl Chrome		
	Musca 07	Bootes 16	3 Indicator Lock	C Oval	AS Alumite Silver	SCG Shot Champagne Gold		
	Pavo 08			L Rectangle	AA Alumite Amber	SBC Shot BS Chrome		
			5 Cylinder Lock	C Oval				
FT (BS51) (Metal)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	M Round	SW Satin Silver	AG Alumite Gold	28~33	
	Crux 02	Lyra 10		C Oval	SA Satin Amber	SN Soft Nickel	34~36	
	Draco 03 ※3	Cygnus 11		L Rectangle	SG Satin Gold	PC Pearl Chrome		
	Fornax 04 ※3	Volans 131	2 Privacy Lock	C Oval	SB Satin Black	CG Champagne Gold		
	Grus 05	Sagitta 14		L Rectangle	CR Chrome Plated	BC BS Chrome		
	Hydra 06	Norma 15 ※3			PG Gold Plated	SPC Shot Pearl Chrome		
	Musca 07	Bootes 16	3 Indicator Lock	C Oval	AS Alumite Silver	SCG Shot Champagne Gold		
	Pavo 08			L Rectangle	AA Alumite Amber	SBC Shot BS Chrome		
FR (BS51) (Metal)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	M Round	SW Satin Silver	AG Alumite Gold	28~33	
	Crux 02	Lyra 10			SA Satin Amber	SN Soft Nickel	34~36	
	Draco 03 ※3	Cygnus 11			SG Satin Gold	PC Pearl Chrome		
	Fornax 04 ※3	Volans 131	2 Privacy Lock	M Round	SB Satin Black	CG Champagne Gold		
	Grus 05	Sagitta 14			CR Chrome Plated	BC BS Chrome		
	Hydra 06	Norma 15 ※3			PG Gold Plated	SPC Shot Pearl Chrome		
	Musca 07	Bootes 16	3 Indicator Lock	M Round	AS Alumite Silver	SCG Shot Champagne Gold		
	Pavo 08				AA Alumite Amber	SBC Shot BS Chrome		
FU32 (BS32) ※2 (Metal)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	C Oval	SW Satin Silver	AG Alumite Gold	25~28	
	Crux 02	Lyra 10		E Rectangle	SA Satin Amber	SN Soft Nickel	29~33	
	Draco 03 ※3	Cygnus 11			SG Satin Gold	PC Pearl Chrome	34~36	
	Fornax 04 ※3	Volans 131	2 Privacy Lock	C Oval	SB Satin Black	CG Champagne Gold		
	Grus 05	Sagitta 14		E Rectangle	CR Chrome Plated	BC BS Chrome		
	Hydra 06	Norma 15 ※3			PG Gold Plated	SPC Shot Pearl Chrome		
	Musca 07	Bootes 16	3 Indicator Lock	C Oval	AS Alumite Silver	SCG Shot Champagne Gold		
	Pavo 08			E Rectangle	AA Alumite Amber	SBC Shot BS Chrome		
AP4 (bottom fix) (Resin)			2 Privacy Lock	A Oval	WH Pale white		25~26	
				(Resin)	BK Black		27~28	
							29~33	
							34	
							35~39	
FU51 (BS51) ※2 (Metal)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	C Oval	SW Satin Silver	AG Alumite Gold	25	
	Crux 02	Lyra 10		K Oval	SA Satin Amber	SN Soft Nickel	28~33	
	Draco 03 ※3	Cygnus 11		E Rectangle	SG Satin Gold	PC Pearl Chrome		
	Fornax 04 ※3	Volans 131	2 Privacy Lock	C Oval	SB Satin Black	CG Champagne Gold		
	Grus 05	Sagitta 14		K Oval	CR Chrome Plated	BC BS Chrome		
	Hydra 06	Norma 15 ※3		E Rectangle	PG Gold Plated	SPC Shot Pearl Chrome		
	Musca 07	Bootes 16	3 Indicator Lock	C Oval	AS Alumite Silver	SCG Shot Champagne Gold		
	Pavo 08			K Oval	AA Alumite Amber	SBC Shot BS Chrome		
				E Rectangle				
AP4 (bottom fix) (Resin)			1 Passage Lock	M Round	WH Pale white		25~26	
					BK Black		28	
							29	
			2 Privacy Lock	A Oval			30~34	
				(Resin)				
KU (BS32) (Resin)	Aquila 01 ※3	Pyxis 09	1 Passage Lock	J Oval	SW Satin Silver	AG Alumite Gold	25	
	Crux 02	Lyra 10		F Rectangle	SA Satin Amber	SN Soft Nickel	28~33	
	Draco 03 ※3	Cygnus 11			SG Satin Gold	PC Pearl Chrome		
	Fornax 04 ※3	Volans 131	2 Privacy Lock	J Oval	SB Satin Black	CG Champagne Gold		
	Grus 05	Sagitta 14		F Rectangle	CR Chrome Plated	BC BS Chrome		
	Hydra 06	Norma 15 ※3			PG Gold Plated	SPC Shot Pearl Chrome		
	Musca 07	Bootes 16	3 Indicator Lock	J Oval	AS Alumite Silver	SCG Shot Champagne Gold		
	Pavo 08			F Rectangle	AA Alumite Amber	SBC Shot BS Chrome		
AP4 (bottom fix) (Resin)			2 Privacy Lock	D Oval	W White		25~26	
				(Resin)			28~29 (70~122)	
							30~32	
							33	
LU (BS32) (Resin)	Fornax 04 (side fix) ※3		1 Passage Lock	T Oval	AS Alumite silver		30	
					CR Chrome Plated			
			1 Passage Lock	S Oval	WH Pale white		30	
				(Resin)	BK Black			
			2 Privacy Lock	S Oval				
				(Resin)				

Build to order method

Product Number Please refer to page 6 for product number.	+	Handle Fixation The standard is the bottom fix type. Please specify if you want the side fix type.	+	Faceplate Width The standard width is 25mm. The 22mm width is only available for FU and KU type.	+	Faceplate Type The standard for FL, FT, and FR type is round. The rectangle type is also available for FL, FR type. Meanwhile, FU, KU, LU can only use rectangle type.	+	Strike Plate Please specify if you don't need the strike plate or want a different type other than the standard.
--	---	---	---	---	---	---	---	---

Example on How to Write a Product Number when Ordering

Picture A

Picture B

Picture C

Picture D

Picture E

Picture F

Standard specification

Customized


	Lock Case Type	Lever Handle	Locks Function	Escutcheon Type	Finish	Door Thickness	Quantity	Handle Fixation	Faceplate Width	Faceplate Type	Strike Plate
Picture A Customized	F L	Musca	2	C	S G	28mm	○pcs	Blank (Standard)	Only standard	Rectangle	F Type
Picture B Customized	F T	Aquila	1	M	S W	30mm	○pcs	Blank (Standard)	Only standard	Blank (Standard)	P Type
Picture C Standard	F R	Lyra	3	M	C R	35mm	○pcs	Blank (Standard)	Only standard	Rectangle	Blank (Standard)
Picture D Standard	F U 3 2	Fornax	2	C	A S	25mm	○pcs	Blank (Standard)	Blank (Standard)	Only standard	Blank (Standard)
Picture E Customized	K U	A P 4	2	D	W	30mm	○pcs	Bottom fix	22mm	Only standard	NA
Picture F Customized	L U	B P 4	2	S	W H	30mm	○pcs	Side fix	Only standard	Only standard	NA

- ※ 1 : The escutcheon type depends on the type of lock case. Please be careful when specifying the product number.
- ※ 2 : Only FU lock case has two kind of backsets, 32 and 51.
- ※ 3 : Alumite finish can only applied for Aquila (01), Draco (03), Fornax (04), Norma (15) handle.
- ※ 4 : AP4 and BP4 type handles cannot be fitted in FL, FT, and FR lock case.
- ※ 5 : Please contact the Sales Division "tianjin6@kuriki-ss.co.jp" if your door thickness is not listed on page 6.
- ※ 6 : Our standard lock case is suitable for a right-hand door. Please refer to the product manual if you want to change it to fit on left-hand door.


Explanation of Right-Hand and Left-Hand

Kuriki Standard

We determine the right-hand or left-hand door by standing in the side of the door where you can see the hinges. If they are on your right side, then it is a right-hand door. Meanwhile, if they are on your left side, then it is a left-hand door.



Example (Foreign Countries)




Aquila Type 01



This lever comes with a column shape that gives to the handle a symmetrical and elegant look. The grip part is designed with a perfect diameter to create comfort and safety.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm




1M-CR




3M-CR



2E-SW



2J-CR




2C-SG

Crux Type 02



This lever has a beautiful, slim streamline design and a comfortable grip to give a perfect little touch to your room.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SW



3C-CR



2C-CR



2F-CR





2C-SG

Draco Type 03



This lever has an adequate thickness to make you feel comfortable when gripping it. The design is also perfect to be used in a room with any ambiance.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SG



3M-CR



2C-CR



2E-SW




3C-SW

Grus Type 05



This popular lever has been adapted in a five-stars hotel. Provided with a beautiful lining design, this is an ideal lever in terms of aesthetic and functionality.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SA



3M-CR



1C-SW



3C-SG




2C-SA

Fornax Type 04



This simple and timeless design lever with an ideal grip thickness and a round-shaped edge creates comfort and safety.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-AS



3C-AS



2C-CR



2C-SG




2F-CR

Hydra Type 06



This lever has a vast surface with a rounded shape on both edges, creating a gentle-looking and luxurious lever handle at the same time.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm




1M-CR



3M-PG



3C-PG



1C-SW




2C-PG

Cygnus Type 11



This lever has an adequate weight and a convex shape. Not only it emphasizes the comfort of usability, but it also creates the sense of casual perfect for a room with minimal decoration.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SA



2M-SG



2C-SA



2C-SG




2L-SG

Volans Type 131



This lever has a basic round bar with a raised part in the middle of the lever, offering a unique design.

Material: Zinc
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-CR



3C-CR



3M-PG



3M-CR





2C-PG

Sagitta Type 14



This solid lever is heavier than the others. The angled cutting combines with the bent gripping part creates an unquestionably unique design.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-PG



2K-PG



2C-CR



2F-CR



2J-CR


Norma Type 15



This slim and simple lever is suitable for a room with less decoration and a modern ambiance. This lever has also been adapted in a five-stars hotel.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm

※The shape varies slightly depending on the finish.



1M-CR



1L-SG



2F-CR



3C-PG




2C-SG

Bootes Type 16



This is also one of the popular lever that's been adapted in a five-stars hotel. This lever has a solid design and an excellent functionality suitable for your room.


Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SW



2C-CR



2C-SG




3C-SW



3M-CR



SAKURA




SENSU

AP4 · BP4 Type (Resin Lever)



This lever combines simple design and strong durability, suitable for bathroom use. The AP4 type has a bottom fix screw, while the BP4 has a side fix screw.

Material: Resin
Standard Finish: WH·W·BK



1M-WH



2A-WH



2D-W




2S-WH



1S-WH



2A-BK



Lock Case Set




AP Type (bottom fix)



BP Type (side fix)


Standard Strike




Standard strike is a fixed type.

Material:Stainless, Steel

Standard Strike	
Product No	Finish/Color
227-010	Hairline
Screw included:	
3.5×20 Flat head tapping screw 2pcs	



Adjustable Strike



The depth of the strike can be easily adjusted using a screwdriver without losing the fixed screws.

Material:Stainless, Steel, Resin
Finish/Color:Barrel Polishing
Adjustment Range:Front-Back±2mm

Adjustable Strike		
Product No	Specification	Function
227-011	F Type	Small door
227-012		
227-013	P Type	Small door
227-014		
Screw included:		
<F Type>		
3.5×20 Flat head tapping screw 2pcs		
<P Type>		
3.5×22 Flat head wood screw 2pcs		

F Type




For small door


P Type



For small door



For small door





For small door



FL Lock Case Cutaway View




■Appropriate door thickness 2 8 ~ 3 6 mm



...Shows the cut out part.

FR Lock Case Cutaway View



■Appropriate door thickness 2 8 ~ 3 6 mm



...Shows the cut out part.

FT Lock Case Cutaway View




■Appropriate door thickness 2 8 ~ 3 6 mm




...Shows the cut out part.

FU (BS32) Lock Case Cutaway View

■Appropriate door thickness 28~36mm






 ...Shows the cut out part.

FU (BS51) Lock Case Cutaway View

■ Appropriate door thickness 28 ~ 36 mm

■ **Special Feature Lock (Available for Customization)**



We can provide a lock with a special feature, a mechanism that automatically unlocks the door if someone accidentally locks the door, even when the door is closing.



 ...Shows the cut out part.

KU Lock Case Cutaway View



■Appropriate door thickness 25, 28, 30, 33 mm



...Shows the cut out part.

LU Lock Case Cutaway View

■Appropriate door thickness 30 mm



...Shows the cut out part.

Door Parts

Hinged Door Soft Closer




This door closer is suitable for indoor use, either on a new or an existing door. It helps to reduce the unpleasant noise of the door hitting the frame and prevent it from slamming shut. The door closer will decelerate the speed of the door at ±40 mm towards the end and automatically pull the door to close perfectly. The installation can be done easily using the attached pattern paper. Once installed, the closing speed can be adjusted. Compared to the other products, ours has outstanding durability as it has passed 500,000 times during the performance test.

Adjustable range: Up- down ±5 mm, right- left ±5 mm,
front- back ±4 mm
Material: <Main unit/ Spool bracket>Resin, Steel
<Liner>Steel

Hinged Door Soft Closer			
Product No.			
LH	RH	Door Weight	Finish/Color
312-021	312-025	10~30kg	Gold Painting
312-022	312-026	(98~294N)	Silver Painting
312-023	312-027	※1	Gray
312-024	312-028		Brown
312-051	312-055	45kg	Gold Painting
312-052	312-056	(441N)	Silver Painting
312-053	312-057	※2	Gray
312-054	312-058		Brown

Screw included:
<Bracket>
4×30 Binding head tapping screw 2pcs
<Main unit>
4×30 Pan head tapping screw 2pcs
4×20 Flat head tapping screw 3pcs
M4×12 Pan head machine screw 2pcs
M4 Flat washer 2pcs

※1 Recommended door weight:10~25kg
※2 Recommended door weight:26~40kg



There are LH and RH.



Gray (R)



Brown (R)



Gold Painting (R)



Silver Painting (R)



Door Installation Liner




Right Hand

The arm extends once it is released from the spool bracket.




Right Hand




Main Unit (L)

Main Unit (R)



Spool Bracket (L)

Spool Bracket (R)



Installation Drawing (showing right hand opening)

Right Hand


※ This drawing is only for reference.
For installation, please use the manual and pattern paper attached to the product.

Concealed Hinged Door Closer



A concealed hinged door closer for indoor use provides the functionality of an overhead door closer but is fitted within the door leaf and frame. This product helps decelerate the speed of the door at ±100 mm towards the end and self-closing itself slowly to reduce the unpleasant noise of the door hitting the frame and prevent pinched finger accidents. In addition, this type of installation is aesthetically pleasing and helps reduce vandalism, as most of the door closer is hidden from sight. Once installed, the closing speed can also be adjusted.

Material: (Main unit) ZDC
(Spool bracket) Resin
Load capacity: 30kg(297N)
※Please contact us for 70kg(686N) pecifications.

Concealed Hinged Door Closer		
Product No.		
LH	RH	Finish/Color
312-072L	312-072R	Brown
Screw included:		
(Spool bracket)		
4 × 30 Truss head tapping screw 2pcs		
4 × 20 Flat head tapping screw(D7) 1pcs		
(Main unit)		
4 × 30 Truss head tapping screw 4pcs		
Attachment: Allen wrench		



The arm extends once it is released from the spool bracket.




Smart Door Stopper (Magnet Type)

Using a magnet with a strong force, this door stopper can hold a door open and helps eliminate any damage to the adjoining wall. The installation is effortless and can be fixed either on a new or existing door. The mounting screws are invisible, and the height of the floor-mounted part is only 3 mm making this product barrier-free. This door stopper also passed the 100,000 times performance test. Moreover, this product won the Good Design Award for its seamless and smart design while maintaining maximum functionality.

Material: (Main unit) Magnet, Resin
(Base) Resin, Stainless
Load Capacity: 30kg(294N)


Smart Door Stopper (Magnet Type)	
Product No.	Finish/Color
220-251	White
220-252	Silver
220-253	Gold
220-254	Silver Painting
220-255	Gold Painting
220-256	Chrome Plating

Screw included:
(Main unit)
4 × 20 Pan head tapping screw 2pcs
(Base)
3 × 12 Flat head tapping screw 3pcs




White

Silver



Gold

Silver Painting



Gold Painting

Chrome Plating




White

Silver



Gold

Silver Painting



Gold Painting

Chrome Plating



Doors Keeper (Magnet Type)

This door keeper uses a strong magnetic force that works well on a heavy door to stop it. Pushing the door once it is stopped will turn it into a lock position, and there will be no chance of it slipping and swinging through when opened. However, it will need a little to no effort to pull and close the door. The installation is effortless and can be fixed either on a new or existing door. In addition, the floor-mounted part is only 3 mm making this product barrier-free. This durable doorkeeper has also passed the 100,000 times performance test and won the Good Design award for its smart design while maintaining maximum functionality.



Material: (Main unit) Magnet, Resin
(Base) Resin, Stainless
Load Capacity: 100kg(980N)

Doors Keeper (Magnet Type)	
Product No.	Finish/Color
220-261	White
220-262	Silver
220-263	Gold
220-264	Silver painting
220-265	Gold painting
220-266	Chrome plating

Screw included:
(Main unit) 4 × 20 Pan head tapping screw 4pcs
(Base) 3 × 12 Flat head tapping screw 4pcs

Door Keeper Concealed Type	
Product No.	Finish/Color
220-271	White
220-272	Silver
220-273	Gold
220-274	Silver Painting
220-275	Gold Painting
220-276	Chrome Plating

Screw included:
(Main unit) 4.2 × 32 Pan head tapping screw 4pcs
(Base) 3 × 12 Flat head tapping screw 4pcs



Concealed Type



Raw Material
(Rubber Color:Black)

This image shows the raw material for the hinge, which is a black metal plate with four mounting holes and a black rubber bush. To the right, a close-up shows the hinge installed on a wooden door, demonstrating its application.

The technical drawing illustrates the design of a door hinge assembly. It includes two perspective views of the hinge components and a detailed cross-sectional view with dimensions.

Gold Painting
Raw Material
 (Rubber Color: White)

Dimensions and Labels:

- Upper Frame:** The top part of the assembly.
- Door:** The bottom part of the assembly.
- Hinge:** The central pivot point.
- Dimensions:**
 - Overall width: 162
 - Width of the upper frame: 148
 - Width of the door: 36
 - Height of the upper frame: 26.5
 - Height of the door: 21.5
 - Radius of the hinge: $\phi 28$

Screw included:
3.5 × 35 Flat head tapping screw 4pcs



Public Housing Door Stopper		
Product No.	Finish/Color	Rubber Color
220-221	Raw material	White
220-223	Gold Painting	

Screw included:
3 × 16 Flat head wood screw 3pcs



30kg
OK

Medical consultation icon

Upper Frame Door Stopper			
Product No.			
Left-Hand	Right-Hand	Finish/Color	Rubber Color
220-241	220-231	Raw Material	White
220-243	220-233	Gold Painting	

Screw included: 4 × 25 Flat head tapping screw 4pcs



Natural Wood

Medium Birch

Ivory

Cutaway view

63 6 1.5 334 310 60 84 313 4-R6 64 314

Door Louver		
Product No.	Specification	Finish/Color
630-051	For one side	Natural Wood
630-031		Medium Birch
630-011		Ivory
630-061	For both sides	Natural Wood
630-041		Medium Birch
630-021		Ivory

Reversible door thickness: 28~33mm
※ Please contact us, if you want other color

Gold

Silver

Amber

Natural

Strike Bracket

Strike Plate

Gray

Flush Bolt		
Product No.	Specification	Finish/Color
225-013	Strike Plate set	Gold
225-015		Silver
225-017		Amber
225-019		Natural
225-021		Gray
225-113	Strike Bracket set (Depth 15mm)	Gold
225-115		Silver
225-117		Amber
225-119		Natural
225-121		Gray
225-213	Strike Bracket set (Depth 20mm)	Gold
225-215		Silver
225-217		Amber
225-219		Natural
225-221		Gray

Technical drawing of the Digging Lock (Type 1) showing the open and closed states, dimensions, and a detail of the lower hole.

Open State: The lock is shown in the open position, with the handle extended. The handle has a length of 135.5 mm and a width of 20 mm. The handle is mounted on a base plate with a thickness of 12 mm. The handle has a central slot with a width of 35 mm and a depth of 25 mm. The handle is labeled "Open".

Close State: The lock is shown in the closed position, with the handle retracted. The handle has a length of 93.5 mm and a width of 20 mm. The handle is mounted on a base plate with a thickness of 12 mm. The handle has a central slot with a width of 35 mm and a depth of 25 mm. The handle is labeled "Close".

Dimensions:

- Handle length (Open): 135.5 mm
- Handle length (Close): 93.5 mm
- Handle width: 20 mm
- Base plate thickness: 12 mm
- Central slot width: 35 mm
- Central slot depth: 25 mm
- Stroke: 25 mm
- Lower hole diameter: $3-\phi 2.5$
- Lower hole radius: R10.1
- Lower hole depth: 16 mm
- Lower hole offset: 12 mm
- Lower hole distance from bottom: 20.2 mm

Detail of Lower Hole: The detail shows the lower hole with a diameter of $3-\phi 2.5$ and a radius of R10.1. The hole is located 12 mm from the bottom edge and 20.2 mm from the bottom edge. The hole depth is 16 mm.

Drawing for Digging (Depth: 16mm)

Technical drawings of the Strike Plate and Strike Bracket. The Strike Plate drawing shows a top view with dimensions 46, 36, 22, 12.2, 22, 5, 1, and 10, and a side view. The Strike Bracket drawing shows a top view with dimensions 46, 36, 22, 12.2, 22, 15-20, 1, 25, and 17, and a side view.

Light Indicator Lens

This device helps users recognizing if the light inside a room is on from outside. The indicator lens can be easily attached to the door by pushing it into the hole (prior drilling needed). The thin ring on both ends is designed with a wider surface to hide the mark of the drilled hole on the door. It is available in three types: round type with $\Phi 35$ and $\Phi 38$, also square type.




Round Type 35

The design is thin and well-trimmed, so it does not muddle the design of the door. We provide 7 different colors to complement any doors color.

Material: Resin
Door Thickness: 28~36mm

Round Type 35		
Product No.	Finish/Color	
250-311	Birch	K
250-312	Natural	N
250-313	White	W
250-314	Cherry	C
250-315	Brown	B
250-316	Dark	D
250-317	Painting	(HL Color)




Round Type 35 (O-ring specifications)

It is a $\Phi 35$ O-ring specification.
Uses an O-ring to make it difficult to loosen.

Material: Resin
Door Thickness: 28~36mm


Round Type 35 (O-ring specifications)	
Product No.	Finish/Color
250-318	Clear



Clear



Beige (BJ)




Round Type 38

Not only available in a convex lens, but the standard type also has a lens shaped like a diamond cut to reflect the light better. In addition, this type is available in 11 different colors to complement any doors color.

Material: Resin
Door Thickness: 28~36mm

Round Type 38		
Product No.	Finish/Color	
250-111	Dark	DA
250-112	Medium	ME
250-113	Beige	BJ
250-114	Light	LT
250-115	Milky	MK
250-116	Pearl	PA
250-117	Smoke	SK
250-118	White	WA
250-119	Black	BK
250-120	Gold Painting	BG
250-128	Silver Painting	BS




Square Type 38

This product has a sharp design on both edges to enhances the look of the door.
This square type is available in two exclusive finishes to complement any doors color.

Material: Stainless, Resin
Door Thickness: 28~36mm

Square Type 38	
Product No.	Finish/Color
250-211	HL (Hairline)
250-212	Mirror Finish



HL (Hairline)



Mirror Finish

Sliding Door Parts

Clear Cut Hook Lock




This hook lock for indoor sliding doors is good to prevent the door from accidentally being locked. It's impossible to operate the lock unless the door is hitting the trigger part and close perfectly. The product is universal as it can be configured with a standard lever or UD lever with a bigger grip so that everybody can use it easily. UD lever also uses blue and orange indicators, which is easier for anyone to recognize. The cylinder type uses a dimple key that provides 100 combinations, and there are 2 master keys available to generate 126 different child keys combinations. (Please contact us for further details.)

The lock is available in 4 different functions.
The escutcheon is available in round and square types.
The thumb turn is available in standard thumb turn type, standard lever type, and UD lever type.
Available in 6 different colors to guarantee a perfect harmony with the different series of sliding doors.

Material: <Rose>Aluminium
<Lever>ZDC
<Lock Case, Strike>Stainless, Steel
Door Thickness: 30~40mm
Strike Installation Range: Up-Down ± 5mm, Depth 3.5mm

Screw included:
<Rose>
M4 Flat head machine screw(D6) 2pcs
(Refer to the Rose fixing screw / Spindle specification table)
<Lock case>
3.5 × 20 Flat head tapping screw(D7) 2pcs
<Strike>
3.5 × 20 Flat head tapping screw(D7) 2pcs



Bottom Lock BS51
The hook lock strikes out from the bottom.
Back set is 51 mm.




Top Lock BS38
The hook lock strikes out from above.
Back set is 38 mm.

Top Lock BS51
The hook lock strikes out from above.
Back set is 51 mm.


Dead Bolt Lock BS51
The hook lock strikes out from above.
At the same time, the dead bolt protrudes.
Back set is 51 mm.

Rose fixing screw / Spindle specification table


Indicator, Privaci lock				
Door thickness (mm)	30~34	35~39	40	
Rose fixing screw	Standard, Lever type	M4 × 16	M4 × 25	
	UD Lever type	M4 × 30		
Spindle	L27	L32	L37.5	
Cylinder lock				
Door thickness (mm)	30~35	36~39	40	
Rose fixing screw	Standard, Lever type	M4 × 16	M4 × 25	
	UD Lever type	M4 × 30		
Spindle length (only spindle)	L21(17.8)	L27(23.8)		
Two sides Thumb-turn				
Door thickness (mm)	30~34	35~39	40	
Rose fixing screw	Standard, Lever type	M4 × 10	M4 × 16	M4 × 20
	UD Lever type	M4 × 25	M4 × 30	
Spindle	L27	L32	L37.5	




Indicator lock (Outdoor side) Standard type (Indoor side)




Round Type



Square Type



Finish/Color



Strike digging drawing Lock case digging drawing

Product No. List

①		Lock Case Type		②		Rose Type		③		Locks Function		④		Finish Type		⑤		Door Thickness		Locks Function		⑥		Remarks							
NT51R		Top Lock BS51		R		Round		S		Standard		2		Privacy lock		SG		Satin Gold		04		30~34		Privacy lock, Indicator lock, Double-sided thumb turn		Key No. etc.					
NT38R		Top Lock BS38										3		Indicator lock		SW		Satin Silver		59		35~39									
NU51R		Bottom Lock BS51										S		Standard		PG		Gloss Gold		40		40									
ND51R		Dead Bolt Lock BS51										CR		Chrome Plating		05		30~35		Cylinder lock											
※Round type faceplate																															
												TS		Silver Painting		69		36~39													
														TB		Black Painting		40		40											
NT51S		Top Lock BS51										S		Standard		5		Cylinder lock		SG		Satin Gold									
NT38S		Top Lock BS38														6		Master key		SW		Satin Silver									
NU51S		Bottom Lock BS51																		TS		Silver Painting									
ND51S		Dead Bolt Lock BS51														TB		Black Painting													
※Rectangle type faceplate																															
								R		Lever		2		Privacy lock		SG		Satin Gold													
												3		Indicator lock		SW		Satin Silver													
												R		Master key		PG		Gloss Gold													
																		CR		Chrome Plating											
																		TS		Silver Painting											
								R		Lever		5		Cylinder lock		SG		Satin Gold													
												6		Master key		SW		Satin Silver													
																TS		Silver Painting													
								U		UD Lever		3		Indicator lock																	
												5		Cylinder lock																	
												6		Master key																	
												U		UD Lever																	

Lock Case · Adjustable Strike

Product No.			Product Name
BS38	BS51		
NT38R	NT51R		Top Lock Case (Round type faceplate)
NT38S	NT51S		Top Lock Case (Rectangle type faceplate)
—	NU51R		Bottom Lock Case (Round type faceplate)
—	NU51S		Bottom Lock Case (Rectangle type faceplate)
—	ND51R		Dead Bolt Lock Case (Round type faceplate)
—	ND51S		Dead Bolt Lock Case (Rectangle type faceplate)
224-580	same		Adjustable Strike, Top Lock (Round type faceplate)
900-022	same		Adjustable Strike, Top Lock (Rectangle type faceplate)
—	224-589		Adjustable Strike, Bottom Lock (Round type faceplate)
—	224-590		Adjustable Strike, Bottom Lock (Rectangle type faceplate)


Spare Key

Product No.			Product Name
BS38	BS51		
224-581	same		Spare key (No.000)
224-582	same		Spare key (No.B000)
224-583	same		Spare key (No.D000)



Example on How to Write a Product Number when Ordering

	①	②	③	④	⑤	⑥
Picture A	NT38R	R	S3	SW	04	
Picture B	NT51R	S	S3	TB	04	
Picture C	NU51R	R	S2	SW	04	
Picture D	ND51R	S	S6	TB	05	65



- ※ Cylinder lock comes with 2 keys.
- ※ When specifying the key number, enter the key number in the remarks column.
- ※ The finishing color of the strike plate and faceplate is hairline.
- ※ Master key with master key specifications is sold separately.
- ※ Please contact us about the purchase of master keys.

TS Hook Lock



TS Hook Lock is a well-design product winning the Good Design Award. It combines a hook lock and a puller in one unit to be attached to an indoor sliding door. The lock-unlock operation can be done easily by sliding the knob up and down (see fig. Detailed photo 1). It has a streamlined design and a vast surface with some textured parts to highlight a modern minimalist style. On cylinder type, a dimple key with 100 combinations is used to ensure safety. The strike plate is available with or without a trigger. and there are 6 different colors to complement any sliding door color.

Material: <Pull>ZDC
<Lock Case, Strike>Stainless, Steel
Door Thickness:28~36mm
Strike Installation Range:Up-Down ± 5mm, Depth 3.5mm

TS Hook Lock		Key		Specification	Finish/Color
Product No.		No trigger	With trigger		
224-701	224-701T			Privacy lock	Gloss Pearl Chrome
224-702	224-702T				Black Gold
224-703	224-703T				Satin Silver
224-704	224-704T				Black Silver
224-705	224-705T				Matte Black Painting
224-706	224-706T				Chrome Plating
224-711	224-711T			Indicator lock	Gloss Pearl Chrome
224-712	224-712T				Black Gold
224-713	224-713T				Satin Silver
224-714	224-714T				Black Silver
224-715	224-715T				Matte Black Painting
224-718	224-718T				Chrome Plating
224-721	224-721T			Cylinder lock	Gloss Pearl Chrome
224-722	224-722T				Black Gold
224-723	224-723T				Satin Silver
224-724	224-724T				Black Silver
224-716	224-716T				Matte Black Painting
224-719	224-719T				Chrome Plating
224-725	224-725T			Cylinder lock	Gloss Pearl Chrome
224-726	224-726T				Black Gold
224-727	224-727T				Satin Silver
224-728	224-728T				Black Silver
224-717	224-717T				Matte Black Painting
224-720	224-720T				Chrome Plating
224-748	224-748T			Lock Case (Round type faceplate)	
224-749	224-749T			Lock Case (Rectangle type faceplate)	
224-580	224-580			Adjustable Strike (Round type faceplate)	
224-598	224-598			Adjustable Strike (Rectangle type faceplate)	
224-750	224-750			Spare key	

Half indicator. (It only show red color when it locked.)
※1 With 2 keys.
※2 This cylinder doesn't protrude.
(Only for 33~36mm door thickness.)

※ The strike plate and faceplate is also available in rectangle type.
※ The finishing color of the strike plate and faceplate is hairline.

Screw included:
<Pull>
M4×25 Flat head machine screw(D7) 2pcs
<Lock Case>
3.5×20 Flat head tapping screw(D7) 2pcs
<Strike>
3.5×20 Flat head tapping screw(D7) 2pcs





Outdoor side


Rectangle type
Round type
Adjustable Strike
No trigger

TS Hook Lock


With trigger



TS Hook Lock + Adjustable Strike




Strike digging drawing Pull-Lock Case digging drawing



Detailed photo 1

With trigger
When the sliding door is open, the hook doesn't protrude. The trigger retracts into the case when the sliding door is closed.



NS Automatic Hook Lock



By adding up a magnet, this product not only can prevent the door from not closing perfectly or bouncing back. But it can also automatically lock the door by dropping the hook once the door is pulled to close entirely by the magnet force. Pull the puller to lift the hook, and the door will become moveable. The product without a lock is also an option for your sliding door.

Material: <Pull> Resin
<Lock Case, Strike> Stainless, Steel
Door Thickness: DT33_29.5~34.5mm, DT36_34.6~39.0mm
Strike Installation Range: Up-Down ± 4mm, Depth 4mm

NS Automatic Hook Lock			
Product No.	Key	Specification	Finish/Color
DT33 DT36			
224-621□ 224-624□	Passage lock		Chrome Plating
224-622□ 224-625□			Gold Painting
224-623□ 224-626□			Silver Painting
224-631□ 224-634□	Privacy lock		Chrome Plating
224-632□ 224-635□			Gold Painting
224-633□ 224-636□			Silver Painting
224-641□ 224-644□	Indicator lock		Chrome Plating
224-642□ 224-645□			Gold Painting
224-643□ 224-646□			Silver Painting
224-651 224-654	Puller		Chrome Plating
224-652 224-655			Gold Painting
224-653 224-656			Silver Painting

※ □: Enter R for the front Round type or S for the Rectangle type.
※ The price is for one inside and one outside set.
※ The finish of the front of the lock case and the strike is barrel polishing.
Screw included:
<Pull> M3×30 Flat head machine screw 2pcs
<Lock Case> 4×20 Flat head tapping screw 2pcs
<Strike> 4×20 Flat head tapping screw 2pcs



Round type
Rectangle type
Adjustable Strike

NS Automatic Hook Lock
(Indicator lock)




Round type
Square type




Passage lock
Privacy lock
Indicator lock
Puller (no lock)




Chrome Plating
Gold Painting
Silver Painting




Locked Unlocked Locked Unlocked
Indoor side Outdoor side



Adjustable Strike
NS Automatic Hook Lock



Digging process drawing



How it Works

CL Automatic Hook Lock

Not only provides the automatic-locking mechanism and other extensive practical benefits, but this lock is also designed exclusively to meet the demand for a good product, functionally and aesthetically. This product uses metal as the material, offering a solid and deluxe appearance, and the screws are also fixed in a concealed position, creating a seamless-looking product.




Material: <Pull>ZDC
<Lock Case, Strike>Stainless, Steel
Door Thickness:30~46mm
Strike Installation Range:Up-Down±4mm, Depth 4mm

CL Automatic Hook Lock (Door Thickness:30~32mm)		
Product No.	Key Specification	Finish/Color
224-679□	Passage Lock	Chrome Plating
224-680□		Satin Silver
224-681□		Black Painting
224-661□	Privacy lock	Chrome Plating
224-662□		Satin Silver
224-663□		Black Painting
224-664□	Indicator lock	Chrome Plating
224-665□		Satin Silver
224-666□		Black Painting

CL Automatic Hook Lock (Door Thickness:33~36mm)		
Product No.	Key Specification	Finish/Color
224-682□	Passage Lock	Chrome Plating
224-683□		Satin Silver
224-684□		Black Painting
224-667□	Privacy lock	Chrome Plating
224-668□		Satin Silver
224-669□		Black Painting
224-670□	Indicator lock	Chrome Plating
224-671□		Satin Silver
224-672□		Black Painting

CL Automatic Hook Lock (Door Thickness:37~46mm)		
Product No.	Key Specification	Finish/Color
224-685□	Passage Lock	Chrome Plating
224-686□		Satin Silver
224-687□		Black Painting
224-673□	Privacy lock	Chrome Plating
224-674□		Satin Silver
224-675□		Black Painting
224-676□	Indicator lock	Chrome Plating
224-677□		Satin Silver
224-678□		Black Painting

※ □: Enter R for the front Round type or S for the Rectangle type.
※ The price is for one inside and one outside set.
※ The finish of the front of the lock case and the strike is barrel polishing.
Screw included:
<Pull> M3×10, 15, 18 Flat head machine screw 2pcs
(Depends on the door thickness.)
<Lock Case> 4×20 Flat head tapping screw 2pcs
<Strike> 4×20 Flat head tapping screw 2pcs



Top Hung Soft Closer Set

Made to be installed on an indoor sliding door, this top-hung damper will slowly pull the door from ±70 mm before it closes. Thus, it can reduce the unpleasant noise of the door hitting the frame. The door will close completely without any gap regardless of the strength or speed adjusted during the installation. This product has passed the 200,000 times operation test and comes with an adjustable roller, and wheels with bearing for optimal long-term performance. Not only offering excellent technical function, but this soft closer is also fully recessed to embraces a stylish architectural appearance. This top hung soft closer can be attached to both ends of the door. ※1

※1 Please contact us for further details.

Material: <Main unit, Hook>Stainless
<4 Wheels Adjuster>Resin
<Sliding Door Rail>Aluminum
<Guide Pin>Stainless, Resin

Load Capacity:30kg(294N)

Installation Range:Up-Down ± 3mm, Left-Right ± 2mm

Finish/Color:<Main unit, Hook>Raw Material
<4 Wheels Adjuster>Amber・White
<Sliding Door Rail>Silver
<Guide Pin>Raw Material

Top Hung Soft Closer Set		
Product No.	Finish/Color	Rail Length(mm)
312-031	Amber	1,820
312-032		2,730
312-033		3,640
312-031W	White	1,820
312-032W		2,730
312-033W		3,640

Set contents:

Top Hung Soft Closer 1pcs, Hook 1pcs

4 Wheels Adjuster 2pcs, Sliding Door Rail 1pcs

Anti-Shake Guide Pin 1pcs

Screw included:

<Hook>

3 × 16 Flat head tapping screw 2pcs

<4 Wheels Adjuster>※Including Soft Closer

3.5 × 12 Flat head tapping screw 2pcs

3.5 × 20 Pan head tapping screw 4pcs


<Sliding Door Rail>

3.5 × 45 Flat head tapping screw

(The number depends on the rail length.)

<Anti-Shake Guide Pin>

3.5 × 25 Flat head tapping screw 2pcs



Drawing for Installation




Top Hung Soft Closer

Top Hung Soft Closer	
Product No.	Finish/Color
312-037	Amber
312-037W	White

Set contents:

Top Hung Soft Closer 1pcs

Hook 1pcs



Anti-Shake Guide Pin

This pin helps the door running in the track, prevents it from swinging and shaking during opening or closing. When it collides with the door, the cylinder will spin, and the door will operate smoothly. Additionally, as it is concealed by the door, it doesn't interfere with the architectural appearance and causes no dangers for the user.

Material:Stainless, Resin

Load Capacity:30kg(294N)

Anti-Shake Guide Pin

Product No.	Finish/Color
320-084	Raw Material

Screw included:

3.5 × 25 Flat head tapping screw 2pcs


4 Wheels Adjuster・Rail set

4 Wheels Adjuster・Rail set		
Product No.	Finish/Color	Rail Length(mm)
312-034	Amber	1,820
312-035		2,730
312-036		3,640
312-034W	White	1,820
312-035W		2,730
312-036W		3,640

Set contents:

4 Wheels Adjuster 2pcs, Sliding Door Rail 1pcs,

Anti-Shake Guide Pin 1pcs



4 Wheels Adjuster

This product has passed the 200,000 times operation test and uses wheels with bearing for smooth performance. In addition, the lower part can be detached and initially installed to the sliding door with one touch.

Material:Resin, Steel

Load Capacity:30kg(294N)

Installation Range:

Up-Down ± 3mm, Left-Right ± 2mm

4 Wheels Adjuster	
Product No.	Finish/Color
320-021	Amber
320-021W	White

※ 1pc price.

Screw included:

3.5 × 12 Flat head tapping screw 1pcs

3.5 × 20 Pan head tapping screw 2pcs

Sliding Door Rail
(without hole for the hook)

Material:Aluminum

Load Capacity:30kg(294N)

Sliding Door Rail

Product No.	Length(mm)	Finish/Color
310-512	1,820	Silver
310-522	2,730	
310-532	3,640	

Screw included:

3.5 × 45 Flat head tapping screw

(The number depends on the rail length.)

Sliding Door Soft Closer



This external type of soft closer can be installed on existing sliding doors. This door damper will catch closing doors ± 50 mm before the thud and then softly and silently close them. Thus, it reduces the unpleasant noise of the door hitting the frame and prevents the door from bouncing back. The door will close perfectly without any gap regardless of the strength or speed adjusted during installation. Compared to conventional products, this soft closer has twice better durability (passed 500,000 times operation tests).



It is also possible to modify this product to a concealed type. ※ 1
※1 Please contact us for further details.

Material:Stainless・Resin
Load Capacity:60kg(588N)


Finish:
 〈Stainless〉Hairline・Painting
 〈Resin〉Material coloring

Sliding Door Soft Closer		
Product No.	Door Weight	Finish/Color
312-061	30kg (294N)	Gold Painting
312-062		Silver Painting
312-063		Hairline
312-064		Brown Painting
312-065	60kg (588N)	Gold Painting
312-066		Silver Painting
312-067		Hairline
312-068		Brown Painting


Screw included:
 〈Main unit〉
 3.5×40 Flat head tapping screw 2pcs
 〈Trigger〉
 3.5×25 Binding head tapping screw 2pcs



Soft Closer Main unit



Trigger



Drawing for Installation






Concealed Soft Closer




This is a door damper for an indoor bottom-running sliding door. It will slowly pull the sliding door from about 80mm before the end, and then it will close slowly and quietly. The door will close completely without any gap regardless of the strength adjusted during the installation. As this product is a concealed type, it will not disintegrate the architectural appearance. In addition, this soft closer has also passed 200,000 times operation tests which guarantee long-term use.

Material:Stainless, Resin
Load Capacity:25kg(245N)

Concealed Soft Closer	
Product No.	Finish/Color
312-012	Raw Material
Set contents:	
Soft closer 1pcs, Hook 1set	
Screw included:	
〈Main unit〉	
3.5×20 Truss head tapping screw 2p	
〈Hook〉	
3×16 Flat head tapping screw 4pcs	



Drawing for Installation



KT Adjustable Roller





Using this device, adjusting the sliding door position to maintain a smooth operation is possible as, over time, the door will slightly change due to weather and friction.

Material: Resin, Steel
Load Capacity: 30kg(294N)
Installation Range:
Upper_Left-Right ± 2mm
Lower_Up-Down ± 3mm, Left-Right ± 2mm
Appropriate Rail: Upper_Lintel Rail, Lower_T Rail

KT Adjustable Roller

Product No.	Specification	Finish/Color
301-332	Upper side	Amber
301-342	Lower side	

※ 1 pc price.
Screw included:
4 × 30 Flat head tapping screw 1pcs



Lintel Rail





Material: Aluminum
Finish/Color: Amber

Lintel Rail

Product No.	Specification	Length (mm)
310-312A	Single Rail	1,820
310-312B		2,730
310-312C		3,640
310-412A	Double Rails	1,820
310-412B		2,730
310-412C		3,640

Screw included:
3.5 × 12 Flat head tapping screw
(The number depends on the rail length.)



T Floor Rail






This rail is used together with the lower KT Adjusting Roller. As the height of the rail is only 3 mm, this product is barrier-free.

Material: Aluminum
Load Capacity: 30kg(294N)

T Floor Rail

Product No.	Specification	Length (mm)
Amber	Silver	
310-361A	310-364A	Single Rail 1,820
310-361B	310-364B	2,730
310-361C	310-364C	3,640
310-362A	310-365A	Double Rails 1,820
310-362B	310-365B	2,730
310-362C	310-365C	3,640
310-363A	310-366A	Triple Rails 1,820
310-363B	310-366B	2,730
310-363C	310-366C	3,640

Screw included:
2.7 × 16 Flat head wood screw
(The number depends on the rail length.)



Strike Plate
(for Outset Sliding Door Fitting)

This strike plate is suitable to be used together with the Outset Sliding Door Fittings set. The design is simple, so it doesn't interfere with the architectural appearance.

Material:Stainless, Resin
Installation Range:Left-Right ± 4mm
Front-Back 5.5~7.5mm
Finish/Color:〈Cover〉White
〈Bracket〉Barrel Polishing

Outset Sliding Door Hook Lock Strike		
Product No.	Strike hole width(mm)	Spesification
330-005	8.8×43	Trigger
330-006	11.8×43	
330-007	11.8×33	
Screw included:		
〈Base〉		
4×50 Truss head tapping screw 3pcs		
〈Plate〉		
3.5×16 Flat head tapping screw 2pcs		

Wooden Strike Plate
(for Outset Sliding Door Fitting)

This reinforced type strike plate is suitable to be used together with the Outset Sliding Door Fittings set. It is using natural wood, designed in sharp and sturdy looks.

Material:Stainless, Natural wood
Installation Range:Left-Right ± 4mm
Front-Back 5.5~7.5mm
Finish/Color:〈Cover〉White
〈Bracket〉Hairline

OS Sliding Door Wood Strike	
Product No.	Strike hole width(mm)
330-010	16×42
Screw included:	
〈Front〉	
M5×10 Flat head machine screw 2pcs	
〈Cover〉	
4.5×20 Flat head tapping screw 2pcs	
〈Base〉	
4×50 Truss head tapping screw 5pcs	

High rigidity Strike Plate
(for Outset Sliding Door Fitting)

Strike Plate for with increased rigidity.
The design is square and color is whiter.

Material:Stainless, Resin
Installation Range:Left-Right ± 4mm
Front-Back 6.0~7.5mm
Finish/Color:〈Cover〉White
〈Bracket〉Barrel Polishing

High rigidity Strike Plate	
Product No.	Strike hole width(mm)
330-015	12×33
Screw included:	
〈Base〉	
4×50 Truss head tapping screw 4pcs	
〈Plate〉	
3.5×16 Flat head tapping screw 2pcs	
4×10 Flat P head tapping screw 2pcs	

Outset Upper Stopper

Door stopper installed to the wall for outset sliding door use.

Material:Steel, Resin

Outset Upper Stopper	
Product No.	Finish/Color
330-065	Black
※ 1pc price.	
Screw included:	
5×50 Pan head tapping screw 3pcs	





Outset Lower Stopper

The stopper installed on the floor for the outset sliding door use.

Material:Resin

Outset Lower Stopper	
Product No.	Finish/Color
330-063	Silver
330-064	Black
※ 2pcs price.	
Screw included:	
4×30 Flat head tapping screw 6pcs	




Magnet Catcher



This product is effective in making sure the sliding door stays still and not shaking. It is also good to prevent the sliding doors from bouncing back and reduce the thud of the door hitting the frame.

Material: Resin, Steel, Magnet
Load Capacity: 10~35kg(98~343N)
Door Thickness: More than 28mm

Magnet Catcher	
Product No.	Finish/Color
230-022	Amber
Screw included:	
3 × 16 Flat head tapping screw 1pcs	




F2 Adjuster Guide

This rail is used together with the upper rail of a sliding door with lower roller.

Material: Resin
Load Capacity: 30kg(294N)
Installation Range: Left-Right ± 2mm

F2 Adjuster Guide	
Product No.	Finish/Color
305-012	Amber
※ 1pc price.	
Screw included:	
4 × 45 Flat head tapping screw 1pcs	




Upper Rail



Material: Aluminium
Load Capacity: 30kg(294N)
Finish/Color: Amber

Upper Rail		
Product No.	Specification	Length(mm)
310-012	One side	1,820
310-022		2,730
310-032		3,640
310-042	Both side	1,820
310-052		2,730
310-062		3,640

Screw included:
3.5 × 25 Flat head tapping screw
(The number depends on the rail length.)





Door Stopper Cap

The cap which made of elastomer Resin with good cushioning and durability. We provide with a lot of color variations.

Material: Resin

Door Stopper Cap		
Product No.	Installation diameter (mm)	Finish/Color
251-001	φ 8	Birch K
251-002		Natural N
251-003		Cherry C
251-004		Brown B
251-005		Dark D
251-009		White W
251-010	φ 10	Peach Y
251-011		Birch K
251-012		Natural N
251-013		Cherry C
251-014		Brown B
251-015		Dark D
251-019	φ 13 ※1	White W
251-020		Peach Y
251-021		Birch K
251-022		Natural N
251-023		Cherry C
251-024		Brown B
251-025	φ 13	Dark D
251-029		White W
251-030		Peach Y

※1 φ 13 color is slightly different.





Bar Handle

A puller handle for indoor sliding doors. The long bar with $\Phi 30$ mm diameter design provides an easier grip when opening a door and prevents your hand from slipping. This is a benefit to the children, the elderly, and those with physical disabilities. This product is available in 5 natural warm wood colors that will go well with any sliding door color.

Material: 〈Bar〉Natural Wood
〈Rose〉ADC
Door Thickness: 27~32mm

Bar Handle		
Product No.	Set content	Finish/Color
863-101LP	Bar Handle	Pale
863-101LD	+ Pull	Dark
863-101WA		White
863-101LL		Rusk
863-101LM		Mocha
863-102LP	Bar Handle	Pale
863-102LD	+ Bar Handle	Dark
863-102WA		White
863-102LL		Rusk
863-102LM		Mocha

Screw included:
M5×16 Flat head machine screw 2pcs




Dark White Rusk Mocha




Pale

Pull



Both sides bar handle specification



Digging process drawing



Hairline Dark Middle Light

Big Handle



A $\Phi 25$ mm diameter bar puller for indoor sliding doors. It has a complimentary design, combining a wooden bar and stainless steel bracket nicely. This product is aesthetic and usable to the greatest extent as it provides easier gripping for everyone.



Material: 〈Handle〉Stainless, Natural Wood
〈Bracket〉ZDC
〈Cover〉Resin
Door Thickness: 28~33mm, 34~38mm

Big Handle				
Product No.	DT (mm)	Handle Material	Finish	Color
861-325S	34~38	Stainless	Hairline	Raw material
861-325K		Natural wood	Urethane Painting	Dark
861-325C		Natural wood	Urethane Painting	Middle
861-325F		Natural wood	Urethane Painting	Light
862-325S	28~33	Stainless	Hairline	Raw material
862-325K		Natural wood	Urethane Painting	Dark
862-325C		Natural wood	Urethane Painting	Middle
862-325F		Natural wood	Urethane Painting	Light

Screw included:
M6×60 or M6×55 Pan head machine screw 2pcs
M6 3 types nuts 2pcs
M6 Flat washer 2pcs
M6 Spring lock washer 2pcs

Bracket finish: 〈Bracket〉Satin Silver
〈Cover〉Nickel Plating + Clear Coating

※ There is also one side specification.
Please contact us for more information.



Cross section A-A




Resin Pull Round & Rectangle

This plastic flush pull for an interior sliding door is made of lightweight plastic. It is available in 2 different designs, round and rectangle edges, to suit your room style. The finishing color is also available in 2 beautiful colors to maintain the solid metal look.


Material: Resin
Door Thickness: 27~34mm

Resin Pull Round & Rectangle		
Product No.		
Round	Square	Finish/Color
222-563	222-583	Pearl Chrome
222-523	222-543	Gold

※ Price for two pieces as one set.
Screw included:
M4×25 Flat head machine screw(D6) 2pcs



Round shape



Square shape



Pearl Chrome



Pearl Chrome



Gold



Gold




Resin Pull Rectangle One Touch

This one-touch flush pull is effortless to install on an interior sliding door. Instead of using screws, it uses an adhesive for the installation. So not only it's functional to your door, but it also gives a beautiful and seamless accent to it.

Material: Resin
Door Thickness: 28~34mm

Resin Pull Rectangle One Touch	
Product No.	
Finish/Color	
222-598	Pearl Chrome
222-599	Gold


※ Price for two pieces as one set.



Pearl Chrome



Gold



Resin One Touch Pull Rectangle

This is a one-touch flush pull made of plastic for an interior sliding door. This product doesn't use screws but an adhesive for an effortless installation and a seamless appearance. The design and the color available are created to match any room and door color. It also creates a perfect match if you use the TS Automatic Hook Lock.

Material: Resin
Door Thickness: 28~36mm

Resin One Touch Pull Rectangle	
Product No.	
Finish/Color	
222-600	Black Silver
222-601	Black Gold
222-602	Mad Black Painting

※ Price for two pieces as one set.




Black Silver



Black Gold



Mad Black Painting






Round & Rectangle Pull

This flush pull for an interior sliding door is made of metal. It is available in 2 different designs, round and rectangle edges, to suit the style of your room. The finishing color is also available in 6 beautiful colors that will easily complement your door color.


Material:ZDC
Door Thickness:27~34mm

Round & Rectangle Pull		
Product No.		
Round	Square	Finish/Color
224-812	224-912	Gloss Gold
224-813	224-913	Satin Gold
224-814	224-914	Gold Painting
224-815	224-915	Chrome Plating
224-816	224-916	Satin Silver
224-817	224-917	Silver Painting

※ Price for two pieces as one set.
Screw included:
M4×25 Flat head machine screw(D6) 2pcs



Round



Rectangle



Satin Silver



Satin Gold



Gloss Gold



Gold Painting



Chrome Plating



Silver Painting



Gloss Gold



Gold Painting



Chrome Plating



Silver Painting




Chrome Plating



Gloss Gold



Satin Gold



Gold Painting



Satin Silver



Silver Painting



Matte Black Painting




Metal One Touch Pull Round & Rectangle

This metal one-touch flush pull is effortless to install on an interior sliding door. Instead of using screws, it uses an adhesive to create a seamless appearance. The design and finishing color are also available in 2 different types to suit any door color.

Material:ZDC
Door Thickness:More than 30mm

Metal One Touch Pull Round & Rectangle		
Product No.		
Round	Square	Finish/Color
222-671-1	222-677-1	Gloss Gold
222-672-1	222-678-1	Satin Gold
222-673-1	222-679-1	Gold Painting
222-674-1	222-680-1	Chrome Plating
222-675-1	222-681-1	Satin Silver
222-676-1	222-682-1	Silver Painting
222-684-1	222-683-1	Matte Black Painting

※ 1pc price.



Above digging specification can be applied to both round and rectangle shape.



TK One Touch Flush Pull





This one touch flush pull for an interior sliding door consists of 2 parts combined which create a stylish design. It has a seamless appearance as it doesn't use any screw for installation. To install, simply apply adhesive and fix it on the door. The length of this product is available in two types, 140 mm and 290 mm.

Material: <End>ZDC
<Bar>Aluminium

TK One Touch Flush Pull			
Product No.	Length (mm)	Finish/Color End	Bar
224-614	140	Chrome Plating	Alumite Silver
224-614SW		Hairline	Stain Alumite
224-614WH		White Painting	White Painting
224-614BK		Black Painting	Black Painting
224-629	290	Chrome Plating	Alumite Silver
224-629SW		Hairline	Stain Alumite
224-629WH		White Painting	White Painting
224-629BK		Black Painting	Black Painting

※ 1pc price.



ND Flush Pull




This flush pull for an interior sliding door has round edges to create a sense of fluid design. It also has a seamless appearance as it doesn't use any screw for installation. To install, simply apply adhesive and fix it on the door.

Material: ZDC

ND Flush Pull	
Product No.	Finish/Color
224-615	Satin Gold
224-616	Satin Silver

※ 1pc price.



Flush Edge Pull




The edge pull is intended for the pocket door edge, but this one is also applicable to folding doors and underfloor storage. The product allows the finger grip to retract from the door by pushing the upper part. The appearance is flush mount, and the mounting screws are invisible.

Material: ZDC
Door Thickness: More than 27mm




Flush Edge Pull 59	
Product No.	Finish/Color
220-306	Paint Silver
220-307	Mirror Silver
220-308	Satin Silver
220309	Paint Black

Screw included:
3 × 12 Flat head tapping screw 2pcs



Flush Edge Pull 72	
Product No.	Finish/Color
220-301	Paint Silver
220-302	Mirror Silver
220-303	Satin Silver
220304	Paint Black

Screw included:
4 × 20 Flat head tapping screw(D6) 2pcs



Heavy Duty Hung Door




A set of top-hung track and rollers for indoor sliding doors allows doors weighing up to 100 kg to glide smoothly. This heavy-duty top-hung roller also has passed 500,000 operation tests to ensure the door will operate at its optimum for years to come.


Material: <Roller> Resin, Steel
<Hung Door Rail> Aluminum
<Upper Stopper> Resin
<Floor Guide> Resin
Load Capacity: 100kg(980N)
Finish/Color: <Roller> White
<Hung Door Rail> Silver
<Upper Stopper> White
<Floor Guide> White

Heavy Duty Hung Door	
Product No.	Length of the rail (mm)
320-026	1,820
320-027	2,730
320-028	3,640

Parts included:
Roller 2pcs, Hung Door Rail 1pcs
Upper Stopper 2pcs, Floor Guide 1pcs
Screw included:
<Roller>
4 × 40 Oval head tapping screw 16pcs
<Hung Door Rail>
4 × 45 Flat head tapping screw
(The number depends on the rail length.)
<Floor Guide>
4 × 30 Flat head tapping screw 3pcs



Hung Door Rail





Heavy Duty Hung Door




Upper Stopper




Floor Guide



Heavy Duty Hung Door



Upper Stopper



Floor Guide

Accessories

SL Series

SL series is a set of exclusive bathroom accessories to complete your bathroom. They have a solid and unified design suitable for fancy restaurants or high-class condominiums. Especially, the SL toilet paper holder is trendy for its teeth on the front plate, allowing users to cut the toilet paper easily and neatly. In addition, it's available in 3 different colors to create a monochrome and modern bathroom.


SL Paper Holder



Material: ZDC

SL Paper Holder		
Product No.	Specification	Finish/Color
610-801	—	Chrome
610-802	—	Black
610-803	—	Matte White
610-821	One hand cut	Chrome
610-822	—	Black
610-823	—	Matte White


Screw included:
4 × 35 Binding head tapping screw 3pcs



Chrome



Black



Matte White



Toilet Paper
Installation state


SL Double Paper Holder



Material: ZDC

SL Double Paper Holder		
Product No.	Specification	Finish/Color
610-931	One hand cut	Chrome
610-932	—	Black
610-933	—	Matte White


Screw included:
4 × 35 Binding head tapping screw 4pcs



Chrome



Black



Matte White



Toilet Paper
Installation state




Installed image



Chrome



Black



Matte White

The mounting position of the paper roll can be exchanged left and right.

※Accessories other than the main body are not included.

2-in-ONE Paper Holder
(SL 2-in-ONE Paper Holder)




Material: (Paper Holder, Built-in Surface) ZDC
(Base) Stainless

2-in-ONE Paper Holder
(SL 2-in-ONE Paper Holder)

Product No.	Specification	Finish/Color
610951	One hand cut	Chrome
610952	—	Black
610953	—	Matte White

Screw included:
4 × 35 Binding head tapping screw 5pcs



SL Towel Bar




Material: (Bracket) ZDC
(Bar) Brass (Chrome)
Aluminium (Black, Matte White)

SL Towel Bar

Product No.	P: length (mm)	Finish/Color
610-851	400mm	Chrome
610-852	—	Black
610-853	—	Matte White

Screw included:
4 × 35 Binding head tapping screw 4pcs




Chrome



Black



Matte White



SL Towel Ring




Material: (Bracket) ZDC
(Ring) Brass (Chrome)
Aluminium (Black, Matte White)

SL Towel Ring

Product No.	Ring width	Finish/Color
610-871	200mm	Chrome
610-872	—	Black
610-873	—	Matte White

Screw included:
4 × 35 Binding head tapping screw 2pcs




Chrome



Black



Matte White



SLs Series


These SLs unified bathroom accessories are widely used for bathrooms and restrooms, from regular residential to high-end condominiums. This series features a luxurious chrome finish and invisible mounting screws. In addition, the SLs towel ring is available in 2 different types, round and square types.

SLs Paper Holder


Material: <Base, Bracket>Resin
<Paper cut plate, Bar>Stainless

SLs Paper Holder

Product No.	Finish/Color
610-895	Chrome
Screw included: 4 × 30 Truss head tapping screw 2pcs	



Common base




SLs Towel Bar

Material: <Base, Bracket>Resin
<Bar>Stainless

SLs Towel Bar

Product No.	Finish/Color
610-892	Chrome
Screw included: 4 × 30 Truss head tapping screw 4pcs	




SLs Towel Ring

Material: <Base, Bracket>Resin
<Ring>Stainless

SLs Towel Ring

Product No.	Ring	Finish/Color
610-890	Round	Chrome
610-891	Oval	
Screw included: 4 × 30 Truss head tapping screw 2pcs		



One Touch Paper Holder


This simple and well-designed one-touch toilet paper holder is popular due to its effortless toilet roll changing process. Press the new roll up from the bottom, pull the old roll's core out, and now you've got a fresh batch of toilet paper. This product is widely used for restrooms in residential, business hotels, and public facilities. It's available in 4 different colors to suit your bathroom interior design.

Material: Resin

One Touch Paper Holder


Product No.	Specification	Finish/Color
610-201	—	White
610-202		Ivory
610-203		Pink
610-205		Black
610-204	One hand cut	White

Screw included:
4 × 30 Truss head tapping screw 3pcs




How to Hang a Toilet Paper

You can easily hang it over by simply pushing it up from the bottom.
(Make sure the toilet paper holder's arms fit into both ends of the roll)



Recessed Paper Holder




This recessed type of paper holder stores the toilet paper inside the wall. It is often used in business hotels to maximize the use of compact space effectively. This product is available in a single and double holder (vertical/ horizontal placement), either in semi-recessed and fully recessed types.

Material: (Body)Stainless
(Holder)Resin

Recessed Paper Holder		
Product No.	Specification	Finish/Color
610-221	Semi Recessed	Mirror Surface/Gray
610-221BK		Mirror Surface/Black
610-211	Full Recessed	Mirror Surface/Gray
610-211BK		Mirror Surface/Black

Screw included:
3.5×20 Truss head tapping screw 2pcs




Semi Recessed



Full Recessed

Recessed Double Horizontal Paper Holder		
Product No.	Specification	Finish/Color
610-321	Semi Recessed	Mirror Surface/Gray
610-321BK		Mirror Surface/Black
610-311	Full Recessed	Mirror Surface/Gray
610-311BK		Mirror Surface/Black

Screw included:
3.5×20 Truss head tapping screw 4pcs



Semi Recessed



Full Recessed





Semi Recessed

Full Recessed

Recessed Double Vertical Paper Holder		
Product No.	Specification	Finish/Color
610-421	Semi Recessed	Mirror Surface/Gray
610-421BK		Mirror Surface/Black
610-411	Full Recessed	Mirror Surface/Gray
610-411BK		Mirror Surface/Black


Screw included:
3.5×20 Truss head tapping screw 4pcs



Paper Holder's Back Guard	
Product No.	Specification
610-332	Single semi Recessed/Chromate Coating
610-432	Single full Recessed/Chromate Coating
610-331	Double semi Recessed/Chromate Coating
610-431	Double full Recessed/Chromate Coating

※ For the paper holder with a back guard type, the installation method is different.

Recessed Paper Holder's spare roll core		
Product No.	Material	Finish/Color
610-210	Resin	White
610-210B		Black




White

Black


This is an installation method with a back guard.

In case of using a Recessed Double Horizontal Paper Holder.




Detail of part A

The installation of the back guard and the paper holder.



Detail of part B

The installation of the back guard to the wall.




Towel Hanger with Shelf

This is a bathroom shelf with a towel bar to maximize the wall space. The open shelf is made of natural wood to give enough storage. While the towel bar is made from sturdy metal to keep your towels accessible and dry. With this piece, you'll have more storage without taking up living space to keep your bathroom neat and tidy.

Material : <Shelf>Natural Wood
<Towel bar, Bracket>Stainless

Towel Hanger with Shelf	
Product No.	Finish/Color
620-030	Light
620-031	Middle
620-032	White
Screw included:	
4 × 40 Flat head tapping screw 4pcs	




Shelf

This wooden shelf is suitable to create extra space by maximizing the wall. It can be used widely from hotels to residential's various spaces such as bathrooms, kitchens, living rooms, bedrooms, etc., to store items. It's available in 3 different colors to suit any room's interior design.

Material : <Shelf>Natural Wood
<Bracket>Stainless

Shelf		
Product No.	Width(mm)	Finish/Color
620-001	280	Light
620-002		Middle
620-003		White
620-007	330	Light
620-008		Middle
620-009		White
620-013	613	Light
620-014		Middle
620-015		White
Screw included:		
4 × 40 Flat head tapping screw		
<Shelf width 280, 330> 4pcs		
<Shelf width 613> 8pcs		




Towel Rack

This simple and easy to mount towel rack is suitable for use in the bathrooms, washrooms, etc. With the metal being resistant to moisture and corrosion, it means that it's not going to fade as time passes. It's available in 2 different sizes, 350 mm and 400 mm. This product is mostly used in the compact bathroom of a business hotel.

Material: <Bar>Stainless
<Bracket>Resin

Towel Rack		
Product No.	P: length(mm)	Finish/Color
610-111	350	White
610-112		Black
610-121	400	White
610-122		Black
Screw included:		
4 × 30 Pan head tapping screw 4pcs		




Towel Bar

The towel bar is mostly placed in bathrooms or washrooms to allow towels to dry without being bunched up, so they dry faster. You can choose this product from different color, length, size of the bar, and the bracket to suit your bathroom's interior design.

Material: <Bracket>Resin
<Bar>Stainless

Towel Bar TB (Bar φ 12.7mm)		
Product No.	P: length(mm)	Finish/Color
610-011	350	White
610-015		Black
610-017		Chrome Plating
610-012	400	White
610-016		Black
610-018		Chrome Plating
Screw included:		
4 × 30 Pan head tapping screw 4pcs		

Towel Bar KB (Bar φ 16mm)		
Product No.	P: length(mm)	Finish/Color
610-021	400	White
610-027		Black
610-022		Chrome Plating
610-023	460	White
610-028		Black
610-024		Chrome
610-025	610	White
610-029		Black
610-026		Chrome Plating
Screw included:		
4 × 30 Pan head tapping screw 4pcs		




Towel Shelf with Hooks

This product combines a towel bar and a hook for more convenience. It uses a square bar to prevent towels from falling off, and if you use robes, the hook is a useful complement to hold and stretch it out to length and get completely dry. Moreover, the design is also compact and seamless as the mounting screws are invisible.

Material: <Bracket>Resin
<Bar>Stainless

Towel Shelf with Hooks (Bar 20 × 10mm)		
Product No.	P: length(mm)	Finish/Color
610-013	400	White Gray
610-014		Chrome Plating
Screw included:		
4 × 30 Truss head tapping screw 4pcs		



Bathroom Push Pull Lock


This is a Good Design Award-winning push-pull lock for the bathroom door. The door can be easily opened or closed even when both of your hands are occupied. Not only it has good usability, but it also has a beautiful design.

Material: Resin

Bathroom Push Pull Lock

Product No.	Specification	Finish/Color
FUP-35LK/W	Left-Hand	White
FUP-35RK/W	Right-Hand	

Screw included:
M4×40 Truss head machine screw 3pcs
M4×12 Pan head machine screw with a washer 2pcs
M4×10 Flat pan head machine screw 2pcs



There are LH and RH.




Installation example





Indoor side
(Left-Hand use)




Outdoor side
(Left-Hand use)



Front width




This drawing is for Right-Hand use.



Unlock button

(mm)				
Door Thickness	L 1	L 2	L 3	Front width
33	15	4	3	25
30	15	1	0	25
29	10	5	4	25
25	10	1	0	22



Cutaway view



Child Lock

This is a separate lockset for bathroom doors. It also features the "child lock" function by placing it in a higher position where children cannot reach and operate it. It's available in 4 different colors to complement any bathroom door color.



Material: Resin
Door Thickness: 30mm

Child Lock

Product No.	Finish/Color
610-920	Pearl White
610-921	S White
610-922	Silver
610-923	Black

Screw included:
M4 Flat pan head machine screw 4pcs

※ The Black lock case is only for Black finish.
For other color finishes, the lock case is Silver.



When unlocked When locked



Bathroom Lid Holder


This product is a holder to store the bathtub lid when not in use. This holder is not taking up the space on the floor but maximizes the use of the wall instead. Slide the hook up and down to take and store the bathtub lids. There are two different sizes to fit the size of your bathtub lids.

Material: Resin

Bathroom Lid Holder



Product No.	Specification	Finish/Color
610-910	For 2 lids	White
610-911	For 3 lids	

Screw included:
<For 2 lids> 4×30 Truss head tapping screw 6pcs
<For 3 lids> 4×60 Truss head tapping screw 6pcs



For 2 lids

For 3 lids



For 2 lids
Upper part use

For 3 lids
Upper part use

For 2 lids
Lower part use

For 3 lids
Lower part use

YH Laundry Pipe



This fixed-length laundry pipe allows you to dry the clothes in the bathroom. It uses sturdy stainless steel to hold the heavy laundry and maintain hygiene. It's available in 8 different lengths to suit the bathroom size.

Material: <Pipe>Stainless
<Bracket>Resin
Load Capacity:10kg(98N)

YH Laundry Pipe set		
Product No.	Bathroom's wall dimension(mm)	Finish/Color
610-621	1,050	White Gray
610-622	1,100	
610-623	1,150	
610-624	1,200	
610-625	1,300	
610-626	1,400	
610-627	1,600	
610-628	1,750	
610-631	1,050	Chrome Plating
610-632	1,100	
610-633	1,150	
610-634	1,200	
610-635	1,300	
610-636	1,400	
610-637	1,600	
610-638	1,750	

Screw included:
4 × 25 Truss head tapping screw 4pcs

Bracket set	
Product No.	Finish/Color
610-629	White Gray
610-639	Chrome Plating

Screw included:
4 × 25 Truss head tapping screw 4pcs
※ It is included in the main body set.


YH Laundry Pipe set	
Pipe	1pcs
Bracket set	1set

Bracket set	
Bracket	2pcs
Base plate	2sheets
Installation screw	4pcs

Warning

Safety Load Capacity:10kg(98N)

Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.



Installation state




White Gray






Chrome Plating



Bracket




Pipe
(With one set of cap)



Bracket



Base plate



Cap

KS Laundry Pipe



This fixed-length laundry pipe allows you to dry the clothes in the bathroom. It uses sturdy stainless steel to hold the heavy laundry and maintain hygiene. Two color brackets, white and black, are available.

Material: <Pipe>Stainless
<Bracket>Resin
Load Capacity:10kg(98N)

KS Laundry Pipe set		
Product No.	Bathroom's wall dimension(mm)	Finish/Color
610-611	1,050	White
610-612	1,100	
610-613	1,150	
610-614	1,200	
610-615	1,300	
610-616	1,400	
610-617	1,600	
610-618	1,750	
610-641	1,050	Black
610-642	1,100	
610-643	1,150	
610-644	1,200	
610-645	1,300	
610-646	1,400	
610-647	1,600	
610-648	1,750	

Screw included:
4 × 25 Truss head tapping screw 4pcs

Bracket set	
Product No.	Finish/Color
610-620	White
610-649	Black

Screw included:
4 × 25 Truss head tapping screw 4pcs
※ It is included in the main body set.


KS Laundry Pipe set	
Pipe	1pcs
Bracket set	1set

Bracket set	
Bracket	2pcs
Base plate	2sheets
Installation screw	4pcs

Warning

Safety Load Capacity:10kg(98N)

Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.



Installation state



Pipe
(With one set of black cap)



Pipe
(With one set of white cap)






White





Black


Bracket



Bracket



Base plate



Cap



KS Flexible Laundry Pipe (Double-sided tape)

This laundry pipe allows you to dry the clothes in the bathroom. The rod is expandable, so you can adjust the length to suit the size of your bathroom. It uses sturdy stainless steel to hold the heavy laundry and maintain hygiene.

Material: <Pipe>Stainless
<Bracket>Resin
Load Capacity:10kg(98N)
Finish/Color:White Gray

KS Flexible Laundry Pipe set
(Double-sided tape)

Product No.	Bathroom's wall dimension(mm)
610-651	950~1,800

Screw included:
4 × 30 Truss head tapping screw 4pcs

Bracket set (Double-sided tape)

Product No.	Finish/Color
610-655	White Gray
P1-610657	Chrome Plating

Screw included:
4 × 30 Truss head tapping screw 4pcs
※ It is included in the main body set.


KS Flexible Laundry Pipe set

Pipe	1pcs
Bracket set	1set

Bracket set	
Bracket	2pcs
Double-sided tape	2sheets
Installation screw	4pcs

Warning
Safety Load Capacity:10kg(98N)

Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.



※1 You can use both double-sided tape and screws when installing the bracket to the wall.



KS Flexible Laundry Pipe (Screw mounting)

This is for drying clothes in the bathroom. This laundry pipe allows you to dry the clothes in the bathroom. The rod is expandable, so you can adjust the length to suit the size of your bathroom.

Material: <Pipe>Stainless
<Bracket>Resin
Load Capacity:10kg(98N)

KS Flexible Laundry Pipe set
(Screw mounting)

Product No.	Bathroom's wall dimension(mm)	Finish/Color
610-652	950~1,800	White Gray
610657		Chrome Plating

Screw included:
4 × 35 Flat head tapping screw 4pcs

Bracket set (Screw mounting)

Product No.	Finish/Color
610-656	White Gray
P1-610657	Chrome Plating

Screw included:
4 × 35 Flat head tapping screw 4pcs
※ It is included in the main body set.


KS Flexible Laundry Pipe set

Pipe	1pcs
Bracket set	1set

Bracket set	
Bracket	2pcs
Base plate	2sheets
Installation screw	4pcs

Warning
Safety Load Capacity:10kg(98N)

Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.



PP Shelf




Create additional storage in your bathroom, laundry room, and more with our versatile PP Shelf. Featuring a sleek white finish that effortlessly complements any decor, this shelf is available in 2 different sizes to accommodate your needs.

Material: Resin

PP Shelf		
Product No.	Width(mm)	Finish/Color
610-351	190	White
610-352	372	
Screw included:		
4 × 35 Truss head tapping screw 2pcs		
Installation dowel 2pcs		

PP Shelf Dowel Set (2pcs)	
Product No.	
610-308	
Screw included:	
4 × 35 Truss head tapping screw 2pcs	



Storage Shelf




Enhance your bathrooms with our sleek and versatile wall-mounted shelf. It comes in three different finishes to match your bathroom preferences.

Material: Resin

Storage Shelf		
Product No.	Cover	Finish/Color
610-301	Chrome	Clear
610-304	NA	White
610-305	NA	Dark Gray
Screw included:		
4 × 25 Truss head tapping screw 2pcs		
Installation dowel 2pcs		

Storage Shelf Dowel Set (2pcs)	
Product No.	
610-359	
Screw included:	
4 × 25 Truss head tapping screw 2pcs	



Tray Hook



Complete your storage solution with this hook designed to accompany the Storage Shelf. Perfect for hanging items like shavers, this hook add convenience to your storage setting.

Material: Resin

Tray Hook	
Product No.	Finish/Color
610-001	Clear





SUS Shelf



Stainless steel shelves crafted for optimal functionality in bathrooms and washrooms. The innovative design prevents water accumulation, ensuring a clean and hygienic environment. It's available in two widths, 200mm and 300mm; both featuring a seamlessly blending mirror finish to create a modern and sleek space.

Material: Stainless

SUS Shelf		
Product No.	Width(mm)	Finish/Color
610-355	200	Mirror Finish
610-356	300	
Screw included:		
W=200: 4 × 25 Truss head tapping screw 2pcs		
W=300: 4 × 25 Truss head tapping screw 3pcs		




Bottle Rack



Bottle Rack collection, specially designed for bathroom convenience. With three types of variation, in two classic colors, white and black, you have the flexibility to accommodate your specific needs and enhance the overall aesthetics of your bathroom. With easy wall installation, they help keep your bathroom tidy and make cleaning a breeze.

Material: Steel

Bottle Rack		
Product No.	Specification	Finish/Color
620051W	Single	White
620051BK		Black
620052W	Double	White
620052BK		Black
620053W	Triple	White
620052BK		Black
Screw included:		
Single : 4 × 30 Flat head tapping screw 4pcs		
Double: 4 × 30 Flat head tapping screw 4pcs		
Triple : 4 × 30 Flat head tapping screw 6pcs		



Shower Door Handle




This shower glass door handle is often used in luxury hotels. It's available in I type and L type. The I-type can be installed for both hinged and sliding doors. While the L type also allows you to hang the bath towel on the outer side of the door.

Material:Stainless
Door Thickness:6~12mm


Shower Door Handle

Product No.	Specification	Finish/Color
610-901	L Type	Hairline
610-902	I Type	
610-901B	L Type	Black Painting
610-902B	I Type	
610901M	L Type	Mirror Surface
610902M	I Type	

Screw included:
M6×40 Pan head machine screw
1pcs<L Type>, 2pcs<I Type>
M4×8 Round flat head machine screw
2pcs<L Type>, 4pcs<I Type>
Flat washer 6pcs<L Type>, 4pcs<I Type>
Spring lock washer 1pcs<L Type>
Packing 6pcs<L Type>, 4pcs<I Type>
Water resistant poly tube
3pcs<L Type>, 2pcs<I Type>



Set up hardware set.



I Type (Mirror Surface)




L Type (Hairline)




L Type (Black Painting)

Processing hole: $\phi 12 \sim 15$



L Type



I Type

Wall Hook





You can hang a variety of items such as coats, jackets, scarves and keys. The hooks can be neatly stored away when not in use. There are three types to suit different purposes and interiors.

Material:
<Base>Aluminum
<Hook>ZDC
<Cover>Aluminum, Resin
Finish/Color:
<Base>Alumite Silver
<Hook>Chrome plating
<Cover>White
Load Capacity:5kg (49N) per hook


Product No.	Specification
441001	2hooks
441002	3hooks
441003	4hooks

Screw included:
<2hooks>
4×40 Flat head tapping screw 4pcs
<3hooks>
4×40 Flat head tapping screw 6pcs
<4hooks>
4×40 Flat head tapping screw 8pcs



Hook is stored

Hook is use



Cabinet Parts • Handrail

Knob

Not only comfortable to hold but these cabinet knobs are designed with different styles and finishes. The combination of function and beauty of the knobs are good reasons to use them in your house to enhance the design interior.

Round Knob

Material:ZDC
Door Thickness:16~26mm

Round Knob		
Product No.	Size(mm)	Finish/Color
222-011	φ 25	Satin Silver
222-013		Satin Gold
222-014		Dark Amber
222-015		Iron Black
222-016		Brass Gold
222-021	φ 30	Satin Silver
222-023		Satin Gold
222-024		Dark Amber
222-025		Iron Black
222-026		Brass Gold

Screw included:
M4×30 Truss head machine screw 1pcs



ND Knob

Material:ZDC
Door Thickness:18~26mm

ND Knob		
Product No.	Size(mm)	Finish/Color
223-001	φ 30	Satin Silver
223-002		Satin Gold

Screw included:
M4×30 Truss head machine screw 1pcs




Square Knob

Material:ZDC
Door Thickness:19~26mm

Square Knob		
Product No.	Size(mm)	Finish/Color
224-011	32×20	Chrome Plating
224-012		Gloss Gold

Screw included:
M4×30 Truss head machine screw 1pcs




Oval Knob

Material:ZDC
Door Thickness:19~26mm

Oval Knob		
Product No.	Size(mm)	Finish/Color
225-011	31.5×20	Chrome Plating
225-012		Gloss Gold

Screw included:
M4×30 Truss head machine screw 1pcs




Closet Handle

Sleek and stylish modern cabinet pulls are sophisticated yet simple hardware to elevate the style of spaces in your home. The pulls below are rich in styles, colors and designed to be comfortable to hold so that you can place them vertically or horizontally in cabinet doors or drawers in the living rooms, kitchens, bathrooms, etc. We also use several materials to suit your preferences, from affordable resin to ZDC.

Door Thickness:18~24mm

Closet Handle			
Product No.	P: length	Material	Finish/Color
222-252	120mm	ZDC	Satin Silver
222-262			Satin Gold
222-272	240mm	ADC	Satin Silver
222-282			Satin Gold
222-292	120mm	Resin	Silver Painting
222-202			Gold Painting

Screw included:
M4×30 Truss head machine screw 2pcs



Privacy Pull

Material:ZDC
Door Thickness:30~33mm


Privacy Pull	
Product No.	Finish/Color
222-722	Satin Silver
222-723	Satin Gold

※ Price for two pieces as one set.
Screw included:
M4×20 Flat head machine screw 2pcs



Satin Silver

Satin Gold



Handle


There are variants of pulls with different designs and colors for cabinet doors or drawers that you can choose to suit the space in your room.

D Type Handle



Material:ZDC
Door Thickness:25~29mm

D Type Handle		
Product No.	P:length(mm)	Finish/Color
222-212	100	Amber
Screw included:		
M4×35 Truss head machine screw 2pcs		




TKC Handle



Material:ZDC
Door Thickness:19~24mm

TKC Handle		
Product No.	P:length(mm)	Finish/Color
223-120HS	120	Satin Silver
223-120CR		Chrome Plating
Screw included:		
M4×30 Truss head machine screw 2pcs		




ND Handle



Material:ZDC
Door Thickness:13~14mm

ND Handle		
Product No.	P:length(mm)	Finish/Color
222-232	100	Satin Silver
222-242		Satin Gold
Screw included:		
M4×20 Truss head machine screw 2pcs		





RK Handle



This Cabinet handle has a stylish design and easy to grip. It can be installed in a wide range cabinets from living room, kitchen, and restroom.

Material:ADC
Door Thickness:14~16mm

RK Handle		
Product No.	P:length(mm)	Finish/Color
226-035	35	Satin Silver
226-060	60	
226-120	120	
Screw included:		
M4×22 Truss head machine screw 2pcs		




CA Handle



A Cabinet and kitchen handle that made of Stainless. The hairline finish is harmonized with the door.

Material:Stainless
Door Thickness:18~24mm

CA Handle		
Product No.	P:length(mm)	Finish/Color
224-020	150	Hairline
224-021	300	
224-022	600	
Screw included:		
M4×30 Truss head machine screw 2pcs		
※ There is a possibility of bending depend on the usage of P=600.		




MJ Handle



A storage and kitchen handle with a simple design. We made it with a clean design to fit various kinds of storage.

Material:Aluminum
Door Thickness:18~24mm

MJ Handle		
Product No.	P:length(mm)	Finish/Color
224-001	200	Alumite Silver
224-002	230	
224-004	450	
Screw included:		
M4×30 Truss head machine screw 2pcs		
※ There is a possibility of bending depend on the usage of P=450.		







Wardrobe Hanger Rail Set

This wall-mounted closet rod set uses an oval pipe with a matte finish. This product is available in 4 different lengths to suit the storage space in your closet.

Material: Aluminum, ZDC
Load Capacity: 40kg(392N)
Finish/Color: Matte Silver

Wardrobe Hanger Rail Set	
Product No.	Rail length(mm)
330-011	427
330-012	727
330-013	1,027
330-014	1,177

Screw included:
3.5×10 Flat head tapping screw 2pcs





Hanger Pipe Set

A hanging closet rod set uses an oval pipe with a matte finish. You can hang this product on a ceiling or the upper part of your cabinet. This product is available in 3 different lengths to suit the storage space.

Material: Aluminum, ZDC
Load Capacity: 40kg(392N)
Finish/Color: Matte Silver

Hanger Pipe Set	
Product No.	Pipe length(mm)
331-011	897
331-012	1,347
331-013	1,797

※331-011 without middle bracket.
Screw included:
M4×20 Flat head machine screw
(331-011) 2pcs
(331-012, 331-013) 3pcs



Round Bar Handrail

This product is a wall-mounted wooden handrail with different types of brackets. This series can be used as handrail support, but it can also be used as a toilet grab, which is ideal for those looking for a secure way to get on and off the toilet. The bracket's shape, the handrail's length, and the color option are available according to various scenes.



NL Type
(Walking support handrail)


Material: (Handrail) Natural Wood
(Bracket) ZDC, Resin

NL Type Round Handrail set			
Product No.	Length (mm)	Finish/Color	Bracket
856-043	400	Light	Silver
856-045		Light	Gold
856-044		Medium	Silver
856-042		Medium	Gold
856-063	600	Light	Silver
856-065		Light	Gold
856-064		Medium	Silver
856-062		Medium	Gold
856-083	800	Light	Silver
856-085		Light	Gold
856-084		Medium	Silver
856-082		Medium	Gold

Screw included:
4 × 40 Pan head tapping screw 8pcs

NL Type Bracket Only (2pcs as one set)	
Product No.	Finish/Color
860-072	Silver
860-073	Gold

Screw included:
4 × 40 Pan head tapping screw 8pcs
3.5 × 20 Round flat head tapping screw 4pcs





Free Joint

This angle joint connector is designed for joining handrails together at any angle between 90 and 150 degrees. Using this durable metal connector, you can connect the corner angle in the stairs or the connection between the railings in the corridor and the stairs.

Material: ZDC

Free Joint	
Product No.	Finish/Color
860-083	Gold
860-084	Silver

Screw included:
4 × 25 Round flat head tapping screw 2pcs



NE Type
(Standing up and walking assist handrail)

Material: (Handrail) Natural Wood
(Bracket) ZDC, Resin

NE Type Round Bar Handrail set			
Product No.	Length (mm)	Finish/Color	Bracket
853-043	435	Light	Silver
853-045		Light	Gold
853-046		Light	Black
853-044		Medium	Silver
853-042	535	Medium	Gold
853-047		Medium	Black
853-063		Light	Silver
853-065		Light	Gold
853-066	735	Light	Black
853-064		Medium	Silver
853-062		Medium	Gold
853-067		Medium	Black
853-083	935	Light	Silver
853-085		Light	Gold
853-086		Light	Black
853-084		Medium	Silver
853-082	935	Medium	Gold
853-087		Medium	Black
853-093		Light	Silver
853-095		Light	Gold
853-096	935	Light	Black
853-094		Medium	Silver
853-092		Medium	Gold
853-097		Medium	Black

Screw included:
4 × 40 Pan head tapping screw 6pcs

NE Type Bracket Only (2pcs as one set)	
Product No.	Finish/Color
860-042	Silver
860-043	Gold
860-044	Black

Screw included:
4 × 40 Pan head tapping screw 6pcs
3.5 × 20 Pan head tapping screw 4pcs




Ring Joint

This joint connector is designed to connect straight railings such as the handrails in the corridors. It is made of durable metal to guarantees long-term use.

Material: ZDC

Ring Joint	
Product No.	Finish/Color
860-093	Gold
860-094	Silver

Screw included:
M4 × 35 Round flat head machine screw 1pcs
3 × 25 Flat head tapping screw 6pcs



※ It is possible to connect handrails in hallway, stairs, etc, by combining free joint and ring joints.



NI Type Entrance

(Standing up and walking assist handrail)

Material: 〈Handrail〉Natural Wood
〈Bracket〉ZDC, Resin



NI Type Entrance Round bar Handrail set			
Product No.	Length (mm)	Finish/Color	Bracket
855-043	400	Light	Silver
855-045		Light	Gold
855-046		Light	Black
855-044		Medium	Silver
855-042		Medium	Gold
855-047		Medium	Black
855-063	600	Light	Silver
855-065		Light	Gold
855-066		Light	Black
855-064		Medium	Silver
855-062		Medium	Gold
855-067		Medium	Black
855-083	800	Light	Silver
855-085		Light	Gold
855-086		Light	Black
855-084		Medium	Silver
855-082		Medium	Gold
855-087		Medium	Black

Screw included:
4 × 40 Pan head tapping screw 8pcs

NI Type Entrance Bracket Only (2pcs as one set)

Product No.	Finish/Color
860-062	Silver
860-063	Gold
860-064	Black

Screw included:
4 × 40 Pan head tapping screw 8pcs
3.5 × 20 Pan head tapping screw 4pcs



Handrail

This round bar handrail is made from natural wood.

Material: Natural Wood

Handrail		
Product No.	Length(mm)	Finish/Color
860-010	300	Light
860-014		Medium
860-011	400	Light
860-015		Medium
860-012	600	Light
860-016		Medium
860-013	800	Light
860-017		Medium



NI Type

(Standing up and walking assist handrail)

Material: 〈Handrail〉Natural Wood
〈Bracket〉ZDC, Resin


NI Type Round Bar Handrail set			
Product No.	Length (mm)	Finish/Color	Bracket
854-043	400	Light	Silver
854-045		Light	Gold
854-044		Medium	Silver
854-042		Medium	Gold
854-063		Light	Silver
854-065	600	Light	Gold
854-064		Medium	Silver
854-062		Medium	Gold
854-083	800	Light	Silver
854-085		Light	Gold
854-084		Medium	Silver
854-082		Medium	Gold

Screw included:
4 × 40 Pan head tapping screw 8pcs


NI Type Bracket Only (2pcs as one set)

Product No.	Finish/Color
860-052	Silver
860-053	Gold

Screw included:
4 × 40 Pan head tapping screw 8pcs
3.5 × 20 Round flat head tapping screw 4pcs



Euro Series



Mortice Locks


This mortice lock conforms to DIN18251 and EN12209:2003/AC2005. It can be used on fire rated door and the fire rated period is effective for more than 2 hours.

Material: 〈Mortice〉Steel, Stainless
 〈Strike〉Stainless
 〈Strike Pocket〉Resin
 Backset: 60mm
 Durability Testing: 500,000 times
 Specification: EN12209, DIN18251

Mortice Lock	
Product No.	Specification
500-010	Sash lock
500-011	Night latch lock
500-012	Deadlock
500-013	Passage lock
500-014	Privacy lock
500-015	Classroom lock
500-016	Roller lock

Screw included:
 4.8 × 25 Flat head tapping screw 2pcs
 4 × 16 Flat head tapping screw 3pcs

Parts included:
 Mortice Lock 1pcs
 Assembly screws 1set
 Strike 1pcs
 Strike Pocket 1pcs



Strike

Sash Lock



Night latch lock

Deadlock

Passage lock

Privacy lock

Classroom lock

Roller lock

Sash lock

A locking mechanism with a built in latch bolt operated by lever handle or key and deadbolt operated by key. (A lock with emergency specification allows the latch bolt and deadbolt to be operated by interior lever handle.)

Night latch lock

A locking mechanism with a built in latch bolt operated from interior lever handle and exterior key or thumb turn. (A lock with anti poke specification is impossible to be opened from the outside once the door's closed.)

Deadlock

A locking mechanism with a built in deadbolt operated by a key or thumb turn.

Passage lock

A locking mechanism with a built in latch bolt operated by both interior and exterior lever handle.

Privacy lock


A locking mechanism with a built in latch bolt operated from both interior and exterior lever handle, and dead bolt operated by thumb turn or certain tools.

Classroom lock

A locking mechanism with a built in latch bolt operated from interior lever handle and exterior key. The exterior lever handle is ineffective.

Roller lock


A locking mechanism with a built in roller latch and the deadbolt is operated by the key or thumb turn.



Sash lock

Night latch lock


Deadlock




Passage lock

Privacy lock

Classroom lock



Roller lock




Strike



Material:Stainless
Finish/Color:Satin Finish
Durability Testing:200,000 times
Fire-rated Testing period:3 hours
Specification:EN1906, DIN18251


Parts included:
Fire-rated Handle 1pair
Escutcheon 1pcs
Assembly screws 1set
Allenwrench 1pcs



Material:Brass, Stainless
Finish/Color:Satin Nickel
Durability Testing:200,000 times
Specification:EN1303:2005




Euro Profile escutcheon
Product No.
500-045
Parts included:
Euro Profile escutcheon 1set




Material:Stainless

Screw included:
4 × 12 Flat head machine screw(D7) 4pcs
Parts included:
Rectangular Recessed Pull 1pcs
Assembly screws 1set




This hinge is applicable on fire-rated door with a fire-rated period for 2 hours. This product not only conforms to EN1634, but it also conforms to EN1935:2002 Grade 13.

Euro fire-rated hinge		
Product No.	Size(mm)	Material
500-000	127 × 76 × t3	SUS304
500-001	102 × 76 × t3	SUS304
500-002		SUS316
500-003	127 × 89 × t3	SUS304
500-004		SUS316



Door height (mm)	Hinges Quantity
Below 1523	2
1524~2285	3
2286~3048	4


Hinge size (mm)	Load capacity (kg)	Door Width (mm)
102 × 76 × t3	45	Below 850
127 × 76 × t3	50~60	Below 900
127 × 80 × t3	50~60	Below 900



Extension Flush Bolt

Material:Stainless
Finish/Color:Satin Finish
Fire-rated Testing Period:2 hours



Extension Flush Bolt	
Product No.	Rod length(mm)
500-070	300
500-071	600
500-072	1,000
Screw included:	
〈Main unit〉	
M5×12 Flat head machine screw 4pcs	
〈Strike〉	
M4×8 Flat head machine screw 4pcs	
Parts included:	
Extension Flush Bolt 2pcs	
Assembly screws 1set	



Box Type Flush Bolt

Material:Stainless
Finish/Color:Satin Finish
Fire-rated Testing Period:2 hours


Box Type Flush Bolt	
Product No.	Length(mm)
500-080	200
500-081	300
500-082	600
500-083	1,000
Screw included:	
〈Main unit〉	
4×30 Flat head tapping screw 2~3pcs	
〈Strike〉	
3.5×20 Flat head tapping screw 2pcs	
Parts included:	
Box Type Flush Bolt 1pcs	
Assembly screws 1set	



Automatic Flush Bolt

Material:Stainless
Finish/Color:Satin Finish
Fire-rated Testing Period:2 hours


Automatic Flush Bolt	
Product No.	
500-073	
Screw included:	
3.5×20 Flat head tapping screw 8pcs	
Parts included:	
Automatic Flush Bolt 2pcs	
Assembly screws 1set	



Dust Proof Socket

Material:Stainless
Finish/Color:Satin Finish



Dust Proof Socket	
Product No.	
500-042	
Parts included:	
Dust Proof Socket 1pcs	



Door Selector

Material:Stainless
Finish/Color:Satin Finish

Door Selector	
Product No.	
500-060	
Screw included:	
4.8×35 Flat head tapping screw 3pcs	
Parts included:	
Door Selector 1pcs	
Assembly screws 1set	




D-Pull Handle



Material: Stainless
Finish/Color: Satin Finish

D-Pull Handle
Product No.
500-050
Screw included:
3.8 × 25 Flat head tapping screw 6pcs
Parts included:
D-Pull Handle 1pcs
Assembly screws 1set




Cup Ring Handle



Material: Stainless
Finish/Color: Satin finish

Cup Ring Handle
Product No.
500-044
Screw included:
3.8 × 16 Flat head tapping screw 4pcs
Parts included:
Cup Ring Handle 2pcs
Assembly screws 1set





H-Pull Handle



Material: Stainless
Finish/Color: Satin finish

H-Pull Handle
Product No.
500-051
Parts included:
H-Pull Handle 2pcs
Assembly screws 1set
Packing 4pcs
Allen wrench 1pcs



Specification of part a



Aftermarket Parts

Lever Handles

Lock Case

Metal Case			
Product No.	Product Name	Specification	Faceplate
P1-FL51CASE	FL51 Case	BS51 Privacy Lock	Round
740001	FT51 Case	BS51 Passage Lock	Round
P1-FR51CASE	FR51 Case	BS51 Privacy Lock	Round
P1-FU32CASER	FU32 Case (For Resin Handle)	BS32 Privacy Lock	Rectangle
P1-FU32CASEM	FU32 Case (For Metal Handle)	BS32 Privacy Lock	Rectangle
P1-FU51CASER	FU51 Case (For Resin Handle)	BS51 Privacy Lock	Rectangle
P1-FU51CASEM	FU51 Case (For Metal Handle)	BS51 Privacy Lock	Rectangle

Accessories : Mounting screw

Resin Case			
Product No.	Product Name	Specification	Faceplate
P1-KU32CASE	KU32 Case	BS32 Privacy Lock	Rectangle
P1-LU32CASE	LU32 Case	BS32 Privacy Lock	Rectangle

Accessories : Mounting screw



FL51 Case



FT51 Case



FR51 Case



FU51 Case



KU32 Case




LU32 Case

※ Images are for illustration only.
Lever handle and rosette not included.

Escutcheon

Product No.	Product Name	Applicable Case
P1-1MMARUW	Passage Lock, 1M, Round set (Resin)	FU (BS51)
P1-2AKOBAN	Privacy Lock, 2A, Oval set (Resin)	FU (BS32, 51)
P1-2DKOBAN	Privacy Lock, 2D, Oval set (Resin)	KU (BS32)
P1-1SKOBAN	Passage Lock, 1S, Oval set (Resin)	LU (BS32)
P1-2SKOBAN	Privacy Lock, 2S, Oval set (Resin)	LU (BS32)

Accessories : Mounting screw



Lever Handle

Product No.	Product Name
P1-AP4SLEVER	AP4 Type (bottom fix), Resin Lever Handle set (spindle not included)
P1-BP4YLEVER	BP4 Type (side fix), Resin Lever Handle set (spindle not included)

Accessories : Fixing screw



1M
AP4 – W H



2A
AP4 – W H



2D
AP4 – W



1S
BP4 – W H



2 S
BP4 – W H

※ Illustration of the combination of the base and lever handle.

Lever Handles

Lever handle fixing screw (For Metal Lever Handles)

Product No.	Specification	Products used	
P1-S16-120N	Pointed Tip Screw M6 × 8	FU-○○-2C-Color	Standard Handle
P1-042CAS-150	Round flat head machine screw M4 × 12 With packing	FU-○○-2C-K/Color	Side countersink handle
		FU-○○-2C/Color	Bottom countersink handle
P1-S15-010N	Handle set screw M5 × 8	FU-04-2C-AS	For 2-piece square core
Set of 2			



P1-S16-120N
Pointed Tip Screw
M6 × 8



P1-042CAS-150
Round flat head
machine screw
M4 × 12
With packing



P1-S15-010N
Handle set screw
M5 × 8

Lever handle fixing screw (For Resin Lever Handles)

Product No.	Specification	Products used	Finish/Color
P1-S14-027L	Pan head machine screw M4 × 12	AP4 Type Bottom fix screw	Raw Material
P1-S17-WH6	Binding head machine screw M4 × 12	BP4 Type Side fix screw	White Painting
P1-S17-KB6	Binding head machine screw M4 × 12	BP4 Type Side fix screw	Black Painting
Set of 2			



P1-S14-027L
Pan head
machine screw
M4 × 12



P1-S17-WH6
Binding head
machine screw
M4 × 12 (W)



P1-S17-KB6
Binding head
machine screw
M4 × 12 (B)

Door Parts

Spool Bracket for Hinged Door Soft Closer

Product No.	Specification	Material	Finish/Color
P1-312021	Right Hand	Resin, Steel	Gold Painting
P1-312022			Silver Painting
P1-312023			Gray
P1-312024			Brown
P1-312025	Left Hand	Resin, Steel	Gold Painting
P1-312026			Silver Painting
P1-312027			Gray
P1-312028			Brown

Screw included:
4 × 30 Binding head tapping screw 2pcs



Gold Painting (R)



Silver Painting (R)



Gray (R)



Brown (R)

Sliding Door Parts

Hook for Top Hung Soft Closer

Product No.	Material	Finish/Color
P1-312031	Stainless	Raw Material

Screw included:
3 × 16 Flat head tapping screw 2pcs



Trigger for Sliding Door Soft Closer

Product No.	Material	Finish/Color
P1-312061	Resin	Brown
P1-312062		Gray

Screw included:
3.5 × 25 Binding head tapping screw 2pcs



Brown
(for Brown Painting/Gold Painting)



Gray
(for Silver Painting/Hairline)

Sliding Door Parts

Round Rose Set for Clear Cut Hook Lock (Inside:Standard)

Product No.		Key Specification	Finish/Color
DT30~34	DT35~39		
P1-RS2SG04	P1-RS2SG59	Privacy lock	Satin Gold
P1-RS2SW04	P1-RS2SW59		Satin Silver
P1-RS2PG04	P1-RS2PG59		Gloss Gold
P1-RS2CR04	P1-RS2CR59		Chrome Plating
P1-RS2TS04	P1-RS2TS59		Silver Painting
P1-RS2TB04	P1-RS2TB59	Indicator lock	Black Painting
P1-RS3SG04	P1-RS3SG59		Satin Gold
P1-RS3SW04	P1-RS3SW59		Satin Silver
P1-RS3PG04	P1-RS3PG59		Gloss Gold
P1-RS3CR04	P1-RS3CR59		Chrome Plating
P1-RS3TS04	P1-RS3TS59		Silver Painting
P1-RS3TB04	P1-RS3TB59		Black Painting
P1-RSSSG04	P1-RSSSG59	Standard (thumb-turn on both sides)	Satin Gold
P1-RSSSW04	P1-RSSSW59		Satin Silver
P1-RSSPG04	P1-RSSPG59		Gloss Gold
P1-RSSCR04	P1-RSSCR59		Chrome Plating
P1-RSSTS04	P1-RSSTS59		Silver Painting
P1-RSSTB04	P1-RSSTB59		Black Painting

Accessories : Spindle, mounting screws

Round Rose Set for Clear Cut Hook Lock (Inside:Standard)

Product No.		Key Specification	Finish/Color
DT30~35	DT36~39		
P1-RS5SG05	P1-RS5SG69	Cylinder lock (with key)	Satin Gold
P1-RS5SW05	P1-RS5SW69		Satin Silver
P1-RS5TS05	P1-RS5TS69		Silver Painting
P1-RS5TB05	P1-RS5TB69		Black Painting

Accessories : Spindle, mounting screws

Round Rose Set for Clear Cut Hook Lock (Inside:Lever)

Product No.		Key Specification	Finish/Color
DT30~34	DT35~39		
P1-RR2SG04	P1-RR2SG59	Privacy lock	Satin Gold
P1-RR2SW04	P1-RR2SW59		Satin Silver
P1-RR2PG04	P1-RR2PG59		Gloss Gold
P1-RR2CR04	P1-RR2CR59		Chrome Plating
P1-RR2TS04	P1-RR2TS59		Silver Painting
P1-RR3SG04	P1-RR3SG59	Indicator lock	Satin Gold
P1-RR3SW04	P1-RR3SW59		Satin Silver
P1-RR3PG04	P1-RR3PG59		Gloss Gold
P1-RR3CR04	P1-RR3CR59		Chrome Plating
P1-RR3TS04	P1-RR3TS59		Silver Painting
P1-RRRSG04	P1-RRRSG59	Lever (thumb-turn on both sides)	Satin Gold
P1-RRRSW04	P1-RRRSW59		Satin Silver
P1-RRRPG04	P1-RRRPG59		Gloss Gold
P1-RRRCR04	P1-RRRCR59		Chrome Plating
P1-RRRTS04	P1-RRRTS59		Silver Painting

Accessories : Spindle, mounting screws

Round Rose Set for Clear Cut Hook Lock (Inside:Lever)

Product No.		Key Specification	Finish/Color
DT30~35	DT36~39		
P1-RR5SG05	P1-RR5SG69	Cylinder lock (with key)	Satin Gold
P1-RR5SW05	P1-RR5SW69		Satin Silver
P1-RR5TS05	P1-RR5TS69		Silver Painting

Accessories : Spindle, mounting screws



Privacy lock



Inside:Standard



Indicator lock



Inside:Lever



Cylinder lock
(with key)



Satin Gold



Satin Silver



Gloss Gold



Chrome Plating




Silver Painting



Black Painting

Finish/Color



Inside:UD Lever



Indicator lock




Cylinder lock
(with key)



Inside:Standard



Privacy lock



Indicator lock



Cylinder lock
(with key)



Top Lock
BS38



Top Lock
BS51



Bottom Lock
BS51



Dead Bolt Lock
BS51

Case

※ Images are for illustration only. Rose not included.



Round
type

Adjustable Strike,
Top Lock



Rectangle
type



Round
type

Adjustable Strike,
Bottom Lock



Rectangle
type



Spare key

Sliding Door Parts

Round Rose Set for Clear Cut Hook Lock (Inside:UD Lever)

Product No.		Key Specification	Finish/Color
DT30~34	DT35~39		
P1-RU3SG04	P1-RU3SG59	Indicator lock	Satin Gold
P1-RU3SW04	P1-RU3SW59		Satin Silver
P1-RU3TS04	P1-RU3TS59		Silver Painting
P1-RUUSG04	P1-RUUSG59	UD Lever (thumb-turn on both sides)	Satin Gold
P1-RUUSW04	P1-RUUSW59		Satin Silver
P1-RUUTS04	P1-RUUTS59		Silver Painting

Accessories : Spindle, mounting screws

Round Rose Set for Clear Cut Hook Lock (Inside:UD Lever)

Product No.		Key Specification	Finish/Color
DT30~35	DT36~39		
P1-RU5SG05	P1-RU5SG69	Cylinder lock (with key)	Satin Gold
P1-RU5SW05	P1-RU5SW69		Satin Silver
P1-RU5TS05	P1-RU5TS69		Silver Painting

Accessories : Spindle, mounting screws

Square Rose Set for Clear Cut Hook Lock (Inside:Standard)

Product No.		Key Specification	Finish/Color
DT30~34	DT35~39		
P1-SS2SG04	P1-SS2SG59	Privacy lock	Satin Gold
P1-SS2SW04	P1-SS2SW59		Satin Silver
P1-SS2TB04	P1-SS2TB59		Black Painting
P1-SS3SG04	P1-SS3SG59	Indicator lock	Satin Gold
P1-SS3SW04	P1-SS3SW59		Satin Silver
P1-SS3TB04	P1-SS3TB59		Black Painting
P1-SSSSG04	P1-SSSSG59	Standard (thumb-turn on both sides)	Satin Gold
P1-SSSSW04	P1-SSSSW59		Satin Silver
P1-SSSTB04	P1-SSSTB59		Black Painting

Accessories : Spindle, mounting screws

Square Rose Set for Clear Cut Hook Lock (Inside:Standard)

Product No.		Key Specification	Finish/Color
DT30~35	DT36~39		
P1-SS5SG05	P1-SS5SG69	Cylinder lock (with key)	Satin Gold
P1-SS5SW05	P1-SS5SW69		Satin Silver
P1-SS5TB05	P1-SS5TB69		Black Painting

Accessories : Spindle, mounting screws

Lock Case/Adjustable Strike/Spare Key for Clear Cut Hook Lock

Product No.		Product Name
BS38	BS51	
NT38R	NT51R	Top Lock Case (Round type faceplate)
NT38S	NT51S	Top Lock Case (Rectangle type faceplate)
—	NU51R	Bottom Lock Case (Round type faceplate)
—	NU51S	Bottom Lock Case (Rectangle type faceplate)
—	ND51R	Dead Bolt Lock Case (Round type faceplate)
—	ND51S	Dead Bolt Lock Case (Rectangle type faceplate)
224-580	same	Adjustable Strike, Top Lock (Round type faceplate)
900-022	same	Adjustable Strike, Top Lock (Rectangle type faceplate)
—	224-589	Adjustable Strike, Bottom Lock (Round type faceplate)
—	224-590	Adjustable Strike, Bottom Lock (Rectangle type faceplate)
224-581	same	Spare Key (No.000)
224-582	same	Spare Key (No.B000)
224-583	same	Spare Key (No.D000)

Accessories : Spindle, mounting screws

Sliding Door Parts

Pull for TS Hook Lock

Product No.	Key Specification	Finish/Color
P1-224701	Privacy lock	Gloss Pearl Chrome
P1-224702		Black Gold
P1-224703		Satin Silver
P1-224704		Black Silver
P1-224705		Matte Black Painting
P1-224706		Chrome Plating
P1-224711	Indicator lock	Gloss Pearl Chrome
P1-224712		Black Gold
P1-224713		Satin Silver
P1-224714		Black Silver
P1-224715		Matte Black Painting
P1-224718		Chrome Plating
P1-224721	Cylinder lock	Gloss Pearl Chrome
P1-224722		Black Gold
P1-224723		Satin Silver
P1-224724		Black Silver
P1-224716		Matte Black Painting
P1-224719		Chrome Plating

Screw included:
M4×25 Flat head machine screw (D7) 2pcs



Indoor side



Indicator lock
Gloss Pearl Chrome



Indicator lock
Black Gold



Cylinder lock
Satin Silver



Privacy lock
Black Silver



Indicator lock
Matte Black Painting



Indicator lock
Chrome Plating

Lock Case/Adjustable Strike/Spare Key
for TS Hook Lock

Product No.		Product name
No Trigger	With Trigger	
224-748	224-748T	Lock Case (Round type faceplate)
224-749	224-749T	Lock Case (Rectangle type faceplate)
224-580	same	Adjustable Strike (Round type faceplate)
224-588	same	Adjustable Strike (Rectangle type faceplate)
224-750	same	Spare Key

Accessories : Mounting screw



With Trigger



No Trigger
Lock Case



Round type
faceplate



Rectangle type
faceplate

Adjustable Strike



Spare Key

※ Images are for illustration only.
Puller not included.

Sliding Door Parts

Pull for NS Automatic Hook Lock

Product No.	DT33	DT36	Key Specification	Finish/Color
P1-224621	P1-224622	P1-224624	Passage lock	Chrome Plating
P1-224623	P1-224625	P1-224626		Gold Painting
P1-224631	P1-224632	P1-224634	Privacy lock	Silver Painting
P1-224633	P1-224635	P1-224636		Chrome Plating
P1-224641	P1-224642	P1-224644	Indicator lock	Gold Painting
P1-224643	P1-224645	P1-224646		Silver Painting

Screw included: M3×30 Flat head machine screw 2pcs



Indicator lock
Chrome Plating



Passage lock
Gold Painting



Privacy lock
Silver Painting



Indicator lock
Chrome Plating



Privacy lock
Satin Silver



Passage lock
Black Painting

Pull for CL Automatic Hook Lock

Product No.	DT30~32	DT33~36	Key Specification	Finish/Color
P1-224679	P1-224680	P1-224682	Passage lock	Chrome Plating
P1-224681	P1-224683	P1-224684		Satin Silver
P1-224661	P1-224662	P1-224667	Privacy lock	Black Painting
P1-224663	P1-224665	P1-224668		Chrome Plating
P1-224664	P1-224666	P1-224669	Indicator lock	Satin Silver
P1-224665	P1-224667	P1-224671		Black Painting

Screw included:
M3×10, 15 Flat head machine screw 2pcs
(Depends on the door thickness.)

Accessories

Recessed Paper Holder's Spare Roll Core

Product No.	Material	Finish/Color
610-210	Resin	White
610-210B		Black



White



Black

Bracket for Towel Bar TB (Set of 2)

Product No.	Material	Finish/Color
P1-610011	Resin	White
P1-610015		Black
P1-610017		Chrome Plating

Screw included:
4 × 30 Pan head tapping screw 4pcs



White

Black

Chrome

※ Images are for illustration only.
Pipes not included.

Bracket for Towel Bar KB (Set of 2)

Product No.	Material	Finish/Color
P1-610021	Resin	White
P1-610027		Black
P1-610022		Chrome Plating

Screw included:
4 × 30 Pan head tapping screw 4pcs



White

Black

Chrome

※ Images are for illustration only.
Pipes not included.

Thumb Turn for Child Lock

Product No.	Material	Finish/Color
P1-610920	Resin	Pearl White
P1-610921		S White
P1-610922		Silver
P1-610923		Black

Note: This is a set for the bathroom side and the changing room side.



Pearl White



S White



Silver



Black

Accessories

Bracket for YH Laundry Pipe (Set of 2)

Product No.	Material	Finish/Color
610-629	Resin	White Gray
610-639		Chrome Plating

Screw included:
4 × 25 Truss head tapping screw 4pcs
Base plate 2pcs



White Gray



Chrome Plating

Bracket for KS Laundry Pipe (Set of 2)

Product No.	Material	Finish/Color
610-620	Resin	White
610-649		Black

Screw included:
4 × 25 Truss head tapping screw 4pcs
Base plate 2pcs



White



Black

Bracket for KS Flexible Laundry Pipe (Double-sided Tape Type) (Set of 2)

Product No.	Material	Finish/Color
610-655	Resin	White Gray

Screw included:
4 × 30 Truss head tapping screw 4pcs
Double-sided tape 2pcs



Bracket for KS Flexible Laundry Pipe (Screw Mounting Type) (Set of 2)

Product No.	Material	Finish/Color
610-656	Resin	White Gray
P1-610657		Chrome Plating

Screw included:
4 × 30 Truss head tapping screw 4pcs
Base plate 2sheets



Cabinet Parts


Bracket for Hanger Pipe Set

Product No.	Product Name	Material	Finish/Color
P1-331	End Bracket	ZDC	Matte Silver (Painting)
P2-331	Middle Bracket		Matte Silver (Painting)

Screw included:
M4×20 Flat head machine screw 1pcs
Note:universal left-right bracket; priced per piece.



End Bracket



※ Images are for illustration only.
Pipes not included.

Handrail


Bracket for NL Type (Set of 2)

Product No.	Material	Finish/Color
860-072	ZDC, Resin	Silver
860-073		Gold

Screw included:
4×40 Pan head tapping screw 8pcs
3.5×20 Round flat head tapping screw 4pcs



Silver



Gold



Silver



Gold



Black

Bracket for NE Type (Set of 2)

Product No.	Material	Finish/Color
860-042	ZDC, Resin	Silver
860-043		Gold
860-044		Black

Screw included:
4×40 Pan head tapping screw 6pcs
3.5×20 Pan head tapping screw 4pcs



Silver



Gold



Black

Bracket for NI Type Entrance (Set of 2)

Product No.	Material	Finish/Color
860-062	ZDC, Resin	Silver
860-063		Gold
860-064		Black

Screw included:
4×40 Pan head tapping screw 8pcs
3.5×20 Pan head tapping screw 4pcs



Silver




Gold

Bracket for NI Type (Set of 2)

Product No.	Material	Finish/Color
860-052	ZDC, Resin	Silver
860-053		Gold

Screw included:
4×40 Pan head tapping screw 8pcs
3.5×20 Round flat head tapping screw 4pcs

Company's Profile

Foundation	April 1948	
Establishment	November 1970	
Firm Name	Kuriki Manufacture Co.,Ltd.	
President	AKIYOSHI KURIKI	
Main Factory Location	【Address】 1681-1 Onuki, Namegata City, Ibaraki Prefecture 311-1724, Japan 【Ground】 Ground:18,500㎡ Factory Building:2,655㎡ Office Building:180㎡ 【Access】 Change from JYOBAN Line MITO Station to OARAIKASHIWA Line SHINHOKOTA Station 10 minutes by car JYOBAN Line TSUCHIURA Station 30 minutes by car	
Overseas factory	【Firm Name】 TIANJIN KURIKI BUILDERS HARDWARE ETC CO.,LTD (天津久力家居用品有限公司) 【Address】 No.40 Sengdayizhi Road Xiqing Gaoduan Metal Product Industrial Area, Tianjin	
Trade Company	【Firm Name】 TIANJIN KURIKI BUILDERS HARDWARE TRADING CO.,LTD (天津久力輝家居用品貿易有限公司) 【Address】 Jiefangnan Road and Wushui Road Junction Southwestside Hexi District, Tianjin City	
Main Product	Lever Handles Metal & Resin Lever Handle, Metal & Resin Lock Case, Adjustable Strike Door Parts Hinge, Pivot Hinge, Door Stopper, Hinged Door Soft Closer, Light Indicator Lens, Door Louver, Flush Bolt Sliding Door Parts Hook Lock, Resin Pull, Metal Pull, Bar Handle, Adjustable Roller, Rail, Sliding Door Soft Closer, Outset Sliding Door Parts Accessories Paper Holder, Towel Ring, Towel Bar, Towel Shelf, Bathroom Push Pull Lock, Child Lock, Laundry Pipe, Storage Tray, Bathroom Lid Holder Cabinet Parts, Handrail Knob, Handles, Hanger Pipe, Round Bar Handrail, Handrail Bracket Euro Series Mortice Locks, Standard Cylinder, Rectangular Recessed Pull, Euro Fire-rated Hinge, Flush Bolt, Dust Proof Socket	
Home Page	https://www.kuriki-ss.co.jp/en/	
Contact Us	Head Office 【TEL】 (+81)291-35-2636 【FAX】 (+81)291-35-2683 【e-mail】 tianjin6@kuriki-ss.co.jp	

- Price and specification are subject to change without prior notice.
- The printed colors depicted may differ from the actual products.





Kuriki Manufacture Co.,Ltd.