

Open this catalog



KURIKI HARDWARE

LEVER HANDLES AND BUILDERS HARDWARE CATALOG

About Kuriki Manufacture

Index

Lever Handles

Concept, Locks Function	02
Lock Cases Type	03
Lever Handles List	04
Finishing List	04
Escutcheon Type	05
Product No. List	06
Build to order method	07
Example on How to Write a Product Number when Ordering	07
Explanation of Right-Hand and Left-Hand	08
Lever Handle	09
Aquila, Crux	09
Draco, Fornax	10
Grus, Hydra	11
Musca, Pavo	12
Pyxis, Lyra	13
Cygnus, Volans	13
Sagitta, Norma	14
Bootes	15
AP4 · BP4 Type (Resin Lever)	16
Standard Strike	17
Adjustable Strike	18
FL Lock Case Cutaway View	18
FR Lock Case Cutaway View	19
FT Lock Case Cutaway View	20
FU (BS32) Lock Case Cutaway View	21
FU (BS51) Lock Case Cutaway View	22
KU Lock Case Cutaway View	23
LU Lock Case Cutaway View	24
	25

Door Parts


Hinged Door Soft Closer	28
Concealed Hinged Door Closer	30
Smart Door Stopper (Magnet Type)	32
Doors Keeper (Magnet Type)	33
Pivot Hinge	34
Butt Hinge, Lift Off Hinge, Stainless Lift Off Hinge	35
Reversible Door Stopper, Public Housing Door Stopper	36
Upper Frame Door Stopper	36
Door Louver, Flush Bolt	37
Light Indicator Lens	38
Round Type 35	38
Round Type 35 (O-ring specifications)	38
Round Type 38, Square Type 38	39

Sliding Door Parts

Clear Cut Hook Lock	42
Product No. List	44
Example on How to Write a Product Number when Ordering	44
TS Hook Lock	46
NS Automatic Hook Lock	48
CL Automatic Hook Lock	50
Top Hung Soft Closer Set, Top Hung Soft Closer	52
4 Wheels Adjuster, Sliding Door Rail	53
Anti-Shake Guide Pin, 4 Wheels Adjuster · Rail set	53
Sliding Door Soft Closer	54
Concealed Soft Closer	55
KT Adjustable Roller, Lintel Rail	56
T Floor Rail	57
Outset Sliding Door Parts	58
Upper Rail, Lower Rail, KT Adjustable Roller	58
Door Side Guide, Upper Stopper, Outset Lower Stopper	59
Strike Plate, Wooden Strike Plate	60
High rigidity Strike Plate	61
Outset Upper Stopper, Outset Lower Stopper	61
Magnet Catcher, F2 Adjuster Guide, Upper Rail	62



This product won the Good Design Award.



Kuriki Manufacture Co., Ltd. is an ISO9001 certified manufacturing company focus on making architectural hardware and bathroom accessories, such as lever handle, hinged and sliding door fittings, toilet paper holder, towel bar, etc.

In more than 50 years, we are committed to helping everyone live more comfortably by producing Japanese high-quality products. We understand that a good product does not only mean well-functioning. A good product should cover safety, universality, and aesthetically pleasing design. We always put our best effort into creating a product that can cover all of those fields, and several times now, our products have won the Good Design Award and achieved patents and utility models.

Until now, our bathroom lever handle still occupies the largest share in Japan, and the big residential developers here also widely adopt our products. But, most importantly, they have gained trust from the customers in the international markets. Our hotel lever, for example, is now used in well-known hotels, namely Swissotel the Stamford- Singapore, Village Hotel Sentosa- Singapore, The Outpost Hotel- Singapore, The Standard King Power- Thailand, Waldorf Astoria- Thailand. In the upcoming years, together with the growing number of customers, we will continue to be a leading manufacturer in providing hardware for residential and buildings in general.

Sliding Door Parts

Door Stopper Cap	63
Bar Handle	64
Big Handle	65
Resin Pull Round & Rectangle	66
Resin Pull Rectangle One Touch	66
Resin One Touch Pull Rectangle	67
Round & Rectangle Pull	68
Metal One Touch Pull Round & Rectangle	69
TK One Touch Flush Pull, ND Flush Pull	70
Edge Pull Handles	71
Flush Edge Pull, Heavy Duty Hung Door	72

Accessories

SL Series	
SL Paper Holder, SL Double Paper Holder	76
2-in-ONE Paper Holder (SL 2-in-ONE Paper Holder)	77
SL Towel Bar, SL Towel Ring	77
SLs Series	
SLs Paper Holder, SLs Towel Bar, SLs Towel Ring	78
One Touch Paper Holder	79
Recessed Paper Holder	80
Towel Hanger with Shelf, Shelf	82
Wall Hook	83
PP Shelf, Storage Shelf, Tray Hook	84
SUS Shelf, Bottle Rack	85
Towel Shelf with Hooks, Towel Rack	86
Towel Bar	87
YH Laundry Pipe	88
KS Laundry Pipe	89
KS Flexible Laundry Pipe (Double-sided tape)	90
KS Flexible Laundry Pipe (Screw mounting)	91
Vertical Storage Bracket Set, Bathroom Lid Holder	92
Child Lock	93
Bathroom Push Pull Lock	94
Shower Door Handle	95

Cabinet Parts · Handrail

Knob	
Round Knob, ND Knob, Square Knob, Oval Knob	98
Closet Handle, Privacy Pull	99
Handle	
D Type Handle, TKC Handle, ND Handle, SUS Handle	100
RK Handle, CA Handle, MJ Handle	101
Wardrobe Hanger Rail Set	102
Hanger Pipe Set	103
Round Bar Handrail	
NL Type, Free Joint	104
NE Type, Ring Joint	105
NI Type Entrance, Handrail	106
NI Type	107

Euro Series

Mortice Locks	110
Fire-rated Handle, Standard Cylinder	112
Euro Profile Escutcheon	112
Rectangular Flush Cover, Euro Fire-rated Hinge	113
Extension Flush Bolt	114
Box Type Flush Bolt	114
Automatic Flush Bolt	115
Dust Proof Socket, Dust Proof Socket (Slim type)	115
Door Selector, D-Pull Handle, Cup Ring Handle	116
H-Pull Handle	117

Aftermarket Parts

Lever Handles	120
Door Parts	122
Sliding Door Parts	123
Accessories	128
Cabinet Parts	130
Handrail	131

Icon guide

The following icons symbolize the features of the products in this catalog.



△ Patent and Design Patent

The product has an exclusive right given for either utility or design patent.



△ Good Design Award

The product won the Good Design Award selected by Ministry of International Trade and Industry.



△ Rectangle Plate

The product has a rectangle strike plate and faceplate.




△ Round Plate

The product has a round strike plate and faceplate.



△ Load Capacity

The product is applicable on doors with a maximum weight shown in the icon.



△ Door Thickness

The product is applicable on doors with a specific door thickness shown in the icon.



△ Screwdriver

The product can be installed easily using a screwdriver.




△ No Tools

The product can be installed easily without using any tools.



△ Water Resistant

The product can be used in the bathroom.



△ Digging Necessary

To install a product, you will need to drill or dig into the door, frame, wall, etc.



△ Adhesive Necessary


To install a product, you will need a suitable adhesive to combine parts.



△ Build to Order


The product is not built until a confirmed order for the product is received.

KURIKI, delivering safe and convenient products for everyone.




Cabinet Parts

Knob
Closet Handle
Privacy Door Pull
Handle
Hanger Rail
Hanger Pipe




Door Parts

Smart Door Stop
Door Keeper
Hinged Door Closer
Pivot Hinge
Hinge
Door Stop
Door Louver
Flush Bolt



Sliding Door Parts

TS Hook Lock
NS Automatic Hook Lock
Sliding Door Soft Closer
Roller Door
Outset Sliding Door Parts
Bar Handle
Big Bar Pull
Resin Pull, Metal Pull



Lever Handles for the room









Lever Handles
Lock Case
Strike

Handrail


Round Bar Handrail
Free Joint
Ring Joint
Handrail only

Adjustment Method




Hinged Door Adjustment


	Problem	Solution	
①	The door hits the side jamb. Before  After 	Pivot Hinge (Upper Body)  Pivot Hinge (Lower Body) 	Adjust the door position to the sides by turning the adjusting screw in the upper and lower pivot hinges.
②	The door hits the sill/ flooring. Before  After 	Pivot Hinge (Lower) 	Adjust the door position up and down by turning the adjusting screw in the upper and lower pivot hinges.
③	Inclined doors. Before  After 	Pivot Hinge (Upper Plate)  Pivot Hinge (Lower Plate) 	Loosen the fixing screws in the lower pivot hinge and reposition it horizontally to create a proper vertical door position. Do not forget to fasten the screws once you finish the adjustment.


④ Adjustable-strike adjustment.
 Adjust the depth of the adjustable strike by turning the screw shown in the picture. Make sure that the latch fits perfectly into it to prevent a rattle, thus the door can function well.



Sliding Door Adjustment

	Problem	Solution	
①	There is a gap between the door and the side jamb when the sliding door is in the closing position. Before  After 	Hung Door Roller 	Door Roller (Lower) 
②	Inclined sliding doors. Before  After 	Hung Door Roller 	Door Roller (Upper & Lower) 
③	The hook lock does not work well. Diagram labels: Strike, Lock Case, up and down, depth, Adjustable Plate, Side Frame, Sliding Door Side.	Adjustable Strike 	Adjust the strike plate, so the hook falls down properly by adjusting the screws shown in the pictures. Do not forget to fasten the screw once you're done with the adjustment.

④ The sliding door rattles.
 It is possible to reduce the rattle of the sliding door by adjusting the screw shown in the above picture.



Lever Handles

Lever Handles

Lever Handles List



Finishing List



Escutcheon Type

F L (BS51)	Passage Lock				Privacy Lock				Indicator Lock				Cylinder Lock				
	Metal				Metal				Metal				Metal				
	1 M	1 C	1 L		2 C	2 L			3 C	3 L			5 C	5 L			
F T (BS51)	Metal				Metal				Metal								
	1 M	1 C	1 L		2 C	2 L			3 C	3 L							
F R (BS51)	Metal				Metal				Metal								
	1 M				2 M				3 M								
F U (BS32)	Metal				Metal				Resin				Metal				
	1 C	1 E			2 C	2 E	2 A		3 C	3 E			3 C	3 E			
F U (BS51)	Resin	Metal				Metal				Resin	Metal						
	1 M	1 C	1 K	1 E	2 C	2 K	2 E	2 A	3 C	3 K	3 E						
K U (BS32)	Metal				Metal				Resin				Metal				
	1 J	1 F			2 J	2 F	2 D		3 J	3 F			3 J	3 F			
L U (BS32)	Metal	Resin				Resin											
	1 T	1 S			2 S												

The finishing color is adjusted to match the lever handle.

Lever Handles

Product No. List


Please refer to page 7 for ordering customized products.

Lock Case Type (Backset) ^{※1}	Lever Handles		Locks Function	Escutcheon Type	Finishing Color		Door Thickness ^{※5}	Quantity
FL(BS51) (Metal)	Aquila 01 ^{※3} Crux 02 Draco 03 ^{※3} Fornax 04 ^{※3} Grus 05 Hydra 06 Musca 07 Pavo 08	Pyxis 09 Lyra 10 Cygnus 11 Volans 131 Sagitta 14 Norma 15 ^{※3} Bootes 16	1 Passage Lock 2 Privacy Lock 3 Indicator Lock	M Round C Oval L Rectangle	SW Satin Silver SA Satin Amber SG Satin Gold SB Satin Black CR Chrome Plated PG Gold Plated AS Alumite Silver AA Alumite Amber	AG Alumite Gold SN Soft Nickel PC Pearl Chrome CG Champagne Gold BC BS Chrome SPC Shot Pearl Chrome SCG Shot Champagne Gold SBC Shot BS Chrome	28~33 34~36	
FT(BS51) (Metal)	Aquila 01 ^{※3} Crux 02 Draco 03 ^{※3} Fornax 04 ^{※3} Grus 05 Hydra 06 Musca 07 Pavo 08	Pyxis 09 Lyra 10 Cygnus 11 Volans 131 Sagitta 14 Norma 15 ^{※3} Bootes 16	1 Passage Lock 2 Privacy Lock 3 Indicator Lock	M Round C Oval L Rectangle	SW Satin Silver SA Satin Amber SG Satin Gold SB Satin Black CR Chrome Plated PG Gold Plated AS Alumite Silver AA Alumite Amber	AG Alumite Gold SN Soft Nickel PC Pearl Chrome CG Champagne Gold BC BS Chrome SPC Shot Pearl Chrome SCG Shot Champagne Gold SBC Shot BS Chrome	28~33 34~36	
FR(BS51) (Metal)	Aquila 01 ^{※3} Crux 02 Draco 03 ^{※3} Fornax 04 ^{※3} Grus 05 Hydra 06 Musca 07 Pavo 08	Pyxis 09 Lyra 10 Cygnus 11 Volans 131 Sagitta 14 Norma 15 ^{※3} Bootes 16	1 Passage Lock 2 Privacy Lock 3 Indicator Lock	M Round C Oval L Rectangle	SW Satin Silver SA Satin Amber SG Satin Gold SB Satin Black CR Chrome Plated PG Gold Plated AS Alumite Silver AA Alumite Amber	AG Alumite Gold SN Soft Nickel PC Pearl Chrome CG Champagne Gold BC BS Chrome SPC Shot Pearl Chrome SCG Shot Champagne Gold SBC Shot BS Chrome	28~33 34~36	
FU32(BS32) ^{※2} (Metal)	Aquila 01 ^{※3} Crux 02 Draco 03 ^{※3} Fornax 04 ^{※3} Grus 05 Hydra 06 Musca 07 Pavo 08	Pyxis 09 Lyra 10 Cygnus 11 Volans 131 Sagitta 14 Norma 15 ^{※3} Bootes 16	1 Passage Lock 2 Privacy Lock 3 Indicator Lock	C Oval E Rectangle	SW Satin Silver SA Satin Amber SG Satin Gold SB Satin Black CR Chrome Plated PG Gold Plated AS Alumite Silver AA Alumite Amber	AG Alumite Gold SN Soft Nickel PC Pearl Chrome CG Champagne Gold BC BS Chrome SPC Shot Pearl Chrome SCG Shot Champagne Gold SBC Shot BS Chrome	25~28 29~33 34~36	
AP4 (bottom fix) (Resin)		2 Privacy Lock	A Oval	WH Pale white BK Black		25~26 27~28 29~33 34 35~39		
FU51(BS51) ^{※2} (Metal)	Aquila 01 ^{※3} Crux 02 Draco 03 ^{※3} Fornax 04 ^{※3} Grus 05 Hydra 06 Musca 07 Pavo 08	Pyxis 09 Lyra 10 Cygnus 11 Volans 131 Sagitta 14 Norma 15 ^{※3} Bootes 16	1 Passage Lock 2 Privacy Lock 3 Indicator Lock	C Oval K Oval E Rectangle	SW Satin Silver SA Satin Amber SG Satin Gold SB Satin Black CR Chrome Plated PG Gold Plated AS Alumite Silver AA Alumite Amber	AG Alumite Gold SN Soft Nickel PC Pearl Chrome CG Champagne Gold BC BS Chrome SPC Shot Pearl Chrome SCG Shot Champagne Gold SBC Shot BS Chrome	25 28~33	
AP4 (bottom fix) (Resin)		1 Passage Lock 2 Privacy Lock	M Round A Oval (Resin)	WH Pale white BK Black		25~26 28 29 30~34		
KU(BS32) (Resin)	Aquila 01 ^{※3} Crux 02 Draco 03 ^{※3} Fornax 04 ^{※3} Grus 05 Hydra 06 Musca 07 Pavo 08	Pyxis 09 Lyra 10 Cygnus 11 Volans 131 Sagitta 14 Norma 15 ^{※3} Bootes 16	1 Passage Lock 2 Privacy Lock 3 Indicator Lock	J Oval F Rectangle	SW Satin Silver SA Satin Amber SG Satin Gold SB Satin Black CR Chrome Plated PG Gold Plated AS Alumite Silver AA Alumite Amber	AG Alumite Gold SN Soft Nickel PC Pearl Chrome CG Champagne Gold BC BS Chrome SPC Shot Pearl Chrome SCG Shot Champagne Gold SBC Shot BS Chrome	25 28~33	
AP4 (bottom fix) (Resin)		2 Privacy Lock	D Oval (Resin)	W White BK Black		25~26 28~29(70~72) 30~32 33		
LU(BS32) (Resin)	Fornax 04 ^{※3} (side fix)	1 Passage Lock	T Oval	AS Alumite silver CR Chrome Plated		30		
BP4 (side fix) (Resin)		1 Passage Lock 2 Privacy Lock	S Oval (Resin)	WH Pale white BK Black		30		

Build to order method

Product Number Please refer to page 6 for product number.	Handle Fixation The standard is the bottom fix type. Please specify if you want the side fix type.	Faceplate Width The standard width is 25mm. The 22mm width is only available for FU and KU type.	Faceplate Type The standard for FL, FT, and FR type is round. The rectangle type is also available for FL, FR type. Meanwhile, FU, KU, LU can only use rectangle type.	Strike Plate Please specify if you don't need the strike plate or want a different type other than the standard.
--	---	---	---	---

Example on How to Write a Product Number when Ordering



Standard specification						Customized				
Lock Case Type	Lever Handle	Locks Function	Escutcheon Type	Finish	Door Thickness	Quantity	Handle Fixation	Faceplate Width	Faceplate Type	Strike Plate
Picture A Customized	F L	-	Musca	-	2	C	-	S G	28mm	○pcs
Picture B Customized	F T	-	Aquila	-	1	M	-	S W	30mm	○pcs
Picture C Standard	F R	-	Lyra	-	3	M	-	C R	35mm	○pcs
Picture D Standard	F U 3 2	-	Fornax	-	2	C	-	A S	25mm	○pcs
Picture E Customized	K U	-	A P 4	-	2	D	-	W	30mm	○pcs
Picture F Customized	L U	-	B P 4	-	2	S	-	W H	30mm	○pcs
							Handle Fixation	Faceplate Width	Faceplate Type	Strike Plate
	Blank (Standard)	Only standard	Rectangle	F Type						
	Blank (Standard)	Only standard	Blank (Standard)	P Type						
	Blank (Standard)	Only standard	Rectangle	Blank (Standard)						
	Blank (Standard)	Blank (Standard)	Only standard	Blank (Standard)						
	Bottom fix	22mm	Only standard	NA						
	Side fix	Only standard	Only standard	NA						

※ 1 : The escutcheon type depends on the type of lock case. Please be careful when specifying the product number.

※ 2 : Only FU lock case has two kind of backsets, 32 and 51.

※ 3 : Alumite finish can only applied for Aquila (01), Draco (03), Fornax (04), Norma (15) handle.

※ 4 : AP4 and BP4 type handles cannot be fitted in FL, FT, and FR lock case.


※ 5 : Please contact the Sales Division "tianjin6@kuriki-ss.co.jp" if your door thickness is not listed on page 6.

※ 6 : Our standard lock case is suitable for a right-hand door. Please refer to the product manual if you want to change it to fit on left-hand door.


Explanation of Right-Hand and Left-Hand

Kuriki Standard

We determine the right-hand or left-hand door by standing in the side of the door where you can see the hinges. If they are on your right side, then it is a right-hand door. Meanwhile, if they are on your left side, then it is a left-hand door.



Example (Foreign Countries)



Aquila Type 01



This lever comes with a column shape that gives to the handle a symmetrical and elegant look. The grip part is designed with a perfect diameter to create comfort and safety.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-CR



3M-CR

2E-SW

2J-CR

2C-SG

Crux Type 02



This lever has a beautiful, slim streamline design and a comfortable grip to give a perfect little touch to your room.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SW



3C-CR

2C-CR

2F-CR

2C-SG



Lever Handles

Draco Type 03



This lever has an adequate thickness to make you feel comfortable when gripping it. The design is also perfect to be used in a room with any ambience.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SG



3M-CR



2C-CR



2E-SW



3C-SW



1M-SA



3M-CR



1C-SW



3C-SG




2C-SA

Fornax Type 04



This simple and timeless design lever with an ideal grip thickness and a round-shaped edge creates comfort and safety.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-AS



3C-AS



2C-CR



2C-SG



2F-CR



1M-CR



3M-PG



3C-PG



1C-SW




2C-PG



Grus Type 05

This popular lever has been adapted in a five-stars hotel. Provided with a beautiful lining design, this is an ideal lever in terms of aesthetic and functionality.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



3M-CR



1C-SW



3C-SG




2C-SA



Hydra Type 06

This lever has a vast surface with a rounded shape on both edges, creating a gentle-looking and luxurious lever handle at the same time.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-CR




3M-PG



3C-PG



1C-SW



2C-PG

Lever Handles

Musca Type 07




The design of this lever is inspired by the smooth curve of a bird's feather. This lever is lightweight and the curved design creates comfortable and easy gripping.

Material: Aluminum

Standard Finish: SW·SA·SG·SB·CR·PG

Customizable Finish: PC·CG·BC·SPC·SCG·SBC

Door Thickness: 28~40mm



1M-SW



3M-PG



2C-CR



1C-SW



2J-CR



1M-PG



3C-CR



2C-CR



2E-SW



3J-CR

07

Pavo Type 08




This lever has a convex design to fit the palm. The ideal thickness is also adjusted to create comfortable gripping.

Material: Aluminum

Standard Finish: SW·SA·SG·SB·CR·PG

Customizable Finish: PC·CG·BC·SPC·SCG·SBC

Door Thickness: 28~40mm



1M-CR



1M-PG



3C-SW



2M-SG



2E-SW



2J-CR



3M-PG



3C-SW



2K-SW



2J-CR



Pyxis Type 09


The curved line of this lever is reminiscent of the water and wind flow. This lever creates a unique appearance and a comfortable gripping.

Material: Aluminum

Standard Finish: SW·SA·SG·SB·CR·PG

Customizable Finish: PC·CG·BC·SPC·SCG·SBC

Door Thickness: 28~40mm



Lyra Type 10




This lever has a short and roundish design, creating a unique style, perfect for giving a statement in their room.

Material: Aluminum

Standard Finish: SW·SA·SG·SB·CR·PG

Customizable Finish: PC·CG·BC·SPC·SCG·SBC

Door Thickness: 28~40mm




Lever Handles

Cygnus Type 11



This lever has an adequate weight and a convex shape. Not only it emphasizes the comfort of usability, but it also creates the sense of casual perfect for a room with minimal decoration.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-SA



2M-SG



2C-SA



2C-SG



2L-SG




1M-PG

Sagitta Type 14



This solid lever is heavier than the others. The angled cutting combines with the bent gripping part creates an unquestionably unique design.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



2K-PG



2C-CR



2F-CR




2J-CR

Volans Type 131



This lever has a basic round bar with a raised part in the middle of the lever, offering a unique design.

Material: Zinc
Standard Finish: SW·SA·SG·SB·CR·PG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm



1M-CR



1M-CR



3C-CR



3M-PG



3M-CR



2C-PG



1L-SG



2F-CR



3C-PG



2C-SG




Norma Type 15

This slim and simple lever is suitable for a room with less decoration and a modern ambiance. This lever has also been adapted in a five-stars hotel.

Material: Aluminum
Standard Finish: SW·SA·SG·SB·CR·PG·AS·AA·AG
Customizable Finish: PC·CG·BC·SPC·SCG·SBC
Door Thickness: 28~40mm

※The shape varies slightly depending on the finish.



Lever Handles

Bootes Type 16




This is also one of the popular lever that's been adapted in a five-stars hotel. This lever has a solid design and an excellent functionality suitable for your room.

Material: Aluminum

Standard Finish: SW·SA·SG·SB·CR·PG

Customizable Finish: PC·CG·BC·SPC·SCG·SBC

Door Thickness: 28~40mm



1M-SW



2C-CR



2C-SG



3C-SW



3M-CR



1M-WH


AP4 · BP4 Type (Resin Lever)



This lever combines simple design and strong durability, suitable for bathroom use. The AP4 type has a bottom fix screw, while the BP4 has a side fix screw.

Material: Resin

Standard Finish: WH·W·BK



2A-WH



2D-W



2S-WH



1S-WH



2A-BK



Lock Case Set




AP Type
(bottom fix)



BP Type
(side fix)




SAKURA




SENSU


■Appropriate door thickness 28~36mm



Installation View




Privacy Lock · Indicator Lock



FT Lock Case Cutaway View


■Appropriate door thickness 28~36mm



Rectangle Escutcheon (L Type)



Oval Escutcheon (C Type)






... Shows the cut out part.

... Shows the cut out part.

FU (BS32) Lock Case Cutaway View

■Appropriate door thickness 28~36 mm







 ...Shows the cut out part.

FU (BS51) Lock Case Cutaway View

■ Appropriate door thickness 28~36 mm

■ Special Feature Lock (Available for Customization)


We can provide a lock with a special feature, a mechanism that automatically unlocks the door if someone accidentally locks the door, even when the door is closing.



... Shows the cut out part.


KU Lock Case Cutaway View

■Appropriate door thickness 25, 28, 30, 33 mm




LU Lock Case Cutaway View


■Appropriate door thickness 30 mm




Rectangle Escutcheon (F Type)
Privacy Lock · Indicator Lock



For Aluminum Frame Door



For Aluminum Frame Door



... Shows the cut out part.

... Shows the cut out part.

Door Parts

Door Parts

Hinged Door Soft Closer



45kg
OK



This door closer is suitable for indoor use, either on a new or an existing door. It helps to reduce the unpleasant noise of the door hitting the frame and prevent it from slamming shut. The door closer will decelerate the speed of the door at ± 40 mm towards the end and automatically pull the door to close perfectly. The installation can be done easily using the attached pattern paper. Once installed, the closing speed can be adjusted. Compared to the other products, ours has outstanding durability as it has passed 500,000 times during the performance test.

Adjustable range: Up- down ± 5 mm, right- left ± 5 mm,
front- back ± 4 mm

Material: <Main unit/ Spool bracket>Resin, Steel
<Liner>Steel

Hinged Door Soft Closer

Product No.			
LH	RH	Door Weight	Finish/Color
312021	312025	10~30kg	Gold Painting
312022	312026	(98~294N)	Silver Painting
312023	312027	※1	Gray
312024	312028		Brown
312051	312055	45kg	Gold Painting
312052	312056	(441N)	Silver Painting
312053	312057	※2	Gray
312054	312058		Brown

Screw included:

<Bracket>
4 x 30 Binding head tapping screw 2pcs


<Main unit>

4 x 30 Pan head tapping screw 2pcs
4 x 20 Flat head tapping screw 3pcs
M4 x 12 Pan head machine screw 2pcs
M4 Flat washer 2pcs

※1 Recommended door weight: 10~25kg
※2 Recommended door weight: 26~40kg



Gray (R)



There are LH and RH.



Brown (R)




Gold Painting (R)



Silver Painting (R)



Door Installation Liner




Right Hand




Right Hand


The arm extends once it is released from the spool bracket.




Main Unit (L)




Main Unit (R)




Spool Bracket (L)




Spool Bracket (R)




Door Installation Liner
Not Install




Door Installation Liner
Install




Door Installation Liner




Door Installation Liner
Install




Above View



Front view




Side view



Below View



Installation Drawing
(showing right hand opening)



※ This drawing is only for reference.
For installation, please use the manual and pattern paper attached to the product.

Concealed Hinged Door Closer



A concealed hinged door closer for indoor use provides the functionality of an overhead door closer but is fitted within the door leaf and frame. This product helps decelerate the speed of the door at ± 100 mm towards the end and self-closing itself slowly to reduce the unpleasant noise of the door hitting the frame and prevent pinched finger accidents. In addition, this type of installation is aesthetically pleasing and helps reduce vandalism, as most of the door closer is hidden from sight. Once installed, the closing speed can also be adjusted.

Material: <Main unit>ZDC
<Spool bracket>Resin
Load capacity:30kg(297N)
※Please contact us for 70kg(686N) specifications.

Concealed Hinged Door Closer

Product No.
LH RH Finish/Color
312072L 312072R Brown

Screw included:

<Spool bracket>
4 x 30 Truss head tapping screw 2pcs
4 x 20 Flat head tapping screw(D7) 1pcs

<Main unit>
4 x 30 Truss head tapping screw 4pcs


Attachment:Allen wrench

There are LH and RH.




The arm extends once it is released from the spool bracket.


Movable range of arm : $75^{\circ} \sim 90^{\circ}$
(Adjustable between 15°)




Closer main unit




Closer bracket



Match the roller to the center position of bracket's guide groove.
(Use adjusting screw for movable range of arm to matching center position.)
※If the roller doesn't match the center position, it will not back to its original position automatically.




Side view




Front view

Assembly drawing
(The drawing shows the door is right hand and door thickness is 35mm.)
※ This drawing is only for reference.
For installation, please use the manual attached to the product.



Before stopping



During operation



After operation

Smart Door Stopper (Magnet Type)



Using a magnet with a strong force, this door stopper can hold a door open and helps eliminate any damage to the adjoining wall. The installation is effortless and can be fixed either on a new or existing door. The mounting screws are invisible, and the height of the floor-mounted part is only 3 mm making this product barrier-free. This door stopper also passed the 100,000 times performance test. Moreover, this product won the Good Design Award for its seamless and smart design while maintaining maximum functionality.

Material: <Main unit> Magnet, Resin
<Base> Resin, Stainless

Load Capacity: 30kg(294N)



White



Silver



White



Silver



Gold



Silver Painting



Gold



Silver Painting



Gold Painting



Chrome Plating



Gold Painting



Chrome Plating



Doors Keeper (Magnet Type)

This door keeper uses a strong magnetic force that works well on a heavy door to stop it. Pushing the door once it is stopped will turn it into a lock position, and there will be no chance of it slipping and swinging through when opened. However, it will need a little to no effort to pull and close the door. The installation is effortless and can be fixed either on a new or existing door. In addition, the floor-mounted part is only 3 mm making this product barrier-free. This durable doorkeeper has also passed the 100,000 times performance test and won the Good Design award for its smart design while maintaining maximum functionality.

Material: <Main unit> Magnet, Resin
<Base> Resin, Stainless

Load Capacity: 100kg(980N)



White



Silver



Gold





Silver Painting

Screw included:
<Main unit> 4 x 20 Pan head tapping screw 4pcs
<Base> 3 x 12 Flat head tapping screw 4pcs

Product No.	Finish/Color
220261	White
220262	Silver
220263	Gold
220264	Silver painting
220265	Gold painting
220266	Chrome plating

Screw included:
<Main unit> 4 x 20 Pan head tapping screw 4pcs
<Base> 3 x 12 Flat head tapping screw 4pcs

Product No.	Finish/Color
220271	White
220272	Silver
220273	Gold
220274	Silver Painting
220275	Gold Painting
220276	Chrome Plating



Concealed Type

Door Parts



Pivot Hinge


This hinge is fixed in the top and bottom of the door. The design is slim, so it doesn't interfere with the design of the door. Once the bottom part is fixed, the upper part is easily set by pulling down the upper pin and put it back in place. Once installed, the front-back, right-left, up-down adjustment can be made easily using a screwdriver. This type of hinge is very durable as it has passed 200,000 operation tests, and it is also available in four high-quality finishing colors.

Material: <Main unit>Steel, ZDC <Cover>Resin

Load Capacity: 30kg(294N)

Recommended Door Thickness: 33mm

Adjusting Range: Front-Back ± 2 , Left-Right ± 2
Up-Down +2mm, -4mm



Upper Bracket



Upper Main unit



Lower Main unit



Lower Main unit



No cover With cover



Gold Painting Silver Painting Satin Silver Chrome Plating

Pivot Hinge

Product No.



LH	RH	Lower Bracket	Finish/Color
215011	215015	No cover	Gold Painting
215012	215016		Silver Painting
215013	215017		Satin Silver
215014	215018		Chrome Plating
215011N	215015N	With cover	Gold Painting
215012N	215016N		Silver Painting
215013N	215017N		Satin Silver
215014N	215018N		Chrome Plating

Screw included:




<Upper Bracket> 3.5 \times 25 Flat head tapping screw 4pcs

<Lower Bracket> 3.5 \times 25 Flat head wood screw 3pcs

<Main unit> 3.5 \times 30 Flat head tapping screw 6pcs



Drawing for Installation (Drawing for Right-Hand)
※ Digging is necessary on door and frame.




※ This drawing is Right-Hand



Silver Painting (R)




Amber Painting (R) Gold Painting (L)



※ This drawing is Right-Hand




Amber Painting (R)



※ This drawing is Right-Hand




Gold Painting (R)



※ This drawing is Right-Hand



Raw Material (R)



※ This drawing is Right-Hand



Amber Painting (R) Gold Painting (R)

Butt Hinge

This standard type hinge consists of knuckles and leaves. The leaves use high-strength steel, and the hinge itself has passed 200,000 operation tests. Thus, this hinge has excellent strength and durability. In addition, the installation can be done easily as the leaves can be removed and then attached to the door and frame separately. The knuckles are also easy to insert and remove to ease the fixing process.

Material: Steel
Load Capacity: 30kg(294N)_When using 2pcs

Butt Hinge

Product No.

Left-Hand	Right-Hand	Finish/Color
201021	201011	Silver Painting
201022	201012	Amber Painting
201023	201013	Gold Painting

Screw included: 4 \times 25 Flat head tapping screw 10pcs



Lift Off Hinge

This flag hinge uses high-strength steel for the leaves part, and the hinge itself has passed 200,000 operation tests. Thus, this hinge has excellent strength and durability. In addition, the installation can be done easily as the leaves can be removed and then attached to the door and frame separately. The knuckles are also easy to insert and remove to ease the fixing process.

Material: Steel
Load Capacity: 30kg(294N)_When using 2pcs

Lift Off Hinge

Product No.

Left-Hand	Right-Hand	Finish/Color
201222	201212	Amber Painting
201223	201213	Gold Painting

Screw included: 4 \times 25 Flat head tapping screw 8pcs



Stainless Lift Off Hinge

The leaves of this flag hinge uses SUS 304 with excellent resistance to corrosion and rust. Also, the hinge itself has passed 200,000 operation tests. Thus, this hinge has excellent durability. The installation can be done easily as the leaves can be removed and then attached to the door and frame separately. The knuckles are also easy to insert and remove to ease the fixing process.

Material: Stainless
Load Capacity: 30kg(294N)_When using 2pcs

Stainless Lift Off Hinge

Product No.

Left-Hand	Right-Hand	Finish/Color
201521	201511	Raw Material
201522	201512	Amber Painting
201523	201513	Gold Painting

Screw included: 4 \times 25 Flat head tapping screw 8pcs

Door Parts



Reversible Door Stopper

This reversible door stop is applicable on a right or left-hand door. By using this, it allows the door to be opened up to 90°. Furthermore, since this device is mounted on the top of the door instead of the floor, this door stopper is safe as it eliminates tripping hazards. This product has also passed 200,000 operation tests which ensure its durability in the long term.

Material: <Bracket>Stainless
<Door Stop part>Rubber

Load Capacity:30kg(294N)


Left or Right-Hand:Common use

Reversible Door Stopper

Product No.	Finish/Color	Rubber Color
220212	Raw Material	Black
220214	Gold Painting	
220216	Raw Material	White
220218	Gold Painting	

Screw included:

3.5×35 Flat head tapping screw 4pcs



Public Housing Door Stopper



This type of door stopper is applicable on a right or left-hand door. This device helps the door stop once the rubber part hits the wall without damaging it. In addition, since this door stopper is mounted on the top of the door instead of the floor, this device is safe to use as it eliminates tripping hazards.

Material: <Bracket>Stainless
<Door Stop part>Rubber

Load Capacity:30kg(294N)


Left or Right-Hand:Common use

Public Housing Door Stopper

Product No.	Finish/Color	Rubber Color
220221	Raw material	White
220223	Gold Painting	

Screw included:

3×16 Flat head wood screw 3pcs



Upper Frame Door Stopper



As its name, this door stopper is fixed on the upper frame of the door. It allows the door to be opened up to 90°. Furthermore, since this device is mounted on the top of the door instead of the floor, this door stopper is safe as it eliminates tripping hazards.


Material: <Bracket>Stainless
<Door Stop part>Rubber

Load Capacity:30kg(294N)


Upper Frame Door Stopper

Product No.	Left-Hand	Right-Hand	Finish/Color	Rubber Color
220241	220231		Raw Material	White
220243	220233		Gold Painting	


Screw included: 4×25 Flat head tapping screw 4pcs




There are LH and RH.



Natural Wood



Medium Birch



Ivory

Cutaway view

Door Louver



This door louver is mainly used in nursing homes. It has 39% aperture ratio, which is suitable for the door to provide cross-flow and help maintain a healthy environment. It is available in three different colors to match the color of the doors used in most hospitals or other facilities.

Material:Resin

Door Louver

Product No.	Specification	Finish/Color
630051	For one side	Natural Wood
630031		Medium Birch
630011		Ivory
630061	For both sides	Natural Wood
630041		Medium Birch
630021		Ivory

Reversible door thickness:28~33mm

※ Please contact us, if you want other colors.



30mm~



Flush Bolt

Using a rod flatten in some parts, this flush bolt will secure the inactive leaf of a pair of doors. The special feature also prevents the inactive door from shaking and rattling. The product is available in 5 different colors to match any color of doors.




Material: Resin, Stainless

Flush Bolt

Product No.	Specification	Finish/Color
225013	Strike Plate set	Gold
225015		Silver
225017		Amber
225019		Natural
225021		Gray
225113	Strike Bracket set	Gold
225115	(Depth 15mm)	Silver
225117		Amber
225119		Natural
225121		Gray
225213	Strike Bracket set	Gold
225215	(Depth 20mm)	Silver
225217		Amber
225219		Natural
225221		Gray

Screw included:

<Flush Bolt>
3.5×32 Flat head wood screw 3pcs
<Strike Plate, Strike Bracket>
4×20 Flat head tapping screw(D7) 2pcs



Light Indicator Lens

This device helps users recognizing if the light inside a room is on from outside. The indicator lens can be easily attached to the door by pushing it into the hole (prior drilling needed). The thin ring on both ends is designed with a wider surface to hide the mark of the drilled hole on the door. It is available in three types: round type with $\Phi 35$ and $\Phi 38$, also square type.





Round Type 35

The design is thin and well-trimmed, so it does not muddle the design of the door. We provide 7 different colors to complement any doors color.

Material: Resin
Door Thickness: 28~36mm

Round Type 35

Product No.	Finish/Color
250311	Birch K
250312	Natural N
250313	White W
250314	Cherry C
250315	Brown B
250316	Dark D
250317	Painting (HL Color)




Round Type 38

Not only available in a convex lens, but the standard type also has a lens shaped like a diamond cut to reflect the light better. In addition, this type is available in 11 different colors to complement any doors color.

Material: Resin
Door Thickness: 28~36mm

Round Type 38

Product No.	Finish/Color	
250111	Dark	DA
250112	Medium	ME
250113	Beige	BJ
250114	Light	LT
250115	Milky	MK
250116	Pearl	PA
250117	Smoke	SK
250118	White	WA
250119	Black	BK
250120	Gold Painting	BG
250128	Silver Painting	BS




Round Type 35 (O-ring specifications)

It is a $\Phi 35$ O-ring specification.
Uses an O-ring to make it difficult to loosen.

Material: Resin
Door Thickness: 28~36mm

Round Type 35 (O-ring specifications)

Product No.	Finish/Color
250318	Clear



Clear



HL (Hairline)



Mirror Finish




Square Type 38

This product has a sharp design on both edges to enhances the look of the door.
This square type is available in two exclusive finishes to complement any doors color.

Material: Stainless, Resin
Door Thickness: 28~36mm

Square Type 38

Product No.	Finish/Color
250211	HL (Hairline)
250212	Mirror Finish



Sliding Door Parts

Lever Handles

Door Parts

Sliding Door Parts

Accessories

Cabinet Parts • Handrail

Euro Series

Aftermarket Parts



Clear Cut Hook Lock

This hook lock for indoor sliding doors is good to prevent the door from accidentally being locked. It's impossible to operate the lock unless the door is hitting the trigger part and close perfectly. The product is universal as it can be configured with a standard lever or UD lever with a bigger grip so that everybody can use it easily. UD lever also uses blue and orange indicators, which is easier for anyone to recognize. The cylinder type uses a dimple key that provides 100 combinations, and there are 2 master keys available to generate 126 different child keys combinations. (Please contact us for further details.)

The lock is available in 4 different functions.

The escutcheon is available in round and square types. The thumb turn is available in standard thumb turn type, standard lever type, and UD lever type.

Available in 6 different colors to guarantee a perfect harmony with the different series of sliding doors.

Material: <Rose> Aluminium
<Lever> ZDC

<Lock Case, Strike> Stainless Steel

Door Thickness: 30~40mm

Strike Installation Range: Up-Down ± 5mm, Depth 3.5mm

Screw included:

<Rose>
M4 Flat head machine screw (D6) 2pcs
(Refer to the Rose fixing screw / Spindle specification table)
<Lock case>
3.5 × 20 Flat head tapping screw (D7) 2pcs
<Strike>
3.5 × 20 Flat head tapping screw (D7) 2pcs



Clear Cut Hook Lock (Indicator lock)

Bottom Lock BS51
The hook lock strikes out from the bottom. Back set is 51 mm.



Clear Cut Hook Lock (Indicator lock)



Clear Cut Hook Lock (Indicator lock)



Clear Cut Hook Lock (Indicator lock)

Dead Bolt Lock BS51
The hook lock strikes out from above. At the same time, the dead bolt protrudes. Back set is 51 mm.

Adjustable Strike (Top Lock)

Top Lock BS38

The hook lock strikes out from above. Back set is 38 mm.

Top Lock BS51

The hook lock strikes out from above. Back set is 51 mm.



Rose fixing screw / Spindle specification table

Indicator, Privacy lock

Door thickness (mm)	30~34	35~39	40
Rose fixing screw	M4 × 16	M4 × 25	
UD Lever type	M4 × 30		


Cylinder lock

Door thickness (mm)	30~35	36~39	40
Rose fixing screw	M4 × 16	M4 × 25	
UD Lever type	M4 × 30		
Spindle length (only spindle)	L21(17.8)	L27(23.8)	

Two sides Thumb-turn


Door thickness (mm)	30~34	35~39	40
Rose fixing screw	M4 × 10	M4 × 16	M4 × 20
UD Lever type	M4 × 25	M4 × 30	

Spindle	L27	L32	L37.5



Indicator lock (Outdoor side)

Standard type (Indoor side)



Privacy lock

Indicator lock


Cylinder lock

Standard type

Lever type

UD Lever type

Round Type




Privacy lock

Indicator lock

Cylinder lock

Standard type

Square Type



Satin Gold

Satin Silver


Gloss Gold

Chrome Plating


Silver Painting

Black Painting


Finish/Color




Strike digging drawing



Lock case digging drawing



Adjustable Strike



Clear Cut Hook Lock

Example on How to Write a Product Number when Ordering

	①	②	③	④	⑤	⑥
Picture A	NT38R	R	S3	SW	04	
Picture B	NT51R	S	S3	TB	04	
Picture C	NU51R	R	S2	SW	04	
Picture D	ND51R	S	S6	TB	05	65

- ※ Cylinder lock comes with 2 keys.
- ※ When specifying the key number, enter the key number in the remarks column.
- ※ The finishing color of the strike plate and faceplate is hairline.
- ※ Master key with master key specifications is sold separately.
- ※ Please contact us about the purchase of master keys.

Lock Case • Adjustable Strike


Product No.

BS38	BS51	Product Name
NT38R	NT51R	Top Lock Case (Round type faceplate)
NT38S	NT51S	Top Lock Case (Rectangle type faceplate)
—	NU51R	Bottom Lock Case (Round type faceplate)
—	NU51S	Bottom Lock Case (Rectangle type faceplate)
—	ND51R	Dead Bolt Lock Case (Round type faceplate)
—	ND51S	Dead Bolt Lock Case (Rectangle type faceplate)
224580	same	Adjustable Strike, Top Lock (Round type faceplate)
900022	same	Adjustable Strike, Top Lock (Rectangle type faceplate)
—	224589	Adjustable Strike, Bottom Lock (Round type faceplate)
—	224590	Adjustable Strike, Bottom Lock (Rectangle type faceplate)

Spare Key

Product No.

BS38	BS51	Product Name
224581	same	Spare key (No.000)
224582	same	Spare key (No.B000)
224583	same	Spare key (No.D000)



TS Hook Lock



TS Hook Lock is a well-design product winning the Good Design Award. It combines a hook lock and a puller in one unit to be attached to an indoor sliding door. The lock-unlock operation can be done easily by sliding the knob up and down (see fig. Detailed photo 1). It has a streamlined design and a vast surface with some textured parts to highlight a modern minimalist style. On cylinder type, a dimple key with 100 combinations is used to ensure safety. The strike plate is available with or without a trigger, and there are 6 different colors to complement any sliding door color.

Material: <Pull>ZDC
<Lock Case, Strike>Stainless, Steel

Door Thickness: 28~36mm

Strike Installation Range: Up-Down ± 5mm, Depth 3.5mm

TS Hook Lock

Product No.	Key	Specification	Finish/Color
224701	224701T	Privacy lock	Gloss Pearl Chrome
224702	224702T		Black Gold
224703	224703T		Satin Silver
224704	224704T		Black Silver
224705	224705T		Matte Black Painting
224706	224706T		Chrome Plating
224711	224711T	Indicator lock	Gloss Pearl Chrome
224712	224712T		Black Gold
224713	224713T		Satin Silver
224714	224714T		Black Silver
224715	224715T		Matte Black Painting
224718	224718T		Chrome Plating
224721	224721T	Cylinder lock	Gloss Pearl Chrome
224722	224722T	※1	Black Gold
224723	224723T		Satin Silver
224724	224724T		Black Silver
224716	224716T		Matte Black Painting
224719	224719T		Chrome Plating
224725	224725T	Cylinder lock	Gloss Pearl Chrome
224726	224726T	※1・※2	Black Gold
224727	224727T		Satin Silver
224728	224728T		Black Silver
224717	224717T		Matte Black Painting
224720	224720T		Chrome Plating
224748	224748T	Lock Case (Round type faceplate)	
224749	224749T	Lock Case (Rectangle type faceplate)	
224580	224580	Adjustable Strike (Round type faceplate)	
224598	224598	Adjustable Strike (Rectangle type faceplate)	
224750	224750	Spare key	

Half indicator. (It only show red color when it locked.)

※1 With 2 keys.

※2 This cylinder doesn't protrude.

(Only for 33~36mm door thickness.)

※ The strike plate and faceplate is also available in rectangle type.

※ The finishing color of the strike plate and faceplate is hairline.

Screw included:

<Pull>

M4×25 Flat head machine screw(D7) 2pcs

<Lock Case>

3.5×20 Flat head tapping screw(D7) 2pcs

<Strike>


3.5×20 Flat head tapping screw(D7) 2pcs




Outdoor side



TS Hook Lock




TS Hook Lock + Adjustable Strike



Strike digging drawing

Pull-Lock Case digging drawing



Detailed photo 1

With trigger

When the sliding door is open, the hook doesn't protrude. The trigger retracts into the case when the sliding door is closed.





NS Automatic Hook Lock

By adding up a magnet, this product not only can prevent the door from not closing perfectly or bouncing back. But it can also automatically lock the door by dropping the hook once the door is pulled to close entirely by the magnet force. Pull the puller to lift the hook, and the door will become moveable. The product without a lock is also an option for your sliding door.

Material: <Pull> Resin
<Lock Case, Strike> Stainless, Steel
Door Thickness: DT33_29.5~34.5mm, DT36_34.6~39.0mm
Strike Installation Range: Up-Down ±4mm, Depth 4mm

NS Automatic Hook Lock

Product No.	Key Specification	Finish/Color
DT33	DT36	
224621	224624	Passage lock Chrome Plating
224622	224625	Gold Painting
224623	224626	Silver Painting
224631	224634	Privacy lock Chrome Plating
224632	224635	Gold Painting
224633	224636	Silver Painting
224641	224644	Indicator lock Chrome Plating
224642	224645	Gold Painting
224643	224646	Silver Painting
224651	224654	Puller Chrome Plating
224652	224655	Gold Painting
224653	224656	Silver Painting

※ □: Enter R for the front Round type or S for the Rectangle type.

※ The price is for one inside and one outside set.

※ The finish of the front of the lock case and the strike is barrel polishing.

Screw included:

<Pull> M3 × 30 Flat head machine screw 2pcs

<Lock Case> 4 × 20 Flat head tapping screw 2pcs

<Strike> 4 × 20 Flat head tapping screw 2pcs



NS Automatic Hook Lock (Indicator lock)



Round type

Square type



Passage lock

Privacy lock

Indicator lock



Puller (no lock)



Chrome Plating


Gold Painting

Silver Painting

Locked
Unlocked
Indoor sideLocked
Unlocked
Outdoor side

Adjustable Strike

NS Automatic Hook Lock




Digging process drawing



When the sliding door approaches the jamb (strike plate), the magnet will attract each other, then the hook will automatically strikes down and lock.




Pull the puller to lift the hook.



NS Automatic Hook Lock



How it Works





CL Automatic Hook Lock

Not only provides the automatic-locking mechanism and other extensive practical benefits, but this lock is also designed exclusively to meet the demand for a good product, functionally and aesthetically. This product uses metal as the material, offering a solid and deluxe appearance, and the screws are also fixed in a concealed position, creating a seamless-looking product.

Material: <Pull> ZDC
<Lock Case, Strike> Stainless Steel
Door Thickness: 30~46mm
Strike Installation Range: Up-Down ± 4mm, Depth 4mm

CL Automatic Hook Lock (Door Thickness: 30~32mm)

Product No.	Key Specification	Finish/Color
224679	Passage Lock	Chrome Plating
224680		Satin Silver
224681		Black Painting
224661	Privacy lock	Chrome Plating
224662		Satin Silver
224663		Black Painting
224664	Indicator lock	Chrome Plating
224665		Satin Silver
224666		Black Painting



CL Automatic Hook Lock (Front Round type)

CL Automatic Hook Lock (Door Thickness: 33~36mm)

Product No.	Key Specification	Finish/Color
224682	Passage Lock	Chrome Plating
224683		Satin Silver
224684		Black Painting
224667	Privacy lock	Chrome Plating
224668		Satin Silver
224669		Black Painting
224670	Indicator lock	Chrome Plating
224671		Satin Silver
224672		Black Painting



Passage Lock Privacy lock Indicator lock

CL Automatic Hook Lock (Door Thickness: 37~46mm)

Product No.	Key Specification	Finish/Color
224685	Passage Lock	Chrome Plating
224686		Satin Silver
224687		Black Painting
224673	Privacy lock	Chrome Plating
224674		Satin Silver
224675		Black Painting
224676	Indicator lock	Chrome Plating
224677		Satin Silver
224678		Black Painting



Chrome Plating Satin Silver Black Painting

※ □: Enter R for the front Round type or S for the Rectangle type.

※ The price is for one inside and one outside set.



※ The finish of the front of the lock case and the strike is barrel polishing.

Screw included:


<Pull> M3 × 10, 15, 18 Flat head machine screw 2pcs
(Depends on the door thickness.)

<Lock Case> 4 × 20 Flat head tapping screw 2pcs

<Strike> 4 × 20 Flat head tapping screw 2pcs




CL Automatic Hook Lock




Digging process drawing




When the sliding door approaches the jamb (strike plate), the magnet will attract each other, then the hook will automatically strikes down and lock.



Pull the puller to lift the hook.



How it Works



Top Hung Soft Closer Set



Made to be installed on an indoor sliding door, this top-hung damper will slowly pull the door from ± 70 mm before it closes. Thus, it can reduce the unpleasant noise of the door hitting the frame. The door will close completely without any gap regardless of the strength or speed adjusted during the installation. This product has passed the 200,000 times operation test and comes with an adjustable roller, and wheels with bearing for optimal long-term performance. Not only offering excellent technical function, but this soft closer is also fully recessed to embraces a stylish architectural appearance. This top hung soft closer can be attached to both ends of the door. $\heartsuit 1$

$\heartsuit 1$ Please contact us for further details.

Material: <Main unit, Hook>Stainless
<4 Wheels Adjuster>Resin
<Sliding Door Rail>Aluminum
<Guide Pin>Stainless, Resin

Load Capacity:30kg(294N)

Installation Range:Up-Down \pm 3mm, Left-Right \pm 2mm

Finish/Color:<Main unit, Hook>Raw Material

<4 Wheels Adjuster>Amber-White
<Sliding Door Rail>Silver
<Guide Pin>Raw Material

Top Hung Soft Closer Set

Product No. Finish/Color Rail Length(mm)

312031	Amber	1,820
312032		2,730
312033		3,640
312031W	White	1,820
312032W		2,730
312033W		3,640

Set contents:

Top Hung Soft Closer 1pcs, Hook 1pcs
4 Wheels Adjuster 2pcs, Sliding Door Rail 1pcs

Anti-Shake Guide Pin 1pcs

Screw included:

<Hook>
3 \times 16 Flat head tapping screw 2pcs

<4 Wheels Adjuster> \heartsuit Including Soft Closer

3.5 \times 12 Flat head tapping screw 2pcs

3.5 \times 20 Pan head tapping screw 4pcs


<Sliding Door Rail>

3.5 \times 45 Flat head tapping screw

(The number depends on the rail length.)

<Anti-Shake Guide Pin>

3.5 \times 25 Flat head tapping screw 2pcs



Top Hung Soft Closer



Top Hung Soft Closer


Top Hung Soft Closer

Product No. Finish/Color


312037	Amber
312037W	White

Set contents:

Top Hung Soft Closer 1pcs
Hook 1pcs



Drawing for Installation



4 Wheels Adjuster



This product has passed the 200,000 times operation test and uses wheels with bearing for smooth performance. In addition, the lower part can be detached and initially installed to the sliding door with one touch.

Material:Resin, Steel

Load Capacity:30kg(294N)

Installation Range:

Up-Down \pm 3mm, Left-Right \pm 2mm

4 Wheels Adjuster

Product No. Finish/Color


320021	Amber
320021W	White

\heartsuit 1pc price.

Screw included:

3.5 \times 12 Flat head tapping screw 1pcs

3.5 \times 20 Pan head tapping screw 2pcs



Sliding Door Rail

(without hole for the hook)

Material:Aluminum

Load Capacity:30kg(294N)

Sliding Door Rail

Product No. Length(mm) Finish/Color

310512	1,820	Silver
310522	2,730	
310532	3,640	

Screw included:

3.5 \times 45 Flat head tapping screw

(The number depends on the rail length.)



Anti-Shake Guide Pin

This pin helps the door running in the track, prevents it from swinging and shaking during opening or closing. When it collides with the door, the cylinder will spin, and the door will operate smoothly. Additionally, as it is concealed by the door, it doesn't interfere with the architectural appearance and causes no dangers for the user.

Material:Stainless, Resin

Load Capacity:30kg(294N)


Anti-Shake Guide Pin

Product No. Finish/Color

320084	Raw Material

Screw included:

3.5 \times 25 Flat head tapping screw 2pcs



4 Wheels Adjuster·Rail set

4 Wheels Adjuster·Rail set

Product No. Finish/Color Rail Length(mm)

312034	Amber	1,820
312035		2,730
312036		3,640
312034W	White	1,820
312035W		2,730
312036W		3,640

Set contents:

4 Wheels Adjuster 2pcs, Sliding Door Rail 1pcs, Anti-Shake Guide Pin 1pcs



Sliding Door Soft Closer



This external type of soft closer can be installed on existing sliding doors. This door damper will catch closing doors ± 50 mm before the thud and then softly and silently close them. Thus, it reduces the unpleasant noise of the door hitting the frame and prevents the door from bouncing back. The door will close perfectly without any gap regardless of the strength or speed adjusted during installation. Compared to conventional products, this soft closer has twice better durability (passed 500,000 times operation tests).

It is also possible to modify this product to a concealed type. \Rightarrow 1

\Rightarrow 1 Please contact us for further details.

Material: Stainless+Resin
Load Capacity: 60kg(588N)




Finish:
<Stainless>Hairline+Painting
<Resin>Material coloring

Sliding Door Soft Closer


Product No.	Door Weight	Finish/Color
312061	30kg (294N)	Gold Painting
312062		Silver Painting
312063		Hairline
312064		Brown Painting
312065	60kg (588N)	Gold Painting
312066		Silver Painting
312067		Hairline
312068		Brown Painting

Screw included:

<Main unit>
3.5×40 Flat head tapping screw 2pcs
<Trigger>
3.5×25 Binding head tapping screw 2pcs



Drawing for Installation



Concealed Soft Closer



This is a door damper for an indoor bottom-running sliding door. It will slowly pull the sliding door from about 80mm before the end, and then it will close slowly and quietly. The door will close completely without any gap regardless of the strength adjusted during the installation. As this product is a concealed type, it will not disintegrate the architectural appearance. In addition, this soft closer has also passed 200,000 times operation tests which guarantee long-term use.





Material:Stainless, Resin
Load Capacity:25kg(245N)

Concealed Soft Closer


Product No. Finish/Color
312012 Raw Material

Set contents:

Soft closer 1pcs, Hook 1set
Screw included:
<Main unit>
3.5×20 Truss head tapping screw 2pcs
<Hook>
3×16 Flat head tapping screw 4pcs



Drawing for Installation



Sliding Door Parts



KT Adjustable Roller

Using this device, adjusting the sliding door position to maintain a smooth operation is possible as, over time, the door will slightly change due to weather and friction.


Material: Resin, Steel
Load Capacity: 30kg(294N)

Installation Range:
Upper_Left-Right \pm 2mm
Lower_Up-Down \pm 3mm, Left-Right \pm 2mm
Appropriate Rail: Upper_Lintel Rail, Lower_T Rail

KT Adjustable Roller


Product No.	Specification	Finish/Color
301332	Upper side	Amber
301342	Lower side	

※ 1 pc price.
Screw included:
4 \times 30 Flat head tapping screw 1pcs




Upper side

Lower side




Lower side




Single Rail


Double Rails




Triple Rails



Single Rail



Double Rails



Triple Rails



Lintel Rail




Material: Aluminum
Finish/Color: Amber

Lintel Rail


Product No.	Specification	Length (mm)
310312A	Single Rail	1,820
310312B		2,730
310312C		3,640
310412A	Double Rails	1,820
310412B		2,730
310412C		3,640

Screw included:
3.5 \times 12 Flat head tapping screw
(The number depends on the rail length.)




Single Rail


Double Rails



Single Rail



Double Rails



Example of use



30kg OK
Tools
Person

T Floor Rail

This rail is used together with the lower KT Adjusting Roller. As the height of the rail is only 3 mm, this product is barrier-free.

Material: Aluminum
Load Capacity: 30kg(294N)

T Floor Rail

Product No.	Specification	Length (mm)
310361A	Single Rail	1,820
310361B		2,730
310361C		3,640
310362A	Double Rails	1,820
310362B		2,730
310362C		3,640
310363A	Triple Rails	1,820
310363B		2,730
310363C		3,640

Screw included:
2.7 \times 16 Flat head wood screw
(The number depends on the rail length.)

Sliding Door Parts



Outset Sliding Door Parts

With this set, you can easily replace a hinged door with a sliding door.


Load Capacity: 30kg(294N)

Outset Sliding Door Parts

Product No.	Upper Rail (mm)	Lower Rail (mm)	Lower Rail Color
330001	1,388	1,392	Amber
330002	1,570	1,574	
330003	1,628	1,632	
330001S	1,388	1,392	Silver
330002S	1,570	1,574	
330003S	1,628	1,632	

Set contents:

Upper Rail 1pcs, Lower Rail 1 pcs
KT Adjusting Roller Door (For lower side) 2pcs
Door Side Guide 2pcs
Upper Stopper 2pcs
Lower Stopper 2pcs



Upper Rail (Outset)

Material: Aluminium
Load Capacity: 30kg(294N)

Upper Rail (Outset)

Product No.	Length(mm)	Finish/Color
330051	1,388	White
330052	1,570	
330053	1,628	

Screw included:

3.5×30 Flat head tapping screw
(The number depends on the rail length.)



Lower Rail (T Floor Rail)


Material: Aluminium
Load Capacity: 30kg(294N)

Lower Rail (T Floor Rail)

Product No.	Amber	Silver	Length(mm)
330054	330057	1,392	
330055	330058	1,574	
330056	330059	1,632	

Screw included:

2.7×16 Flat head wood screw
(The number depends on the rail length.)



KT Adjustable Roller

Material: Resin, Steel
Load Capacity: 30kg(294N)

Installation Range: Up-Down $\pm 3\text{mm}$, Left-Right $\pm 2\text{mm}$



KT Adjustable Roller (Lower side)

Product No.	Finish/Color
301342-2	Amber

※ 2pcs price.

Screw included:

4×30 Flat head tapping screw 2pcs



Door Side Guide

Material: Resin

Door Side Guide

Product No.	Finish/Color
330060	White

※ 2pcs price.

Screw included:

4×25 Flat head tapping screw 6pcs



Upper Stopper

Material: Resin


Upper Stopper

Product No.	Finish/Color
330061	White

※ 2pcs price.

Screw included:

M4×10 Flat head machine screw 4pcs



Outset Lower Stopper

Material: Resin



Outset Lower Stopper

Product No.	Finish/Color
330064	Black

※ 2pcs price.

Screw included:

4×30 Flat head tapping screw 6pcs



Sliding Door Parts

Magnet Catcher




This product is effective in making sure the sliding door stays still and not shaking. It is also good to prevent the sliding doors from bouncing back and reduce the thud of the door hitting the frame.

Material: Resin, Steel, Magnet
Load Capacity: 10~35kg(98~343N)
Door Thickness: More than 28mm

Magnet Catcher

Product No.	Finish/Color
230022	Amber

Screw included:
3×16 Flat head tapping screw 1pcs



F2 Adjuster Guide


This rail is used together with the upper rail of a sliding door with lower roller.

Material: Resin
Load Capacity: 30kg(294N)
Installation Range: Left-Right ± 2mm

F2 Adjuster Guide

Product No.	Finish/Color
305012	Amber

※ 1pc price.
Screw included:
4×45 Flat head tapping screw 1pcs



Upper Rail






Material: Aluminium
Load Capacity: 30kg(294N)
Finish/Color: Amber

Upper Rail

Product No.	Specification	Length(mm)
310012	One side	1,820
310022		2,730
310032		3,640
310042	Both side	1,820
310052		2,730
310062		3,640

Screw included:
3.5×25 Flat head tapping screw
(The number depends on the rail length.)



Door Stopper Cap


The cap which made of elastomer Resin with good cushioning and durability.
We provide with a lot of color variations.

Material: Resin

Door Stopper Cap

Product No.	Installation diameter (mm)	Finish/Color
251001	φ8	Birch K
251002		Natural N
251003		Cherry C
251004		Brown B
251005		Dark D
251009		White W
251010		Peach Y
251011	φ10	Birch K
251012		Natural N
251013		Cherry C
251014		Brown B
251015		Dark D
251019		White W
251020		Peach Y
251021	φ13 ※1	Birch K
251022		Natural N
251023		Cherry C
251024		Brown B
251025		Dark D
251029		White W
251030		Peach Y

※1 φ13 color is slightly different.



Bar Handle



A puller handle for indoor sliding doors. The long bar with $\Phi 30$ mm diameter design provides an easier grip when opening a door and prevents your hand from slipping. This is a benefit to the children, the elderly, and those with physical disabilities. This product is available in 5 natural warm wood colors that will go well with any sliding door color.

Material: <Bar>Natural Wood

<Rose>ADC

Door Thickness: 27~32mm

Bar Handle

Product No.	Set content	Finish/Color
863101LP	Bar Handle	Pale
863101LD	+ Pull	Dark
863101WA		White
863101LL		Rusk
863101LM		Mocha
863102LP	Bar Handle	Pale
863102LD	+ Bar Handle	Dark
863102WA		White
863102LL		Rusk
863102LM		Mocha

Screw included:



M5×16 Flat head machine screw 2pcs




Pull



Dark White Rusk Mocha





Both sides bar handle specification



Digging process drawing



Hairline Dark Middle Light



Cross section A-A

Big Handle



Patent 28~38mm

A $\Phi 25$ mm diameter bar puller for indoor sliding doors. It has a complimentary design, combining a wooden bar and stainless steel bracket nicely. This product is aesthetic and usable to the greatest extent as it provides easier gripping for everyone.

Material: <Handle>Stainless, Natural Wood

<Bracket>ZDC

<Cover>Resin

Door Thickness: 28~33mm, 34~38mm

Big Handle

Product No.	DT (mm)	Handle Material	Finish	Color
861325S	34~38	Stainless	Hairline	Raw material
861325K		Natural wood	Urethane Painting	Dark
861325C		Natural wood	Urethane Painting	Middle
861325F		Natural wood	Urethane Painting	Light
862325S	28~33	Stainless	Hairline	Raw material
862325K		Natural wood	Urethane Painting	Dark
862325C		Natural wood	Urethane Painting	Middle
862325F		Natural wood	Urethane Painting	Light

Screw included:

M6×60 or M6×55 Pan head machine screw 2pcs

M6 3 types nuts 2pcs


M6 Flat washer 2pcs

M6 Spring lock washer 2pcs

Bracket finish: <Bracket>Satin Silver

<Cover>Nickel Plating + Clear Coating

※ There is also one side specification.
Please contact us for more information.



Resin Pull Round & Rectangle



This plastic flush pull for an interior sliding door is made of lightweight plastic. It is available in 2 different designs, round and rectangle edges, to suit your room style. The finishing color is also available in 2 beautiful colors to maintain the solid metal look.

Material: Resin
Door Thickness: 27~34mm



Resin Pull Round & Rectangle

Product No.	Round	Square	Finish/Color
222563	222583		Pearl Chrome
222523	222543		Gold

※ Price for two pieces as one set.

Screw included:

M4×25 Flat head machine screw (D6) 2pcs



Resin Pull Rectangle One Touch


This one-touch flush pull is effortless to install on an interior sliding door. Instead of using screws, it uses an adhesive for the installation. So not only it's functional to your door, but it also gives a beautiful and seamless accent to it.

Material: Resin
Door Thickness: 28~34mm

Resin Pull Rectangle One Touch

Product No.	Finish/Color
222598	Pearl Chrome
222599	Gold

※ Price for two pieces as one set.



Pearl Chrome



Resin One Touch Pull Rectangle


This is a one-touch flush pull made of plastic for an interior sliding door. This product doesn't use screws but an adhesive for an effortless installation and a seamless appearance. The design and the color available are created to match any room and door color. It also creates a perfect match if you use the TS Automatic Hook Lock.

Material: Resin
Door Thickness: 28~36mm

Resin One Touch Pull Rectangle

Product No.	Finish/Color
222600	Black Silver
222601	Black Gold
222602	Mad Black Painting

※ Price for two pieces as one set.





Round & Rectangle Pull

This flush pull for an interior sliding door is made of metal. It is available in 2 different designs, round and rectangle edges, to suit the style of your room. The finishing color is also available in 6 beautiful colors that will easily complement your door color.

Material: ZDC
Door Thickness: 27~34mm

Round & Rectangle Pull


Product No.

Round	Square	Finish/Color
224812	224912	Gloss Gold
224813	224913	Satin Gold
224814	224914	Gold Painting
224815	224915	Chrome Plating
224816	224916	Satin Silver
224817	224917	Silver Painting


※ Price for two pieces as one set.

Screw included:

M4 × 25 Flat head machine screw (D6) 2pcs



Round



Rectangle



Satin Silver



Satin Gold



Gloss Gold

Gold Painting

Chrome Plating

Silver Painting




Gloss Gold

Gold Painting

Chrome Plating

Silver Painting



Chrome Plating

Gloss Gold



Satin Gold

Gold Painting

Satin Silver



Silver Painting

Matte Black Painting



Metal One Touch Pull Round & Rectangle

This metal one-touch flush pull is effortless to install on an interior sliding door. Instead of using screws, it uses an adhesive to create a seamless appearance. The design and finishing color are also available in 2 different types to suit any door color.


Material: ZDC
Door Thickness: More than 30mm

Metal One Touch Pull Round & Rectangle


Product No.

Round	Square	Finish/Color
222671-1	222677-1	Gloss Gold
222672-1	222678-1	Satin Gold
222673-1	222679-1	Gold Painting
222674-1	222680-1	Chrome Plating
222675-1	222681-1	Satin Silver
222676-1	222682-1	Silver Painting
222684-1	222683-1	Matte Black Painting

※ 1pc price.



Above digging specification can be applied to both round and rectangle shape.



TK One Touch Flush Pull




This one touch flush pull for an interior sliding door consists of 2 parts combined which create a stylish design. It has a seamless appearance as it doesn't use any screw for installation. To install, simply apply adhesive and fix it on the door. The length of this product is available in two types, 140 mm and 290 mm.

Material: <End>ZDC
<Bar>Aluminium

TK One Touch Flush Pull

Product No.	Length (mm)	Finish/Color	End	Bar
224614	140	Chrome Plating	Alumite Silver	
224614SW		Hairline	Stain Alumite	
224614WH		White Painting	White Painting	
224614BK		Black Painting	Black Painting	
224629	290	Chrome Plating	Alumite Silver	
224629SW		Hairline	Stain Alumite	
224629WH		White Painting	White Painting	
224629BK		Black Painting	Black Painting	

※ 1pc price.



Hairline



White Painting



Black Painting



Satin Silver



Satin Silver



Matte Black



Chrome



Matte White

Edge Pull Handles



These handles are attached to the edge of interior sliding doors. They are safe handles that prevent fingers from getting pinched when the door is opened.

They feature a sharp, clean design with no visible mounting screws. They are available in four finish colors and are compatible with doors up to 40.9mm thick.

Material: ZDC, Stainless
Door Thickness: 40.9mm, 39.2mm, 36mm

Edge Pull Handles

Product No.	DT(mm)	Finish/Color
220311	40.9	Satin Silver
220312		Matte Black
220313		Chrome
220314		Matte White
220315	39.2	Satin Silver
220316		Matte Black
220317		Chrome
220318		Matte White
220319	36	Satin Silver
220320		Matte Black
220312		Chrome
220322		Matte White

Screw included:
3 x 30 Binding head tapping screw 2pcs

ND Flush Pull




This flush pull for an interior sliding door has round edges to create a sense of fluid design. It also has a seamless appearance as it doesn't use any screw for installation. To install, simply apply adhesive and fix it on the door.

Material: ZDC

ND Flush Pull	Product No.	Finish/Color
	224615	Satin Gold
	224616	Satin Silver


※ 1pc price.



Satin Gold




Satin Silver



Digging process drawing

Sliding Door Parts



Flush Edge Pull


The edge pull is intended for the pocket door edge, but this one is also applicable to folding doors and underfloor storage. The product allows the finger grip to retract from the door by pushing the upper part. The appearance is flush mount, and the mounting screws are invisible.

Material: ZDC
Door Thickness: More than 27mm

Flush Edge Pull 59

Product No.	Finish/Color
220306	Paint Silver
220307	Mirror Silver
220308	Satin Silver
220309	Paint Black


Screw included:
3×12 Flat head tapping screw 2pcs



Flush Edge Pull 72

Product No.	Finish/Color
220301	Paint Silver
220302	Mirror Silver
220303	Satin Silver
220304	Paint Black

Screw included:
4×20 Flat head tapping screw (D6) 2pcs



Satin Silver



Paint Silver

Mirror Silver

Paint Black





Paint Silver

Mirror Silver




Satin Silver

Paint Black



Hung Door Rail





Heavy Duty Hung Door




Upper Stopper




Floor Guide



Heavy Duty Hung Door



Upper Stopper



Floor Guide



Heavy Duty Hung Door

A set of top-hung track and rollers for indoor sliding doors allows doors weighing up to 100 kg to glide smoothly. This heavy-duty top-hung roller also has passed 500,000 operation tests to ensure the door will operate at its optimum for years to come.

Material:
<Roller>Resin, Steel
<Hung Door Rail>Aluminum
<Upper Stopper>Resin
<Floor Guide>Resin
Load Capacity: 100kg(980N)
Finish/Color:
<Roller>White
<Hung Door Rail>Silver
<Upper Stopper>White
<Floor Guide>White

Heavy Duty Hung Door

Product No.	Length of the rail (mm)
320026	1,820
320027	2,730
320028	3,640

Parts included:
Roller 2pcs, Hung Door Rail 1pcs
Upper Stopper 2pcs, Floor Guide 1pcs
Screw included:
<Roller>
4×40 Oval head tapping screw 16pcs
<Hung Door Rail>
4×45 Flat head tapping screw
(The number depends on the rail length.)
<Floor Guide>
4×30 Flat head tapping screw 3pcs

Accessories

Lever Handles

Door Parts

Sliding Door Parts

Accessories

Cabinet parts • Handrail

Euro Series

Aftermarket Parts

SL Series

SL series is a set of exclusive bathroom accessories to complete your bathroom. They have a solid and unified design suitable for fancy restaurants or high-class condominiums. Especially, the SL toilet paper holder is trendy for its teeth on the front plate, allowing users to cut the toilet paper easily and neatly. In addition, it's available in 3 different colors to create a monochrome and modern bathroom.

SL Paper Holder




Material:ZDC

SL Paper Holder

Product No.	Specification	Finish/Color
610801	—	Chrome
610802		Black
610803		Matte White
610821	One hand cut	Chrome
610822		Black
610823		Matte White

Screw included:

4 × 35 Binding head tapping screw 3pcs



SL Double Paper Holder




Material:ZDC

SL Double Paper Holder

Product No.	Specification	Finish/Color
610931	One hand cut	Chrome
610932		Black
610933		Matte White

Screw included:

4 × 35 Binding head tapping screw 4pcs



Installed image



Chrome



Black



Matte White

2-in-ONE Paper Holder
(SL 2-in-ONE Paper Holder)


Material: <Paper Holder, Built-in Surface> ZDC
<Base> Stainless

2-in-ONE Paper Holder
(SL 2-in-ONE Paper Holder)

Product No.	Specification	Finish/Color
610951	One hand cut	Chrome
610952		Black
610953		Matte White


Screw included:

4 × 35 Binding head tapping screw 5pcs



The mounting position of the paper roll can be exchanged left and right.

※Accessories other than the main body are not included.



Chrome

Black

Matte White

SL Towel Bar




Material: <Bracket> ZDC
<Bar> Brass(Chrome)
Aluminium(Black, Matte White)

SL Towel Bar

Product No.	P:length(mm)	Finish/Color
610851	400mm	Chrome
610852		Black
610853		Matte White

Screw included:

4 × 35 Binding head tapping screw 4pcs



Chrome

Black

Matte White

SL Towel Ring




Material: <Bracket> ZDC
<Ring> Brass(Chrome)
Aluminium(Black, Matte White)

SL Towel Ring

Product No.	Ring width	Finish/Color
610871	200mm	Chrome
610872		Black
610873		Matte White

Screw included:

4 × 35 Binding head tapping screw 2pcs



Accessories

SLs Series

These SLs unified bathroom accessories are widely used for bathrooms and restrooms, from regular residential to high-end condominiums. This series features a luxurious chrome finish and invisible mounting screws. In addition, the SLs towel ring is available in 2 different types, round and square types.




SLs Paper Holder

Material: <Base, Bracket>Resin
<Paper cut plate, Bar>Stainless


SLs Paper Holder

Product No. Finish/Color
610895 Chrome

Screw included:
4×30 Truss head tapping screw 2pcs



Common base



White

Ivory



Pink

Black

SLs Towel Bar




Material: <Base, Bracket>Resin
<Bar>Stainless

SLs Towel Bar

Product No. Finish/Color
610892 Chrome

Screw included:
4×30 Truss head tapping screw 4pcs



SLs Towel Ring



Material: <Base, Bracket>Resin
<Ring>Stainless

SLs Towel Ring

Product No. Ring Finish/Color
610890 Round Chrome


610891 Oval

Screw included:
4×30 Truss head tapping screw 2pcs




Round

Oval



How to Hang a Toilet Paper

You can easily hang it over by simply pushing it up from the bottom.
(Make sure the toilet paper holder's arms fit into both ends of the roll)



One Touch Paper Holder

This simple and well-designed one-touch toilet paper holder is popular due to its effortless toilet roll changing process. Press the new roll up from the bottom, pull the old roll's core out, and now you've got a fresh batch of toilet paper. This product is widely used for restrooms in residential, business hotels, and public facilities. It's available in 4 different colors to suit your bathroom interior design.

Material: Resin

One Touch Paper Holder

Product No. Specification Finish/Color

610201 — White


610202 — Ivory

610203 — Pink

610205 — Black

610204 One hand cut White

Screw included:
4×30 Truss head tapping screw 3pcs





Recessed Paper Holder


This recessed type of paper holder stores the toilet paper inside the wall. It is often used in business hotels to maximize the use of compact space effectively. This product is available in a single and double holder (vertical/ horizontal placement), either in semi-recessed and fully recessed types.

Material: <Body>Stainless
<Holder>Resin

Recessed Paper Holder

Product No.	Specification	Finish/Color
610221	Semi Recessed	Mirror Surface/Gray
610221BK		Mirror Surface/Black
610211	Full Recessed	Mirror Surface/Gray
610211BK		Mirror Surface/Black

Screw included:
3.5×20 Truss head tapping screw 2pcs



Semi Recessed



Full Recessed





Semi Recessed



Full Recessed

Recessed Double Vertical Paper Holder		
Product No.	Specification	Finish/Color
610421	Semi Recessed	Mirror Surface/Gray
610421BK		Mirror Surface/Black
610411	Full Recessed	Mirror Surface/Gray
610411BK		Mirror Surface/Black

Screw included:
3.5×20 Truss head tapping screw 4pcs




Digging process drawing

Recessed Double Horizontal Paper Holder

Product No.	Specification	Finish/Color
610321	Semi Recessed	Mirror Surface/Gray
610321BK		Mirror Surface/Black
610311	Full Recessed	Mirror Surface/Gray
610311BK		Mirror Surface/Black

Screw included:
3.5×20 Truss head tapping screw 4pcs



Semi Recessed



Full Recessed


Paper Holder's Back Guard

Product No.	Specification
610332	Single semi Recessed/ Chromate Coating
610432	Single full Recessed/ Chromate Coating
610331	Double semi Recessed/ Chromate Coating
610431	Double full Recessed/ Chromate Coating


※ For the paper holder with a back guard type,
the installation method is different.

This is an installation method with a back guard.


In case of using a Recessed Double Horizontal Paper Holder.



Detail of part A
The installation of the back guard and the paper holder.



Detail of part B
The installation of the back guard to the wall.



Towel Hanger with Shelf



This is a bathroom shelf with a towel bar to maximize the wall space. The open shelf is made of natural wood to give enough storage. While the towel bar is made from sturdy metal to keep your towels accessible and dry. With this piece, you'll have more storage without taking up living space to keep your bathroom neat and tidy.

Material :<Shelf>Natural Wood
<Towel bar, Bracket>Stainless

Towel Hanger with Shelf

Product No. Finish/Color


620030 Light

620031 Middle

620032 White

Screw included:

4×40 Flat head tapping screw 4pcs



Shelf



This wooden shelf is suitable to create extra space by maximizing the wall. It can be used widely from hotels to residential's various spaces such as bathrooms, kitchens, living rooms, bedrooms, etc., to store items. It's available in 3 different colors to suit any room's interior design.

Material :<Shelf>Natural Wood
<Bracket>Stainless

Shelf

Product No. Width(mm) Finish/Color

620001 280 Light

620002 Middle

620003 White

620007 330 Light

620008 Middle

620009 White

620013 613 Light

620014 Middle




620015 White

Screw included:

4×40 Flat head tapping screw

<Shelf width 280, 330> 4pcs

<Shelf width 613> 8pcs



2hooks



3hooks



4hooks



Hook is stored



Hook is use



Wall Hook

You can hang a variety of items such as coats, jackets, scarves and keys. The hooks can be neatly stored away when not in use.

There are three types to suit different purposes and interiors.

Material:

<Base>Aluminum

<Hook>ZDC

<Cover>Aluminum, Resin

Finish/Color:

<Base>Alumite Silver

<Hook>Chrome plating

<Cover>White

Load Capacity:5kg (49N) per hook

Wall Hook

Product No. Specification

333001 2hooks

333002 3hooks

333003 4hooks

Screw included:

<2hooks>


4×40 Flat head tapping screw 4pcs

<3hooks>


4×40 Flat head tapping screw 6pcs

<4hooks>


4×40 Flat head tapping screw 8pcs



2hooks



3hooks



4hooks

Accessories



PP Shelf

Create additional storage in your bathroom, laundry room, and more with our versatile PP Shelf. Featuring a sleek white finish that effortlessly complements any decor, this shelf is available in 2 different sizes to accommodate your needs.

Material:Resin

PP Shelf

Product No.	Width(mm)	Finish/Color
610351	190	White
610352	372	

Screw included:

4×35 Truss head tapping screw 2pcs
Installation dowel 2pcs

PP Shelf Dowel Set (2pcs)

Product No.
610308


Screw included:
4×35 Truss head tapping screw 2pcs



372



190



Storage Shelf

Enhance your bathrooms with our sleek and versatile wall-mounted shelf. It comes in three different finishes to match your bathroom preferences.

Material:Resin

Storage Shelf

Product No.	Cover	Finish/Color
610301	Chrome	Clear
610304	NA	White
610305	NA	Dark Gray

Screw included:

4×25 Truss head tapping screw 2pcs
Installation dowel 2pcs

Storage Shelf Dowel Set (2pcs)

Product No.
610359

Screw included:
4×25 Truss head tapping screw 2pcs




Clear+Chrome



White



Dark Gray



Tray Hook

Complete your storage solution with this hook designed to accompany the Storage Shelf. Perfect for hanging items like shavers, this hook adds convenience to your storage setting.


Material:Resin

Tray Hook

Product No.	Finish/Color
610001	Clear



Example of Use



SUS Shelf

Stainless steel shelves crafted for optimal functionality in bathrooms and washrooms. The innovative design prevents water accumulation, ensuring a clean and hygienic environment. It's available in two widths, 200mm and 300mm; both featuring a seamlessly blending mirror finish to create a modern and sleek space.


Material:Stainless

SUS Shelf

Product No.	Width(mm)	Finish/Color
610355	200	Mirror Finish
610356	300	

Screw included:

W=200:4×25 Truss head tapping screw 2pcs
W=300:4×25 Truss head tapping screw 3pcs



W=300

W=200



Example of Use



Bottle Rack

Bottle Rack collection, specially designed for bathroom convenience. With three types of variation, in two classic colors, white and black, you have the flexibility to accommodate your specific needs and enhance the overall aesthetics of your bathroom. With easy wall installation, they help keep your bathroom tidy and make cleaning a breeze.

Material:Steel

Bottle Rack


Product No.	Specification	Finish/Color
620051W	Single	White
620051BK		Black
620052W	Double	White
620052BK		Black
620053W	Triple	White
620052BK		Black

Screw included:

Single :4×30 Flat head tapping screw 4pcs
Double:4×30 Flat head tapping screw 4pcs
Triple :4×30 Flat head tapping screw 6pcs



Example of Use



Towel Shelf with Hooks





This product combines a towel bar and a hook for more convenience. It uses a square bar to prevent towels from falling off, and if you use robes, the hook is a useful complement to hold and stretch it out to length and get completely dry. Moreover, the design is also compact and seamless as the mounting screws are invisible.

Material: <Bracket>Resin
<Bar>Stainless

Towel Shelf with Hooks (Bar 20×10mm)

Product No.	P:length(mm)	Finish/Color
610013	400	White Gray
610014		Chrome Plating

Screw included:
4×30 Truss head tapping screw 4pcs



Towel Rack



This simple and easy to mount towel rack is suitable for use in the bathrooms, washrooms, etc. With the metal being resistant to moisture and corrosion, it means that it's not going to fade as time passes. It's available in 2 different sizes, 350 mm and 400 mm. This product is mostly used in the compact bathroom of a business hotel.


Material: <Bar>Stainless
<Bracket>Resin

Towel Rack

Product No.	P:length(mm)	Finish/Color
610111	350	White
610112		Black

Product No.	P:length(mm)	Finish/Color
610121	400	White
610122		Black

Screw included:
4×30 Pan head tapping screw 4pcs



Towel Bar




The towel bar is mostly placed in bathrooms or washrooms to allow towels to dry without being bunched up, so they dry faster. You can choose this product from different color, length, size of the bar, and the bracket to suit your bathroom's interior design.

Material: <Bracket>Resin
<Bar>Stainless

Towel Bar TB (Bar ϕ 12.7mm)


Product No.	P:length(mm)	Finish/Color
610011	350	White
610015		Black
610017		Chrome Plating
610012	400	White
610016		Black
610018		Chrome Plating

Screw included:
4×30 Pan head tapping screw 4pcs

Towel Bar KB (Bar ϕ 16mm)

Product No.	P:length(mm)	Finish/Color
610021	400	White
610027		Black
610022		Chrome Plating
610023	460	White
610028		Black
610024		Chrome
610025	610	White
610029		Black
610026		Chrome Plating

Screw included:
4×30 Pan head tapping screw 4pcs



YH Laundry Pipe



This fixed-length laundry pipe allows you to dry the clothes in the bathroom. It uses sturdy stainless steel to hold the heavy laundry and maintain hygiene. It's available in 8 different lengths to suit the bathroom size.

Material: <Pipe>Stainless
<Bracket>Resin
Load Capacity:10kg(98N)

YH Laundry Pipe set

Product No.	Bathroom's wall dimension(mm)	Finish/Color
610621	1,050	White Gray
610622	1,100	
610623	1,150	
610624	1,200	
610625	1,300	
610626	1,400	
610627	1,600	
610628	1,750	
610631	1,050	Chrome Plating
610632	1,100	
610633	1,150	
610634	1,200	
610635	1,300	
610636	1,400	
610637	1,600	
610638	1,750	

Screw included:
4×25 Truss head tapping screw 4pcs

Bracket set

Product No.	Finish/Color
610629	White Gray
610639	Chrome Plating

Screw included:
4×25 Truss head tapping screw 4pcs
※ It is included in the main body set.

YH Laundry Pipe set

Pipe	1pcs
Bracket set	1set

Bracket set

Bracket	2pcs
Base plate	2sheets
Installation screw	4pcs

Warning

Safety Load Capacity:10kg(98N)

Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.



Installation state



White Gray



Chrome Plating

Pipe
(With one set of cap)





Installation state

Pipe
(With one set of black cap)

White



Black

Pipe
(With one set of white cap)

KS Laundry Pipe



This fixed-length laundry pipe allows you to dry the clothes in the bathroom. It uses sturdy stainless steel to hold the heavy laundry and maintain hygiene. Two color brackets, white and black, are available.

Material: <Pipe>Stainless
<Bracket>Resin
Load Capacity:10kg(98N)

KS Laundry Pipe set

Product No.	Bathroom's wall dimension(mm)	Finish/Color
610611	1,050	White
610612	1,100	
610613	1,150	
610614	1,200	
610615	1,300	
610616	1,400	
610617	1,600	
610618	1,750	
610641	1,050	Black
610642	1,100	
610643	1,150	
610644	1,200	
610645	1,300	
610646	1,400	
610647	1,600	
610648	1,750	

Screw included:
4×25 Truss head tapping screw 4pcs

Bracket set

Product No.	Finish/Color
610620	White
610649	Black

Screw included:
4×25 Truss head tapping screw 4pcs
※ It is included in the main body set.

KS Laundry Pipe set

Pipe	1pcs
Bracket set	1set

Bracket set

Bracket	2pcs
Base plate	2sheets
Installation screw	4pcs

Warning

Safety Load Capacity:10kg(98N)

Mostly, there is a reinforcing board behind the bathroom wall. However, in some cases, it's not there, and it can cause any damages or dangers caused by the wall that's not strong enough to hold the load. Thus, please make sure of the existence of the board before installing this product.

Cabinet Parts • Handrail

Lever Handles

Door Parts

Sliding Door Parts

Accessories

Cabinet Parts • Handrail

Euro Series

Aftermarket Parts

Cabinet Parts

Knob

Not only comfortable to hold but these cabinet knobs are designed with different styles and finishes. The combination of function and beauty of the knobs are good reasons to use them in your house to enhance the design interior.



Round Knob

Material: ZDC
Door Thickness: 16~26mm

Round Knob	Product No.	Size(mm)	Finish/Color
	222011	φ 25	Satin Silver
	222013		Satin Gold
	222014		Dark Amber
	222015		Iron Black
	222016		Brass Gold
	222021	φ 30	Satin Silver
	222023		Satin Gold
	222024		Dark Amber
	222025		Iron Black
	222026		Brass Gold

Screw included:
M4×30 Truss head machine screw 1pcs



ND Knob

Material: ZDC
Door Thickness: 18~26mm

ND Knob	Product No.	Size(mm)	Finish/Color
	223001	φ 30	Satin Silver
	223002		Satin Gold

Screw included:
M4×30 Truss head machine screw 1pcs




Square Knob

Material: ZDC
Door Thickness: 19~26mm

Square Knob	Product No.	Size(mm)	Finish/Color
	224011	32×20	Chrome Plating
	224012		Gloss Gold

Screw included:
M4×30 Truss head machine screw 1pcs




Oval Knob

Material: ZDC
Door Thickness: 19~26mm

Oval Knob	Product No.	Size(mm)	Finish/Color
	225011	31.5×20	Chrome Plating
	225012		Gloss Gold

Screw included:
M4×30 Truss head machine screw 1pcs



Closet Handle


Sleek and stylish modern cabinet pulls are sophisticated yet simple hardware to elevate the style of spaces in your home. The pulls below are rich in styles, colors and designed to be comfortable to hold so that you can place them vertically or horizontally in cabinet doors or drawers in the living rooms, kitchens, bathrooms, etc. We also use several materials to suit your preferences, from affordable resin to ZDC.

Door Thickness: 18~24mm

Closet Handle

Product No.	P:length	Material	Finish/Color
222252	120mm	ZDC	Satin Silver
222262		Satin Gold	
222272	240mm	ADC	Satin Silver
222282		Satin Gold	
222292	120mm	Resin	Silver Painting
222202			Gold Painting

Screw included:
M4×30 Truss head machine screw 2pcs



Privacy Pull


Material: ZDC
Door Thickness: 30~33mm

Privacy Pull

Product No.	Finish/Color
222722	Satin Silver
222723	Satin Gold

※ Price for two pieces as one set.
Screw included:

M4×20 Flat head machine screw 2pcs



Cabinet Parts

Handle


There are variants of pulls with different designs and colors for cabinet doors or drawers that you can choose to suit the space in your room.



D Type Handle

Material:ZDC
Door Thickness:25~29mm


D Type Handle
Product No. P:length(mm) Finish/Color
22212 100 Amber
Screw included:
M4×35 Truss head machine screw 2pcs



TKC Handle

Material:ZDC
Door Thickness:19~24mm


TKC Handle
Product No. P:length(mm) Finish/Color
223120HS 120 Satin Silver
223120CR 120 Chrome Plating
Screw included:
M4×30 Truss head machine screw 2pcs



ND Handle

Material:ZDC
Door Thickness:13~14mm






ND Handle
Product No. P:length(mm) Finish/Color
222232 100 Satin Silver
222242 100 Satin Gold
Screw included:
M4×20 Truss head machine screw 2pcs



SUS Handle

Material:Stainless
Door Thickness:20~24mm

SUS Handle
Product No. P:length(mm) Finish/Color
226011 85 Raw Material
226012 85 Black
Screw included:
M4×30 Truss head machine screw 2pcs



RK Handle

This Cabinet handle has a stylish design and easy to grip. It can be installed in a wide range cabinets from living room, kitchen, and restroom.

Material:ADC
Door Thickness:14~16mm

RK Handle
Product No. P:length(mm) Finish/Color
226035 35 Satin Silver
226060 60
226120 120
Screw included:
M4×22 Truss head machine screw 2pcs



CA Handle

A Cabinet and kitchen handle that made of Stainless. The hairline finish is harmonized with the door.

Material:Stainless
Door Thickness:18~24mm

CA Handle
Product No. P:length(mm) Finish/Color
224020 150 Hairline
224021 300
224022 600
Screw included:
M4×30 Truss head machine screw 2pcs

※ There is a possibility of bending depend on the usage of P=600.



MJ Handle

A storage and kitchen handle with a simple design. We made it with a clean design to fit various kinds of storage.

Material:Aluminum
Door Thickness:18~24mm

MJ Handle
Product No. P:length(mm) Finish/Color
224001 200 Alumite Silver
224002 220
224007 230
224004 450
Screw included:
M4×30 Truss head machine screw 2pcs

※ There is a possibility of bending depend on the usage of P=450.



Wardrobe Hanger Rail Set



This wall-mounted closet rod set uses an oval pipe with a matte finish. This product is available in 4 different lengths to suit the storage space in your closet.

Material: Aluminum, ZDC
Load Capacity: 40kg(392N)
Finish/Color: Matte Silver

Wardrobe Hanger Rail Set

Product No.	Rail length(mm)
330011	427
330012	727
330013	1,027
330014	1,177

Screw included:
3.5×10 Flat head tapping screw 2pcs



Hanger Pipe Set




A hanging closet rod set uses an oval pipe with a matte finish. You can hang this product on a ceiling or the upper part of your cabinet. This product is available in 3 different lengths to suit the storage space.

Material: Aluminum, ZDC
Load Capacity: 40kg(392N)
Finish/Color: Matte Silver

Hanger Pipe Set

Product No.	Pipe length(mm)
331011	897
331012	1,347
331013	1,797

※331011 without middle bracket.
Screw included:
M4×20 Flat head machine screw
(331011) 2pcs
(331012, 331013) 3pcs



Round Bar Handrail

This product is a wall-mounted wooden handrail with different types of brackets. This series can be used as handrail support, but it can also be used as a toilet grab, which is ideal for those looking for a secure way to get on and off the toilet. The bracket's shape, the handrail's length, and the color option are available according to various scenes.



NL Type

(Walking support handrail)

Material: <Handrail>Natural Wood
<Bracket>ZDC, Resin

NL Type Round Handrail set

Product No.	Length (mm)	Length	Finish/Color	Handrail	Bracket
856043	400	Light	Silver		
856045		Light	Gold		
856044		Medium	Silver		
856042		Medium	Gold		
856063	600	Light	Silver		
856065		Light	Gold		
856064		Medium	Silver		
856062		Medium	Gold		
856083	800	Light	Silver		
856085		Light	Gold		
856084		Medium	Silver		
856082		Medium	Gold		

Screw included:

4×40 Pan head tapping screw 8pcs




NL Type Bracket Only (2pcs as one set)

Product No.	Finish/Color
860072	Silver
860073	Gold

Screw included:

4×40 Pan head tapping screw 8pcs

3.5×20 Round flat head tapping screw 4pcs



NE Type

(Standing up and walking assist handrail)

Material: <Handrail>Natural Wood
<Bracket>ZDC, Resin

NE Type Round Bar Handrail set

Product No.	Length (mm)	Length	Finish/Color	Handrail	Bracket
853043	435	Light	Silver		
853045		Light	Gold		
853046		Light	Black		
853044		Medium	Silver		
853042		Medium	Gold		
853047		Medium	Black		
853063	535	Light	Silver		
853065		Light	Gold		
853066		Light	Black		
853064		Medium	Silver		
853062		Medium	Gold		
853067		Medium	Black		
853083	735	Light	Silver		
853085		Light	Gold		
853086		Light	Black		
853084		Medium	Silver		
853082		Medium	Gold		
853087		Medium	Black		
853093	935	Light	Silver		
853095		Light	Gold		
853096		Light	Black		
853094		Medium	Silver		
853092		Medium	Gold		
853097		Medium	Black		

Screw included:

4×40 Pan head tapping screw 6pcs

NE Type Bracket Only (2pcs as one set)

Product No.	Finish/Color
860042	Silver
860043	Gold
860044	Black

Screw included:

4×40 Pan head tapping screw 6pcs

3.5×20 Pan head tapping screw 4pcs



Free Joint

This angle joint connector is designed for joining handrails together at any angle between 90 and 150 degrees. Using this durable metal connector, you can connect the corner angle in the stairs or the connection between the railings in the corridor and the stairs.





Material:ZDC

Free Joint

Product No.	Finish/Color
860083	Gold
860084	Silver

Screw included:

4×25 Round flat head tapping screw 2pcs



Ring Joint

This joint connector is designed to connect straight railings such as the handrails in the corridors. It is made of durable metal to guarantee long-term use.

Material:ZDC

Ring Joint

Product No.	Finish/Color
860093	Gold
860094	Silver

Screw included:

M4×35 Round flat head machine screw 1pcs
3×25 Flat head tapping screw 6pcs

※ It is possible to connect handrails in hallway, stairs, etc, by combining free joint and ring joints.

Handrail



NI Type Entrance

(Standing up and walking assist handrail)

Material: <Handrail>Natural Wood
<Bracket>ZDC, Resin

NI Type Entrance Round bar Handrail set



Product No.	Length (mm)	Finish/Color	Handrail	Bracket
855043	400	Light	Silver	
855045		Light	Gold	
855046		Light	Black	
855044		Medium	Silver	
855042		Medium	Gold	
855047		Medium	Black	
855063	600	Light	Silver	
855065		Light	Gold	
855066		Light	Black	
855064		Medium	Silver	
855062		Medium	Gold	
855067		Medium	Black	
855083	800	Light	Silver	
855085		Light	Gold	
855086		Light	Black	
855084		Medium	Silver	
855082		Medium	Gold	
855087		Medium	Black	

Screw included:
4×40 Pan head tapping screw 8pcs

NI Type Entrance Bracket Only (2pcs as one set)

Product No.	Finish/Color
860062	Silver
860063	Gold
860064	Black

Screw included:
4×40 Pan head tapping screw 8pcs
3.5×20 Pan head tapping screw 4pcs



NI Type

(Standing up and walking assist handrail)

Material: <Handrail>Natural Wood
<Bracket>ZDC, Resin

NI Type Round Bar Handrail set

Product No.	Length (mm)	Finish/Color	Handrail	Bracket
854043	400	Light	Silver	
854045		Light	Gold	
854044		Medium	Silver	
854042		Medium	Gold	
854063	600	Light	Silver	
854065		Light	Gold	
854064		Medium	Silver	
854062		Medium	Gold	
854083	800	Light	Silver	
854085		Light	Gold	
854084		Medium	Silver	
854082		Medium	Gold	

Screw included:
4×40 Pan head tapping screw 8pcs

NI Type Bracket Only (2pcs as one set)

Product No.	Finish/Color
860052	Silver
860053	Gold

Screw included:
4×40 Pan head tapping screw 8pcs
3.5×20 Round flat head tapping screw 4pcs

Handrail

This round bar handrail is made from natural wood.

Material: Natural Wood

Handrail

Product No.	Length(mm)	Finish/Color
860010	300	Light
860014		Medium
860011	400	Light
860015		Medium
860012	600	Light
860016		Medium
860013	800	Light
860017		Medium



Euro Series



Mortice Locks

This mortice lock conforms to DIN18251 and EN12209:2003/AC2005. It can be used on fire rated door and the fire rated period is effective for more than 2 hours.

Material: <Mortice>Steel, Stainless
<Strike>Stainless
<Strike Pocket>Resin
Backset:60mm
Durability Testing:500,000 times
Specification: EN12209, DIN18251

Mortice Lock	Specification
Product No.	
500010	Sash lock
500011	Night latch lock
500012	Deadlock
500013	Passage lock
500014	Privacy lock
500015	Classroom lock
500016	Roller lock

Screw included:
4.8×25 Flat head tapping screw 2pcs
4×16 Flat head tapping screw 3pcs

Parts included:
Mortice Lock 1pcs
Assembly screws 1set
Strike 1pcs
Strike Pocket 1pcs



Night latch lock



Deadlock



Passage lock



Privacy lock



Classroom lock




Roller lock




Strike




Sash Lock




Sash lock




Night latch lock




Deadlock




Passage lock




Privacy lock



Classroom lock



Roller lock



Strike

Sash lock

A locking mechanism with a built in latch bolt operated by lever handle or key and deadbolt operated by key.
(A lock with emergency specification allows the latch bolt and deadbolt to be operated by interior lever handle.)

Night latch lock

A locking mechanism with a built in latch bolt operated from interior lever handle and exterior key or thumb turn.
(A lock with anti poke specification is impossible to be opened from the outside once the door's closed.)

Deadlock

A locking mechanism with a built in deadbolt operated by a key or thumb turn.

Passage lock

A locking mechanism with a built in latch bolt operated by both interior and exterior lever handle.

Privacy lock

A locking mechanism with a built in latch bolt operated from both interior and exterior lever handle, and dead bolt operated by thumb turn or certain tools.

Classroom lock

A locking mechanism with a built in latch bolt operated from interior lever handle and exterior key. The exterior lever handle is ineffective.

Roller lock

A locking mechanism with a built in roller latch and the deadbolt is operated by the key or thumb turn.

**Fire-rated Handle**



This lever handle is applicable on fire-rated door. The fire-rated period is 3 hours. Not only conforms to EN1634, but this lever also conforms to EN1906 and DIN18251.

Material:Stainless
Finish/Color:Satin Finish
Durability Testing:200,000 times
Fire-rated Testing period:3 hours
Specification:EN1906, DIN18251

Fire-rated Handle

Product No. Model No.
500030 LH8101
500031 LH8103

Parts included:
Fire-rated Handle 1pair
Escutcheon 1pcs
Assembly screws 1set
Allenwrench 1pcs



Satin Finish Black

**Rectangular Flush Cover**


This product is useful to cover cylinder lock so the door looks seamless. Pull the cover up to operate the cylinder.

Material:Stainless

Rectangular Recessed Pull

Product No. Finish/Color
500040 Satin Finish
500041 Black

Screw included:
4×12 Flat head machine screw(D7) 4pcs
Parts included:
Rectangular Recessed Pull 1pcs
Assembly screws 1set

**Standard Cylinder**


This is a 6 pins-tumbler locking cylinder made of brass and the bottom pin is made of stainless steel.

Material:Brass, Stainless
Finish/Color:Satin Nickel
Durability Testing:200,000 times
Specification:EN1303:2005

Standard Cylinder

Product No.
500046

Parts included:
Standard Cylinder 1pcs
Brass key 5pcs
Steel screw 1pcs


**Euro Profile Escutcheon**

Material:<Escutcheon>Stainless
<Base>Steel
Finish/Color:Satin Finish

Euro Profile escutcheon

Product No.
500045

Parts included:
Euro Profile escutcheon 1set

**Euro Fire-rated Hinge**

This hinge is applicable on fire-rated door with a fire-rated period for 2 hours. This product not only conforms to EN1634, but it also conforms to EN1935:2002 Grade 13.


Material:Stainless
Finish/Color:Raw Material

Euro fire-rated hinge

Product No. Size(mm) Material
500000 127×76×t3 SUS304
500001 102×76×t3 SUS304
500002 127×89×t3 SUS316
500003 127×89×t3 SUS304
500004 127×89×t3 SUS316

Screw included:
4.5×30 Flat head tapping screw 8pcs

Parts included:
Euro fire-rated hinge 1pcs
Assembly screws 1set

**The number of hinges required**

Door height (mm)	Hinges Quantity
Below 1523	2
1524~2285	3
2286~3048	4

Load capacity table

Hinge size (mm)	Load capacity (kg)	Door Width (mm)
102×76×t3	45	Below 850
127×76×t3	50~60	Below 900
127×89×t3	50~60	Below 900




Extension Flush Bolt

Material: Stainless
Finish/Color: Satin Finish
Fire-rated Testing Period: 2 hours

Extension Flush Bolt	
Product No.	Rod length(mm)
500070	300
500071	600
500072	1,000

Screw included:
(Main unit)
M5×12 Flat head machine screw 4pcs
(Strike)
M4×8 Flat head machine screw 4pcs
Parts included:
Extension Flush Bolt 2pcs
Assembly screws 1set





Box Type Flush Bolt

Material: Stainless
Finish/Color: Satin Finish
Fire-rated Testing Period: 2 hours

Box Type Flush Bolt	
Product No.	Length(mm)
500080	200
500081	300
500082	600
500083	1,000


Screw included:
(Main unit)
4×30 Flat head tapping screw 2~3pcs
(Strike)
3.5×20 Flat head tapping screw 2pcs
Parts included:
Box Type Flush Bolt 1pcs
Assembly screws 1set



Automatic Flush Bolt

Material: Stainless
Finish/Color: Satin Finish
Fire-rated Testing Period: 2 hours


Automatic Flush Bolt	
Product No.	
500073	
Screw included:	3.5×20 Flat head tapping screw 8pcs
Parts included:	Automatic Flush Bolt 2pcs Assembly screws 1set



Dust Proof Socket

Material: Stainless
Finish/Color: Satin Finish

Dust Proof Socket	
Product No.	
500042	
Parts included:	Dust Proof Socket 1pcs



Dust Proof Socket (Slim type)

Material: Stainless

Dust Proof Socket (Slim type)	
Product No.	Finish/Color
500043	Satin Finish
500043BK	Black

Parts included:
Dust Proof Socket 1pcs




Door Selector



Material: Stainless
Finish/Color: Satin Finish

Door Selector
Product No.
500060

Screw included:
4.8×35 Flat head tapping screw 3pcs
Parts included:
Door Selector 1pcs
Assembly screws 1set




D-Pull Handle



Material: Stainless
Finish/Color: Satin Finish

D-Pull Handle
Product No.
500050

Screw included:
3.8×25 Flat head tapping screw 6pcs
Parts included:
D-Pull Handle 1pcs
Assembly screws 1set






Cup Ring Handle



Material: Stainless
Finish/Color: Satin finish

Cup Ring Handle
Product No.
500044

Screw included:
3.8×16 Flat head tapping screw 4pcs
Parts included:
Cup Ring Handle 2pcs
Assembly screws 1set





H-Pull Handle



Material: Stainless
Finish/Color: Satin finish

H-Pull Handle
Product No.
500051

Parts included:
H-Pull Handle 2pcs
Assembly screws 1set
Packing 4pcs
Allen wrench 1pcs



Specification of part a

Aftermarket Parts

Lever Handles

Door Parts

Sliding Door Parts

Accessories

Cabinet Parts • Handrail

Euro Series

Aftermarket Parts

Lever Handles

Lever Handles

Lock Case

Metal Case

Product No.	Product Name	Specification	Faceplate
P1-FL51CASE	FL51 Case	BS51 Privacy Lock	Round
740001	FT51 Case	BS51 Passage Lock	Round
P1-FR51CASE	FR51 Case	BS51 Privacy Lock	Round
P2-FR51CASE	FR51 Case	BS51 Privacy Lock	Rectangle
P1-FU32CASER	FU32 Case (For Resin Handle)	BS32 Privacy Lock	Rectangle
P1-FU32CASEM	FU32 Case (For Metal Handle)	BS32 Privacy Lock	Rectangle
P1-FU51CASER	FU51 Case (For Resin Handle)	BS51 Privacy Lock	Rectangle
P1-FU51CASEM	FU51 Case (For Metal Handle)	BS51 Privacy Lock	Rectangle

Accessories : Mounting screw

Resin Case

Product No.	Product Name	Specification	Faceplate
P1-KU32CASE	KU32 Case	BS32 Privacy Lock	Rectangle
P1-LU32CASE	LU32 Case	BS32 Privacy Lock	Rectangle

Accessories : Mounting screw



FL51 Case



FT51 Case



FR51 Case



FU51 Case



KU32 Case



LU32 Case

※ Images are for illustration only.
Lever handle and rosette not included.

Escutcheon

Product No.	Product Name	Applicable Case
P1-1MMARUW	Passage Lock, 1M, Round set (Resin)	FU (BS51)
P1-2AKOBAN	Privacy Lock, 2A, Oval set (Resin)	FU (BS32, 51)
P1-2DKOBAN	Privacy Lock, 2D, Oval set (Resin)	KU (BS32)
P1-1SKOBAN	Passage Lock, 1S, Oval set (Resin)	LU (BS32)
P1-2SKOBAN	Privacy Lock, 2S, Oval set (Resin)	LU (BS32)

Accessories : Mounting screw



Lever Handle

Product No.	Product Name
P1-AP4SLEVER	AP4 Type (bottom fix), Resin Lever Handle set (spindle not included)
P1-BP4YLEVER	BP4 Type (side fix), Resin Lever Handle set (spindle not included)

Accessories : Fixing screw

1M
AP4-WH2A
AP4-WH2D
AP4-W1S
BP4-WH2S
BP4-WH

Lever handle fixing screw (For Metal Lever Handles)

Product No.	Specification	Products used
P1-S16-120N	Pointed Tip Screw M6×8	FU-○○-2C-Color Standard Handle
P1-042CAS-150	Round flat head machine screw M4×12 With packing	FU-○○-2C-K/Color Side countersink handle
P1-S15-010N	Handle set screw M5×8	FU-○○-2C/Color Bottom countersink handle

Set of 2

P1-S16-120N
Pointed Tip Screw
M6×8P1-042CAS-150
Round flat head
machine screw
M4×12
With packingP1-S15-010N
Handle set screw
M5×8

Lever handle fixing screw (For Resin Lever Handles)

Product No.	Specification	Products used	Finish/Color
P1-S14-027L	Pan head machine screw M4×12	AP4 Type Bottom fix screw	Raw Material
P1-S17-WH6	Binding head machine screw M4×12	BP4 Type Side fix screw	White Painting
P1-S17-KB6	Binding head machine screw M4×12	BP4 Type Side fix screw	Black Painting

Set of 2

P1-S14-027L
Pan head
machine screw
M4×12P1-S17-WH6
Binding head
machine screw
M4×12 (W)P1-S17-KB6
Binding head
machine screw
M4×12 (B)

Door Parts

Spool Bracket for Hinged Door Soft Closer

Product No.	Specification	Material	Finish/Color
P1-312021	Right Hand	Resin, Steel	Gold Painting
P1-312022			Silver Painting
P1-312023			Gray
P1-312024			Brown
P1-312025	Left Hand	Resin, Steel	Gold Painting
P1-312026			Silver Painting
P1-312027			Gray
P1-312028			Brown

Screw included:

4 × 30 Binding head tapping screw 2pcs



Gold Painting (R)



Silver Painting (R)



Gray (R)



Brown (R)



Sliding Door Parts

Hook for Top Hung Soft Closer

Product No.	Material	Finish/Color
P1-312031	Stainless	Raw Material

Screw included:
3 × 16 Flat head tapping screw 2pcs

Brown
(for Brown Painting/Gold Painting)Gray
(for Silver Painting/Hairline)

Door Parts

Trigger for Sliding Door Soft Closer

Product No.	Material	Finish/Color
P1-312061	Resin	Brown
P1-312062		Gray

Screw included:
3.5 × 25 Binding head tapping screw 2pcs

Sliding Door Parts

Round Rose Set for Clear Cut Hook Lock (Inside:Standard)

Product No.	DT30~34	DT35~39	Key Specification	Finish/Color
P1-RS2SG04	P1-RS2SG59	Privacy lock	Satin Gold	
P1-RS2SW04	P1-RS2SW59		Satin Silver	
P1-RS2PG04	P1-RS2PG59		Gloss Gold	
P1-RS2CR04	P1-RS2CR59		Chrome Plating	
P1-RS2TS04	P1-RS2TS59		Silver Painting	
P1-RS2TB04	P1-RS2TB59		Black Painting	
P1-RS3SG04	P1-RS3SG59	Indicator lock	Satin Gold	
P1-RS3SW04	P1-RS3SW59		Satin Silver	
P1-RS3PG04	P1-RS3PG59		Gloss Gold	
P1-RS3CR04	P1-RS3CR59		Chrome Plating	
P1-RS3TS04	P1-RS3TS59		Silver Painting	
P1-RS3TB04	P1-RS3TB59		Black Painting	
P1-RSSSG04	P1-RSSSG59	Standard (thumb-turn on both sides)	Satin Gold	
P1-RSSSW04	P1-RSSSW59		Satin Silver	
P1-RSSPG04	P1-RSSPG59		Gloss Gold	
P1-RSSCR04	P1-RSSCR59		Chrome Plating	
P1-RSSTS04	P1-RSSTS59		Silver Painting	
P1-RSSTB04	P1-RSSTB59		Black Painting	

Accessories : Spindle, mounting screws

Round Rose Set for Clear Cut Hook Lock (Inside:Standard)

Product No.	DT30~35	DT36~39	Key Specification	Finish/Color
P1-RS5SG05	P1-RS5SG69	Cylinder lock (with key)	Satin Gold	
P1-RS5SW05	P1-RS5SW69		Satin Silver	
P1-RS5TS05	P1-RS5TS69		Silver Painting	
P1-RS5TB05	P1-RS5TB69		Black Painting	

Accessories : Spindle, mounting screws

Round Rose Set for Clear Cut Hook Lock (Inside:Lever)



Product No.	DT30~34	DT35~39	Key Specification	Finish/Color
P1-RR2SG04	P1-RR2SG59	Privacy lock	Satin Gold	
P1-RR2SW04	P1-RR2SW59		Satin Silver	
P1-RR2PG04	P1-RR2PG59		Gloss Gold	
P1-RR2CR04	P1-RR2CR59		Chrome Plating	
P1-RR2TS04	P1-RR2TS59		Silver Painting	
P1-RR3SG04	P1-RR3SG59	Indicator lock	Satin Gold	
P1-RR3SW04	P1-RR3SW59		Satin Silver	
P1-RR3PG04	P1-RR3PG59		Gloss Gold	
P1-RR3CR04	P1-RR3CR59		Chrome Plating	
P1-RR3TS04	P1-RR3TS59		Silver Painting	
P1-RRRSG04	P1-RRRSG59	Lever (thumb-turn on both sides)	Satin Gold	
P1-RRRSW04	P1-RRRSW59		Satin Silver	
P1-RRRPG04	P1-RRRPG59		Gloss Gold	
P1-RRRRCR04	P1-RRRRCR59		Chrome Plating	
P1-RRRTS04	P1-RRRTS59		Silver Painting	

Accessories : Spindle, mounting screws



Round Rose Set for Clear Cut Hook Lock (Inside:Lever)

Product No.	DT30~35	DT36~39	Key Specification	Finish/Color
P1-RR5SG05	P1-RR5SG69	Cylinder lock (with key)	Satin Gold	
P1-RR5SW05	P1-RR5SW69		Satin Silver	
P1-RR5TS05	P1-RR5TS69		Silver Painting	

Accessories : Spindle, mounting screws



Finish/Color



Top Lock BS38 Top Lock BS51 Bottom Lock BS51 Dead Bolt Lock BS51

Case

※ Images are for illustration only. Rose not included.



Round Rose Set for Clear Cut Hook Lock (Inside:UD Lever)

Product No.	DT30~34	DT35~39	Key Specification	Finish/Color
P1-RU3SG04	P1-RU3SG59	Indicator lock	Satin Gold	
P1-RU3SW04	P1-RU3SW59		Satin Silver	
P1-RU3TS04	P1-RU3TS59		Silver Painting	
P1-RUUSG04	P1-RUUSG59	UD Lever (thumb-turn on both sides)	Satin Gold	
P1-RUUSW04	P1-RUUSW59		Satin Silver	
P1-RUUTS04	P1-RUUTS59		Silver Painting	

Accessories : Spindle, mounting screws

Round Rose Set for Clear Cut Hook Lock (Inside:UD Lever)

Product No.	DT30~35	DT36~39	Key Specification	Finish/Color
P1-RU5SG05	P1-RU5SG69	Cylinder lock (with key)	Satin Gold	
P1-RU5SW05	P1-RU5SW69		Satin Silver	
P1-RU5TS05	P1-RU5TS69		Silver Painting	

Accessories : Spindle, mounting screws

Square Rose Set for Clear Cut Hook Lock (Inside:Standard)

Product No.	DT30~34	DT35~39	Key Specification	Finish/Color
P1-SS2SG04	P1-SS2SG59	Privacy lock	Satin Gold	
P1-SS2SW04	P1-SS2SW59		Satin Silver	
P1-SS2TB04	P1-SS2TB59		Black Painting	
P1-SS3SG04	P1-SS3SG59	Indicator lock	Satin Gold	
P1-SS3SW04	P1-SS3SW59		Satin Silver	
P1-SS3TB04	P1-SS3TB59		Black Painting	
P1-SSSSG04	P1-SSSSG59	Standard (thumb-turn on both sides)	Satin Gold	
P1-SSSSW04	P1-SSSSW59		Satin Silver	
P1-SSSTB04	P1-SSSTB59		Black Painting	

Accessories : Spindle, mounting screws

Square Rose Set for Clear Cut Hook Lock (Inside:Standard)

Product No.	DT30~35	DT36~39	Key Specification	Finish/Color
P1-SS5SG05	P1-SS5SG69	Cylinder lock (with key)	Satin Gold	
P1-SS5SW05	P1-SS5SW69		Satin Silver	
P1-SS5TB05	P1-SS5TB69		Black Painting	

Accessories : Spindle, mounting screws

Lock Case/Adjustable Strike/Spare Key for Clear Cut Hook Lock

Product No.	BS38	BS51	Product Name
NT38R	NT51R		Top Lock Case (Round type faceplate)
NT38S	NT51S		Top Lock Case (Rectangle type faceplate)
—	NU51R		Bottom Lock Case (Round type faceplate)
—	NU51S		Bottom Lock Case (Rectangle type faceplate)
—	ND51R		Dead Bolt Lock Case (Round type faceplate)
—	ND51S		Dead Bolt Lock Case (Rectangle type faceplate)
224580	same		Adjustable Strike, Top Lock (Round type faceplate)
900022	same		Adjustable Strike, Top Lock (Rectangle type faceplate)
—	224589		Adjustable Strike, Bottom Lock (Round type faceplate)
—	224590		Adjustable Strike, Bottom Lock (Rectangle type faceplate)
224581	same		Spare Key (No.000)
224582	same		Spare Key (No.B000)
224583	same		Spare Key (No.D000)


Accessories : Spindle, mounting screws

Sliding Door Parts

Pull for TS Hook Lock

Product No.	Key Specification	Finish/Color
P1-224701	Privacy lock	Gloss Pearl Chrome
P1-224702		Black Gold
P1-224703		Satin Silver
P1-224704		Black Silver
P1-224705		Matte Black Painting
P1-224706		Chrome Plating
P1-224711	Indicator lock	Gloss Pearl Chrome
P1-224712		Black Gold
P1-224713		Satin Silver
P1-224714		Black Silver
P1-224715		Matte Black Painting
P1-224718		Chrome Plating
P1-224721	Cylinder lock	Gloss Pearl Chrome
P1-224722		Black Gold
P1-224723		Satin Silver
P1-224724		Black Silver
P1-224716		Matte Black Painting
P1-224719		Chrome Plating

Screw included:
M4×25 Flat head machine screw (D7) 2pcs



Lock Case/Adjustable Strike/Spare Key for TS Hook Lock

Product No.	No Trigger	With Trigger	Product name
224748	224748T		Lock Case (Round type faceplate)
224749	224749T		Lock Case (Rectangle type faceplate)
224580	same		Adjustable Strike (Round type faceplate)
224588	same		Adjustable Strike (Rectangle type faceplate)
224750	same		Spare Key

Accessories : Mounting screw



※ Images are for illustration only.
Puller not included.

Sliding Door Parts

Pull for NS Automatic Hook Lock

Product No.	DT33	DT36	Key Specification	Finish/Color
P1-224621	P1-224624		Passage lock	Chrome Plating
P1-224622	P1-224625			Gold Painting
P1-224623	P1-224626			Silver Painting
P1-224631	P1-224634		Privacy lock	Chrome Plating
P1-224632	P1-224635			Gold Painting
P1-224633	P1-224636			Silver Painting
P1-224641	P1-224644		Indicator lock	Chrome Plating
P1-224642	P1-224645			Gold Painting
P1-224643	P1-224646			Silver Painting

Screw included: M3×30 Flat head machine screw 2pcs



Pull for CL Automatic Hook Lock

Product No.	DT30~32	DT33~36	Key Specification	Finish/Color
P1-224679	P1-224682		Passage lock	Chrome Plating
P1-224680	P1-224683			Satin Silver
P1-224681	P1-224684			Black Painting
P1-224661	P1-224667		Privacy lock	Chrome Plating
P1-224662	P1-224668			Satin Silver
P1-224663	P1-224669			Black Painting
P1-224664	P1-224670		Indicator lock	Chrome Plating
P1-224665	P1-224671			Satin Silver
P1-224666	P1-224672			Black Painting

Screw included:
M3×10, 15 Flat head machine screw 2pcs
(Depends on the door thickness.)

Accessories

Recessed Paper Holder's Spare Roll Core

Product No.	Material	Finish/Color
610210	Resin	White
610210B		Black



Bracket for Towel Bar TB (Set of 2)

Product No.	Material	Finish/Color
P1-610011	Resin	White
P1-610015		Black
P1-610017		Chrome Plating

Screw included:
4×30 Pan head tapping screw 4pcs

※ Images are for illustration only.
Pipes not included.



Bracket for Towel Bar KB (Set of 2)

Product No.	Material	Finish/Color
P1-610021	Resin	White
P1-610027		Black
P1-610022		Chrome Plating

Screw included:
4×30 Pan head tapping screw 4pcs

※ Images are for illustration only.
Pipes not included.



Thumb Turn for Child Lock

Product No.	Material	Finish/Color
P1-610920	Resin	Pearl White
P1-610921		S White
P1-610922		Silver
P1-610923		Black

Note: This is a set for the bathroom side
and the changing room side.



Bracket for YH Laundry Pipe (Set of 2)

Product No.	Material	Finish/Color
610629	Resin	White Gray
610639		Chrome Plating

Screw included:
4×25 Truss head tapping screw 4pcs
Base plate 2pcs

Bracket for KS Laundry Pipe (Set of 2)

Product No.	Material	Finish/Color
610620	Resin	White
610649		Black

Screw included:
4×25 Truss head tapping screw 4pcs
Base plate 2pcs

Bracket for KS Flexible Laundry Pipe (Double-sided Tape Type) (Set of 2)

Product No.	Material	Finish/Color
610655	Resin	White Gray

Screw included:
4×30 Truss head tapping screw 4pcs
Double-sided tape 2pcs

Bracket for KS Flexible Laundry Pipe (Screw Mounting Type) (Set of 2)

Product No.	Material	Finish/Color
610656	Resin	White Gray
610658		Chrome Plating

Screw included:
4×30 Truss head tapping screw 4pcs
Base plate 2sheets



Cabinet Parts

Bracket for Hanger Pipe Set

Product No.	Product Name	Material	Finish/Color
P1-331	End Bracket	ZDC	Matte Silver (Painting)
P2-331	Middle Bracket		Matte Silver (Painting)

Screw included:
M4×20 Flat head machine screw 1pcs

Note: universal left-right bracket; priced per piece.



End Bracket



※ Images are for illustration only.
Pipes not included.



Silver



Gold



Silver



Gold



Black



Silver



Gold



Black



Silver



Gold

Bracket for NL Type (Set of 2)

Product No.	Material	Finish/Color
860072	ZDC, Resin	Silver
860073		Gold

Screw included:
4×40 Pan head tapping screw 8pcs
3.5×20 Round flat head tapping screw 4pcs

Bracket for NE Type (Set of 2)

Product No.	Material	Finish/Color
860042	ZDC, Resin	Silver
860043		Gold
860044		Black

Screw included:
4×40 Pan head tapping screw 6pcs
3.5×20 Pan head tapping screw 4pcs

Bracket for NI Type Entrance (Set of 2)

Product No.	Material	Finish/Color
860062	ZDC, Resin	Silver
860063		Gold
860064		Black

Screw included:
4×40 Pan head tapping screw 8pcs
3.5×20 Pan head tapping screw 4pcs

Bracket for NI Type (Set of 2)

Product No.	Material	Finish/Color
860052	ZDC, Resin	Silver
860053		Gold

Screw included:
4×40 Pan head tapping screw 8pcs
3.5×20 Round flat head tapping screw 4pcs

Company's Profile

Foundation	April 1948												
Establishment	November 1970												
Firm Name	Kuriki Manufacture Co.,Ltd.												
President	AKIYOSHI KURIKI												
Main Factory Location	<p>【Address】 1681-1 Onuki, Namegata City, Ibaraki Prefecture 311-1724, Japan</p> <p>【Ground】 Ground:18,500m² Factory Building:2,655m² Office Building:180m²</p> <p>【Access】 Change from JYOBAN Line MITO Station to OARAIKASHIWA Line SHINHOKOTA Station 10 minutes by car JYOBAN Line TSUCHIURA Station 30 minutes by car</p>												
Overseas factory	<p>【Firm Name】 TIANJIN KURIKI BUILDERS HARDWARE ETC CO.,LTD (天津久力家居用品有限公司)</p> <p>【Address】 No.40 Sengdayizhi Road Xiqing Gaoduan Metal Product Industrial Area, Tianjin</p>												
Trade Company	<p>【Firm Name】 TIANJIN KURIKI BUILDERS HARDWARE TRADING CO.,LTD (天津久力輝家居用品貿易有限公司)</p> <p>【Address】 Jiefangnan Road and Wushui Road Junction Southwestside Hexi District, Tianjin City</p>												
Main Product	<table border="0"> <tr> <td>Lever Handles</td> <td>Metal & Resin Lever Handle, Metal & Resin Lock Case, Adjustable Strike</td> </tr> <tr> <td>Door Parts</td> <td>Hinge, Pivot Hinge, Door Stopper, Hinged Door Soft Closer, Light Indicator Lens, Door Louver, Flush Bolt</td> </tr> <tr> <td>Sliding Door Parts</td> <td>Hook Lock, Resin Pull, Metal Pull, Bar Handle, Adjustable Roller, Rail, Sliding Door Soft Closer, Outset Sliding Door Parts</td> </tr> <tr> <td>Accessories</td> <td>Paper Holder, Towel Ring, Towel Bar, Towel Shelf, Bathroom Push Pull Lock, Child Lock, Laundry Pipe, Storage Tray, Bathroom Lid Holder</td> </tr> <tr> <td>Cabinet Parts, Handrail</td> <td>Knob, Handles, Hanger Pipe, Round Bar Handrail, Handrail Bracket</td> </tr> <tr> <td>Euro Series</td> <td>Mortice Locks, Standard Cylinder, Rectangular Recessed Pull, Euro Fire-rated Hinge, Flush Bolt, Dust Proof Socket</td> </tr> </table>	Lever Handles	Metal & Resin Lever Handle, Metal & Resin Lock Case, Adjustable Strike	Door Parts	Hinge, Pivot Hinge, Door Stopper, Hinged Door Soft Closer, Light Indicator Lens, Door Louver, Flush Bolt	Sliding Door Parts	Hook Lock, Resin Pull, Metal Pull, Bar Handle, Adjustable Roller, Rail, Sliding Door Soft Closer, Outset Sliding Door Parts	Accessories	Paper Holder, Towel Ring, Towel Bar, Towel Shelf, Bathroom Push Pull Lock, Child Lock, Laundry Pipe, Storage Tray, Bathroom Lid Holder	Cabinet Parts, Handrail	Knob, Handles, Hanger Pipe, Round Bar Handrail, Handrail Bracket	Euro Series	Mortice Locks, Standard Cylinder, Rectangular Recessed Pull, Euro Fire-rated Hinge, Flush Bolt, Dust Proof Socket
Lever Handles	Metal & Resin Lever Handle, Metal & Resin Lock Case, Adjustable Strike												
Door Parts	Hinge, Pivot Hinge, Door Stopper, Hinged Door Soft Closer, Light Indicator Lens, Door Louver, Flush Bolt												
Sliding Door Parts	Hook Lock, Resin Pull, Metal Pull, Bar Handle, Adjustable Roller, Rail, Sliding Door Soft Closer, Outset Sliding Door Parts												
Accessories	Paper Holder, Towel Ring, Towel Bar, Towel Shelf, Bathroom Push Pull Lock, Child Lock, Laundry Pipe, Storage Tray, Bathroom Lid Holder												
Cabinet Parts, Handrail	Knob, Handles, Hanger Pipe, Round Bar Handrail, Handrail Bracket												
Euro Series	Mortice Locks, Standard Cylinder, Rectangular Recessed Pull, Euro Fire-rated Hinge, Flush Bolt, Dust Proof Socket												
Home Page	https://www.kuriki-ss.co.jp/en/												
Contact Us	Head Office 【TEL】 (+81)291-35-2636 【FAX】 (+81)291-35-2683 【e-mail】 tianjin6@kuriki-ss.co.jp												



- Price and specification are subject to change without prior notice.
- The printed colors depicted may differ from the actual products.



Kuriki Manufacture Co.,Ltd.